Oracle Enterprise Manager 13c

Management Agent Upgrade from 13.4 to 13.5 Using the OEM Console

Technical Handout

Scope: This guide covers upgrading Oracle Enterprise Manager 13c Release 4 (13.4) Management Agents to 13c Release 5 (13.5) using the Agent Upgrade Console. It is a procedural learning guide, not a substitute for the release-specific Oracle documentation or a tested change plan.

Activity	Oracle Management Agent upgrade via OEM console
OEM / OMS version	Enterprise Manager Cloud Control 13c Release 5 Update 23
Source agent version	13.4.0.0.0
Target agent version	13.5.0.0.0
Upgrade method	Setup → Manage Cloud Control → Upgrade Agents
Maintenance window	2026-11-12 2:45:00 AM – 5:00:00 AM EST
Overall result	Successful

1. Objective

This handout describes the preparation, console workflow, monitoring and post-upgrade verification for an Oracle Management Agent upgrade from 13.4 to 13.5.

2. Upgrade overview


The Agent Upgrade Console submits an upgrade deployment job through Enterprise Manager. The selected agents are upgraded using software available in the Oracle Software Library (Software Library). The upgrade changes the agent home while retaining the agent base directory. Oracle documents the Agent Upgrade Console as one supported method; Agent Gold Images are Oracle's recommended approach for upgrading all Management Agents at scale.

Important: Oracle's 13.5 upgrade documentation describes upgrading 13c Release 3 and 13c Release 4 agents to 13c Release 5 using this workflow. Confirm the exact source release, platform, plug-in and patch compatibility for your environment before proceeding.

3. Prerequisites and pre-upgrade checks

- Confirm that the OMS and Management Repository are already running on the intended target release and are healthy.
- Confirm the 13.5 Management Agent software for each target platform is downloaded and applied in Setup → Extensibility → Self Update → Agent Software.

[SCREENSHOT 01 – Agent software availability]




- Confirm that each selected agent is up, reachable and eligible for upgrade; record its current version, host, platform and agent base directory.
- Confirm sufficient free space in the agent-based file system and in the staging location. The agent base directory location cannot be changed through this upgrade operation.
- Confirm the install user has read access to Oracle Inventory files and write access to the Oracle Inventory directory.
- Review preferred host credentials and privilege delegation. Determine how the root.sh step will be completed if OEM cannot run it automatically.
- Check for cron jobs, monitoring scripts or watchdog processes that could restart the old agent while the upgrade is in progress; prevent unintended restart during the maintenance window.
- Review active blackout windows, target availability, monitoring impact, backup/rollback arrangements and change approvals.
- Capture baseline evidence: agent version, agent status, last successful upload, monitored targets and relevant agent logs.

4. Access the Agent Upgrade Console


1. Log in to the Enterprise Manager 13.5 console with an account authorised to manage agents and submit deployment procedures.
2. Navigate to Setup → Manage Cloud Control → Upgrade Agents.

[SCREENSHOT 02 – Access upgrade agent console]



3. Review the page and confirm that the intended target release and upgrade software are available.


[SCREENSHOT 03 - Agent upgrade landing page]



5. Select agents and configure the upgrade job

4. Enter a meaningful, unique Job Name. A descriptive name helps identify the run in Agent Upgrade Results.
5. Select Add to open the Upgradable Agents window.
6. Search and filter by Agent, Installed Version, Platform and Group. Select only the intended 13.4 agents.
7. Review the selected-agent list carefully.
8. Where applicable, specify absolute paths for Pre-upgrade Script and Post-upgrade Script. The scripts must exist at the documented location on the OMS host (all OMS hosts in a multi-OMS setup) or on every selected agent host, as applicable.
9. Review any additional parameters, credentials and staging settings required by the environment. If a non-default staging path is required, use the parameter supported by the installed OEM release and validate its spelling and value against the console help and Oracle documentation. Do not assume a shell environment variable such as SCRATCHPATH will change the console deployment staging directory.
10. Review the job summary and selected agents before submitting.


[SCREENSHOT 04 – Add agent to upgrade task and deployment submission]




6. Submit and monitor the deployment

11. Click Submit only after the change window, target list and configuration have been approved.
12. OEM creates an agent upgrade job and opens the Agent Upgrade Status page.
13. Monitor the job and each individual step. Record the job name, start/end time, per-agent result and any failed or skipped steps.
14. If a step fails, open Agent Upgrade Results and inspect the detailed output for the failed step before retrying. Do not repeatedly resubmit without understanding the cause.
15. Where the root.sh step was skipped or failed, follow the documented procedure: log in to the affected host as root, navigate to the new 13.5 agent home under the agent base directory, and run root.sh. Record the execution and result.

[SCREENSHOT 05 – Deployment progress and status]




[SCREENSHOT 06 – Run root.sh]



7. Post-upgrade validation

- In Setup → Manage Cloud Control → Upgrade Agents → Agent Upgrade Results, confirm the upgrade job completed successfully.
- In Setup → Manage Cloud Control → Agents, open each upgraded agent and confirm its version is 13.5.0.0.0 (or the approved 13.5 patch level).
- Confirm the agent is up and running, is not blocked and is not under an unintended blackout.
- Confirm the agent has uploaded successfully to the OMS and that the last upload time is current.
- Review the agent's monitored targets and confirm they are available and collecting data.
- From the Agent menu, select Configuration → Latest and check that configuration properties do not refer to the old 13.4 agent home.
- On the host, if permitted, validate with emctl status agent from the new agent home and review the agent logs for errors.
- Compare the post-upgrade state with the pre-upgrade baseline and record any monitoring gaps or target changes.

[SCREENSHOT: 07 - Agent details after upgrade]



[SCREENSHOT 08 - post-upgrade target / upload validation]

```
[oracle@[redacted] tmp]$ /oracle/agent13c/agent_13.5.0.0.0/bin/emctl status agent
Oracle Enterprise Manager Cloud Control 13c Release 5
Copyright (c) 1996, 2021 Oracle Corporation.  All rights reserved.
---------------------------------------------------------------
Agent Version          : 13.5.0.0.0
OMS Version            : 13.5.0.0.0
Protocol Version       : 12.1.0.1.0
Agent Home             : /oracle/agent13c/agent_inst
Agent Log Directory    : /oracle/agent13c/agent_inst/sysman/log
Agent Binaries         : /oracle/agent13c/agent_13.5.0.0.0
Core JAR Location      : /oracle/agent13c/agent_13.5.0.0.0/jlib
Agent Process ID       : 3573508
Parent Process ID      : 3573454
Agent URL              : https://[redacted]:3872/emd/main/
Local Agent URL in NAT : https://[redacted]:3872/emd/main/
Repository URL         : https://[redacted]:4903/empbs/upload
Started at             : 2026-11-12 04:37:15
Started by user        : oracle
Operating System       : Linux version 4.18.0-553.158.1.el8_10.x86_64 (amd64)
Number of Targets      : 11
Last Reload            : 2026-11-12 04:37:55
Last successful upload                       : 2026-11-12 04:44:46
Last attempted upload                        : 2026-11-12 04:44:46
Total Megabytes of XML files uploaded so far : 0.27
Number of XML files pending upload           : 0
Size of XML files pending upload(MB)         : 0
Available disk space on upload filesystem    : 46.34%
Collection Status                            : Collections enabled
Heartbeat Status                             : Ok
Last attempted heartbeat to OMS              : 2026-11-12 04:44:30
Last successful heartbeat to OMS             : 2026-11-12 04:44:30
Next scheduled heartbeat to OMS              : 2026-11-12 04:45:30

---------------------------------------------------------------
Agent is Running and Ready
[oracle@[redacted] tmp]$
```

8. Troubleshooting guide

Symptom	Checks / response
Agent upgrade step fails	Open Agent Upgrade Results and inspect the detailed output and deployment logs. Check connectivity, disk space, permissions, inventory access and software-library platform availability.
Permission denied / inventory access	Verify the install user can read Oracle Inventory files and write to the inventory directory. Do not apply broad permissions without following local security policy.
Temporary/staging directory issue	Check free space, ownership, permissions and mount options for the staging directory. Configure a supported alternate staging location through the Agent Upgrade Console additional parameter as documented for the exact OEM release; validate the parameter name in your environment.
root.sh step skipped or failed	Complete the documented root.sh step as root from the new agent home, then re-check the agent and job status.
Old agent starts unexpectedly	Check cron, watchdog, init/systemd or local monitoring automation that may restart the old agent. Prevent unintended restart during the upgrade window.
Agent upgraded but upload is stale	Check agent status, OMS reachability, upload logs, repository/OMS health and any network or certificate issue. Confirm the agent is not blocked or in blackout.