



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:40 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

Description

Properties	Values
Name	FirstTalendJob
Author	Joshi, Nishad
Version	1.1
Purpose	
Status	DEV
Description	
Creation	13 Apr, 2018 10:59:05 AM
Modification	2 May, 2018 12:59:36 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
SourceFolder	SourceFolder?	false	id_String		TalendJobConfig
FileMask	FileMask?	false	id_String		TalendJobConfig
NYSEDestGoodFile	NYSEDestGoodFile?	false	id_String		TalendJobConfig
NYSEDestBadFile	NYSEDestBadFile?	false	id_String		TalendJobConfig

NSEDestGoodFile	NSEDestGoodFile?	false	id_String		TalendJobConfig
NSEDestBadFile	NSEDestBadFile?	false	id_String		TalendJobConfig
FieldDelim	FieldDelim?	false	id_String	", "	
SourceFileLocation	SourceFileLocation?	false	id_String		

ContextQA

Name	Prompt	Need Prompt?	Type	Value	Source
FieldDelim	FieldDelim?	false	id_String	", "	
SourceFolder	SourceFolder?	false	id_String		TalendJobConfig
FileMask	FileMask?	false	id_String		TalendJobConfig
NYSEDestGoodFile	NYSEDestGoodFile?	false	id_String		TalendJobConfig
NYSEDestBadFile	NYSEDestBadFile?	false	id_String		TalendJobConfig
NSEDestGoodFile	NSEDestGoodFile?	false	id_String		TalendJobConfig
NSEDestBadFile	NSEDestBadFile?	false	id_String		TalendJobConfig
SourceFileLocation	SourceFileLocation?	false	id_String		

ContextUAT

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

FieldDelim	FieldDelim?	false	id_String", "		
SourceFileLocation	SourceFileLocation?	false	id_String		
SourceFolder	SourceFolder?	false	id_String		TalendJobConfig
FileMask	FileMask?	false	id_String		TalendJobConfig
NYSEDestGoodFile	NYSEDestGoodFile?	false	id_String		TalendJobConfig
NYSEDestBadFile	NYSEDestBadFile?	false	id_String		TalendJobConfig
NSEDestGoodFile	NSEDestGoodFile?	false	id_String		TalendJobConfig
NSEDestBadFile	NSEDestBadFile?	false	id_String		TalendJobConfig

ContextPROD

Name	Prompt	Need Prompt?	Type	Value	Source
FieldDelim	FieldDelim?	false	id_String", "		
SourceFileLocation	SourceFileLocation?	false	id_String		
SourceFolder	SourceFolder?	false	id_String		TalendJobConfig
FileMask	FileMask?	false	id_String		TalendJobConfig
NYSEDestGoodFile	NYSEDestGoodFile?	false	id_String		TalendJobConfig
NYSEDestBadFile	NYSEDestBadFile?	false	id_String		TalendJobConfig


NSEDestGoodFile	NSEDestGoodFile?	false	id_String		TalendJobConfig
NSEDestBadFile	NSEDestBadFile?	false	id_String		TalendJobConfig

Component List

Component Name	Component Type
NYSEJoblet_1	NYSEJoblet
tFileInputDelimited_1	tFileInputDelimited
tLogRow_1	tLogRow
tLogRow_2	tLogRow
tLogRow_3	tLogRow

Components Description

Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	SampleNYSE	OUTPUT(S)	NYSEJoblet_1

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_1

Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In


File name/Stream	"F:/Trainings/CITI/SampleFiles/NYSE_daily_prices_A.csv"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	""
Text enclosure	""
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:SampleNYSE - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20161216_1026-V6.3.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false

Check column to trim	[{SCHEMA_COLUMN=exchange, TRIM=false}, {SCHEMA_COLUMN=stock_symbol, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=stock_price_open, TRIM=false}, {SCHEMA_COLUMN=stock_price_high, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_close, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_price_adj_close, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=exchange, DECODE=false}, {SCHEMA_COLUMN=stock_symbol, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=stock_price_open, DECODE=false}, {SCHEMA_COLUMN=stock_price_high, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_volume, DECODE=false}, {SCHEMA_COLUMN=stock_price_adj_close, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	SampleNYSE
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	Float	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	Integer	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	NYSEJoblet_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)

Family	Logs_Errors
Startable	false
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true


Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=exchange, LENGTH=10}, {SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=stock_price_open, LENGTH=10}, {SCHEMA_COLUMN=stock_price_high, LENGTH=10}, {SCHEMA_COLUMN=stock_price_low, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=stock_price_adj_close, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	Float	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	Integer	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	NYSEJoblet_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors

Startable	false
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false


Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=exchange, LENGTH=10}, {SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=stock_price_open, LENGTH=10}, {SCHEMA_COLUMN=stock_price_high, LENGTH=10}, {SCHEMA_COLUMN=stock_price_low, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=stock_price_adj_close, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	Float	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	Integer	7		true	
stock_price_adj_close	false	Float	4	3	true	
errorMessage	false	String	255		true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_3	INPUT(S)	NYSEJoblet_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)

Family	Logs_Errors
Startable	false
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true


Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=newColumn, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
stock_symbol	false	String	3		true	

stock_volume	false	Integer	7		true	
newColumn	false	Integer			true	

Original Function Parameters:
Component **NYSEJoblet**

	UNIQUE NAME	NYSEJoblet_1	INPUT(S)	tFileInputDelimited_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1 , tLogRow_2, tLogRow_3

Component Parameters:

Properties	Values
Version	Latest
Show Information	false
Comment	

Schema for NYSEJoblet_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	Float	4		true	
stock_price_high	false	Float	4	3	true	

stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	Integer	7		true	
stock_price_adj_close	false	Float	4	3	true	