Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:38 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tAdvancedFileOutputXML
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:51 PM
Modification	24 Jul, 2017 5:50:44 PM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

Contextdemo

Name	Prompt	Need Prompt?	Type	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

Component List

Component Name	Component Type
tAdvancedFileOutputXML_1	tAdvancedFileOutputXML
tRowGenerator_1	tRowGenerator

Components Description

Component   tAdvancedFileOutputXML

	UNIQUE NAME	tAdvancedFileOutputXML_1	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
Use Output Stream	false
File Name	context.root.concat("talend_files_0.1/out/advanced.xml")
Configure XML Tree	
Append the source xml file	false
Generate compact file	false
Include DTD or XSL	false
Split output in several files	false
Trim data	false
Create directory if it does not exist	true
Create empty element if needed	true
Create attribute even if its value is NULL	false

Create attribute even if it is unmapped	false
Add Document type as node	false
Create associated XSD file	false
Advanced separator (for numbers)	false
Generation mode	Dom4j
Encoding	"ISO-8859-15"
Don't generate empty file	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for tAdvancedFileOutputXML_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Component   tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tAdvancedFileOutputXML_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Show Information	false
Comment	
Use an existing validation rule	false

Row generator information for tRowGenerator_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
number	false	int	false	3				1,2,3,4,5,6,7,8,9,10	
txt	false	String	false	20				text1, text2, text3, text4, text5, text6, text7, text8, text9, text10	

date	false	String	false	10				2007-01-21, 2007-02-22, 2007-03-23, 2006-04-24, 2006-05-25, 2006-06-26, 2005-07-27, 2005-08-28, 2005-08-29, 2004-11-21	
flag	false	boolean	false	5				true,false	