



# Jobs

Generated by Talend Cloud Data  
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:56:57 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

## Project Description

Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

## Description

Properties	Values
Name	tExtractPositionalFields
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	29 Sep, 2008 8:54:13 PM
Modification	24 Jul, 2017 5:50:47 PM

## Preview Picture

## Settings

### Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo


Name	Prompt	Need Prompt?	Type	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

## Component List

Component Name	Component Type
tExtractPositionalFields_1	tExtractPositionalFields
tFileInputPositional_1	tFileInputPositional
tLogRow_1	tLogRow

## Components Description

### Component tExtractPositionalFields

	UNIQUE NAME	tExtractPositionalFields_1	INPUT(S)	tFileInputPositional_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

### Component Parameters:

Properties	Values
Unique Name	tExtractPositionalFields_1
Component Name	tExtractPositionalFields

Version	0.102 (ALPHA)
Family	Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tExtractPositionalFields
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Field	Three
Ignore NULL as the source data	true
Customize	false
Pattern	"5,18,16,8,21"
Formats	[]


Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	"."
Trim Column	false
Check each row structure against schema	false
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

**Schema for tExtractPositionalFields\_1 :**

Column	Key	Type	Length	Precision	Nullable	Comment
One	false	String	5		true	
Two	false	String	18		true	
Three	false	String	16		true	

Four	false	String	8		true	
Five	false	String	21		true	

**Original Function Parameters:**  
**Component tFileInputPositional**

	UNIQUE NAME	tFileInputPositional_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	<a href="#">tExtractPositionalFields_1</a>

**Component Parameters:**

Properties	Values
Unique Name	tFileInputPositional_1
Component Name	tFileInputPositional
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputPositional
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use existing dynamic	false
Component List	
File name/Stream	context.root.concat("talend_files_0.1/in/Processing/ExtractPositionalFields.txt")
Row Separator	"\n"
Customize	false
Pattern	"5,18,16,8,21"
Pattern units	SYMBOLS
Formats	[{SCHEMA_COLUMN=One, SIZE=5, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Two, SIZE=18, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Three, SIZE=16, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Four, SIZE=8, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Five, SIZE=21, PADDING_CHAR=' ', ALIGN='L'}]
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Header	0
Footer	0




Limit	
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Needed to process rows longer than 100 000 characters	false
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Trim all columns	true
Validate date	false
Check column to trim	[{SCHEMA_COLUMN=One, TRIM=false}, {SCHEMA_COLUMN=Two, TRIM=false}, {SCHEMA_COLUMN=Three, TRIM=false}, {SCHEMA_COLUMN=Four, TRIM=false}, {SCHEMA_COLUMN=Five, TRIM=false}]
Encoding	"US-ASCII"
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tFileInputPositional\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

One	false	String	5		true	
Two	false	String	18		true	
Three	false	String	16		true	
Four	false	String	8		true	
Five	false	String	21		true	

**Original Function Parameters:**  
**Component   tLogRow**

	UNIQUE NAME	tLogRow_1	INPUT(S)	<a href="#">tExtractPositionalFields_1</a>
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

**Component Parameters:**

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false

Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=One, LENGTH=10}, {SCHEMA_COLUMN=Two, LENGTH=10}, {SCHEMA_COLUMN=Three, LENGTH=10}, {SCHEMA_COLUMN=Four, LENGTH=10}, {SCHEMA_COLUMN=Five, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
One	false	String	5		true	
Two	false	String	18		true	
Three	false	String	16		true	
Four	false	String	8		true	
Five	false	String	21		true	

**Original Function Parameters:**