

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:01:05 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java


Description	

Description

Properties	Values
Name	beforeRunJobs
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:50 PM
Modification	2 Aug, 2018 1:03:52 PM

Preview Picture

This job provide several example files used by the DemoFr...



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	

Status & Logs

Name	Value
Use statistics (tStatCatcher)	

Use logs (tLogCatcher)	
Use volumetrics (tFlowMeterCatcher)	
On Console	
On Files	
On Databases	
Catch components statistics	
Catch runtime errors	
Catch user errors	
Catch user warnings	

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext
workspace	workspace?	false	id_String	C:\TalendDemoWorkspace\	globalContext

Component List

Component Name	Component Type
tFileTouch_1	tFileTouch
tFileUnarchive_1	tFileUnarchive

Components Description

Component tFileTouch

T 1T	UNIQUE NAME	tFileTouch_1	INPUT(S)	tFileUnarchive_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component rarameters.		
Properties	Values	
Unique Name	tFileTouch_1	
Component Name	tFileTouch	
Version	0.102 (ALPHA)	
Family	File/Management	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	
DUMMY	false	

tStatCatcher Statistics	false
Help	org.talend.help.tFileTouch
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	context.root.concat("talend_files_0.1/out/empty.txt")
Create directory if does not exist	true
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileTouch_1 :

Column Key Type Length Precision	Nullable Comment	
----------------------------------	------------------	--

Original Function Parameters:

Component tFileUnarchive

UNIQUE NAME	tFileUnarchive_1	INPUT(S)	none
	UNIQUE_NAME the zip "talend_files" included in the Documentation on your harddisk.		tFileTouch_1

Component Parameters:				
Properties	Values			
Unique Name	tFileUnarchive_1			
Component Name	tFileUnarchive			
Version	0.101 (ALPHA)			
Family	File/Management			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileUnarchive			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Archive file	context.workspace.concat("/"+projectName+"/documentations/talend_files_0.1.item"
Extraction directory	context.root
Use archive file name as root directory	false
Check the integrity before unzip	false
Extract file paths	true
Need a password	false
Decrypt method	ZIP4J_DECRYPT
Enter the password	**
Die on Error	true
Print out the source file messages	true
Label format	_UNIQUE_NAME Unarchive the zip "talend_files" included in the Documentation on your harddisk.
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileUnarchive_1 :

Column Key Type Length Precision Nullable Com	Comment
---	---------

Original Function Parameters: