talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:24 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tWaitForFile
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:54 PM
Modification	24 Jul, 2017 5:50:46 PM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Type	Value	Source
sampleInt	please define an sample int:	false	id_Integer	100	
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

Component List

Component Name	Component Type
tFileCopy_1	tFileCopy
tWaitForFile_1	tWaitForFile

Components Description

Component   tFileCopy

	UNIQUE NAME	tFileCopy_1	INPUT(S)	tWaitForFile_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileCopy_1

Component Name	tFileCopy
Version	0.102 (ALPHA)
Family	File/Management
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileCopy
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	((String)globalMap.get("tWaitForFile_1_CREATED_FILE"))
Copy a directory	false
Source directory	"/home/nfrancisco/Bureau/TOS-All-r39316-V4.0.0RC3/workspace"

Destination directory	context.root.concat("talend_files_0.1/in/Misc/waitForFile/copy")
Rename	true
Destination filename	((Integer)globalMap.get("tWaitForFile_1_CURRENT_ITERATION"))+"_copy.txt"
Remove source file	false
Replace existing file	true
Create the directory if it doesn't exist	true
Fail on error	true
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileCopy_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
CURRENT_ITERATION	false	Integer			true	
PRESENT_FILE	false	String	255		true	
DELETED_FILE	false	String	255		true	
CREATED_FILE	false	String	255		true	

UPDATED_FILE	false	String	255		true	
FILENAME	false	String	255		true	

Original Function Parameters:
Component   tWaitForFile

	UNIQUE NAME	tWaitForFile_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileCopy_1

Component Parameters:

Properties	Values
Unique Name	tWaitForFile_1
Component Name	tWaitForFile
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tWaitForFile
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Time (in seconds) between iterations	2
Max. number of iterations (infinite loop if empty)	1
Directory to scan	context.root.concat("talend_files_0.1/in/Misc/waitForFile")
File mask	"*.*"
Includes subdirectories	false
Case Sensitive	true
Include present file	false
Trigger action when	filecreated
Then	continue
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Wait for file to be released	false
Every (in ms)	500
Exit loop and return file path when meeting unchanged file	false

Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tWaitForFile_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
CURRENT_ITERATION	false	Integer			true	
PRESENT_FILE	false	String	255		true	
DELETED_FILE	false	String	255		true	
CREATED_FILE	false	String	255		true	
UPDATED_FILE	false	String	255		true	
FILENAME	false	String	255		true	

Original Function Parameters: