

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:45 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	AMZ_Master_Job
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	3 Sep, 2016 8:54:32 AM
Modification	24 Jul, 2017 5:50:34 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value
FileName	FileName?	false	id_String	
AMZ_Invoice_Mege_File	AMZ_Invoice_Mege_File?	false	id_String	"D:/Trainings/CITI/Samp
AMZ_Purchase_Merge_File	AMZ_Purchase_Merge_File?	false	id_String	"D:/Trainings/CITI/Samp
AMZ_Vendor_Merge_File	AMZ_Vendor_Merge_File?	false	id_String	"D:/Trainings/CITI/Samp
NYSE_Dividend_Reject_File	NYSE_Dividend_Reject_File?	false	id_String	"D:/Trainings/CITI/Samp
FileID	FileID?	false	id_String	

SourceFolder	SourceFolder?	false	id_String	"D:/Trainings/CITI/Assig
UnArchiveFolder	UnArchiveFolder?	false	id_String	"D:/Trainings/CITI/Assig
new1	new1?	false	id_String	

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileInputDelimited_2	tFileInputDelimited
tFileInputDelimited_3	tFileInputDelimited
tFileList_1	tFileList
tFileOutputDelimited_1	tFileOutputDelimited
tFileOutputDelimited_2	tFileOutputDelimited
tFileOutputDelimited_3	tFileOutputDelimited
tFileUnarchive_1	tFileUnarchive
tJava_1	tJava
tMap_1	tMap
tMap_2	tMap

tMap_3	tMap
tRunJob_1	tRunJob
tRunJob_2	tRunJob
tRunJob_3	tRunJob

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	tJava_1
LABEL	AMZ_Invoice	OUTPUT(S)	tMap_1

oomponent i arameters.	Component Farameters.			
Properties	Values			
Unique Name	tFileInputDelimited_1			
Component Name	tFileInputDelimited			
Version	0.102 (ALPHA)			
Family	File/Input			
Start	false			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	false			
Activate	true			

DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFileInputDelimited	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_SV	WHICH	
Schema	Built-In	
File name/Stream	((String)globalMap.get("tFileList_1_CURRENT_FILEDIRECTORY")) + "/UnArchive/" + StringHandling.EREPLACE(((String)globalMap.get("tFileList_1_CURRENT_FILE")),	"zip","txt")
CSV options	false	
Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	" "	
Escape char	1111	
Text enclosure	1111	
Header	1	

Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20160704_1411-V6.2.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=InvoiceNo, TRIM=false}, {SCHEMA_COLUMN=InvoiceKey, TRIM=false}, {SCHEMA_COLUMN=VendorNo, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}, {SCHEMA_COLUMN=InvoiceType, TRIM=false}, {SCHEMA_COLUMN=VendorName, TRIM=false}, {SCHEMA_COLUMN=VendorAddr1, TRIM=false}, {SCHEMA_COLUMN=VendorState, TRIM=false}, {SCHEMA_COLUMN=VendorState, TRIM=false}, {SCHEMA_COLUMN=StatusCode, TRIM=false}, {SCHEMA_COLUMN=ReturnSize, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{SCHEMA_COLUMN=InvoiceNo, DECODE=false}, {SCHEMA_COLUMN=InvoiceKey, DECODE=false}, {SCHEMA_COLUMN=VendorNo, DECODE=false}, {SCHEMA_COLUMN=Date, DECODE=false}, {SCHEMA_COLUMN=InvoiceType, DECODE=false}, {SCHEMA_COLUMN=VendorName, DECODE=false}, {SCHEMA_COLUMN=VendorAddr1, DECODE=false}, {SCHEMA_COLUMN=VendorState, DECODE=false}, {SCHEMA_COLUMN=StatusCode, DECODE=false}, {SCHEMA_COLUMN=ReturnSize, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	AMZ_Invoice
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
InvoiceNo	false	String	10		true	
InvoiceKey	false	String	6		true	
VendorNo	false	Integer	3		true	
Date	false	java.util.Date	10		true	
InvoiceType	false	String	8		true	
VendorName	false	String	10		true	

VendorAddr1	false	String	21	true	
VendorState	false	String	14	true	
StatusCode	false	Integer	3	true	
ReturnSize	false	Integer	6	true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_2	INPUT(S)	tJava_1
LABEL	AMZ_Purchase	OUTPUT(S)	tMap_2

Component Parameters:			
Properties	Values		
Unique Name	tFileInputDelimited_2		
Component Name	tFileInputDelimited		
Version	0.102 (ALPHA)		
Family	File/Input		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false	Ĭ
Help	org.talend.help.tFileInputDelimited	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_S\	MITCH	
Schema	Built-In	
File name/Stream	((String)globalMap.get("tFileList_1_CURRENT_FILEDIRECTORY")) + "/UnArchive/" + StringHandling.EREPLACE(((String)globalMap.get("tFileList_1_CURRENT_FILE"))	,"zip","txt")
CSV options	false	
Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	"^"	
Escape char	ппп	
Text enclosure	### ### ### ### ### ### ### ### ### ##	
Header	1	
Footer	0	

Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20160704_1411-V6.2.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=PurchaseNo, TRIM=false}, {SCHEMA_COLUMN=PurchaseKey, TRIM=false}, {SCHEMA_COLUMN=Department, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}, {SCHEMA_COLUMN=PuchaseOrderType, TRIM=false}, {SCHEMA_COLUMN=PurchaseHeader, TRIM=false}, {SCHEMA_COLUMN=StatusCode, TRIM=false}, {SCHEMA_COLUMN=RaisedBy, TRIM=false}, {SCHEMA_COLUMN=ArrpovedBy, TRIM=false}, {SCHEMA_COLUMN=ApproveDate, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{SCHEMA_COLUMN=PurchaseNo, DECODE=false}, {SCHEMA_COLUMN=PurchaseKey, DECODE=false}, {SCHEMA_COLUMN=Department, DECODE=false}, {SCHEMA_COLUMN=Date, DECODE=false}, {SCHEMA_COLUMN=PurchaseOrderType, DECODE=false}, {SCHEMA_COLUMN=PurchaseHeader, DECODE=false}, {SCHEMA_COLUMN=StatusCode, DECODE=false}, {SCHEMA_COLUMN=RaisedBy, DECODE=false}, {SCHEMA_COLUMN=ArrpovedBy, DECODE=false}, {SCHEMA_COLUMN=ApproveDate, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	AMZ_Purchase
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
PurchaseNo	false	Integer	4		true	
PurchaseKey	false	String	10		true	
Department	false	String	9		true	
Date	false	java.util.Date	10		true	
PuchaseOrderType	false	String	8		true	
PurchaseHeader	false	String	7		true	

StatusCode	false	Integer	3	true	
RaisedBy	false	String	28	true	
ArrpovedBy	false	String	27	true	
ApproveDate	false	java.util.Date	10	true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_3	INPUT(S)	tJava_1
LABEL	AMZ_Vendor	OUTPUT(S)	tMap_3

Component Parameters:			
Properties	Values		
Unique Name	tFileInputDelimited_3		
Component Name	tFileInputDelimited		
Version	0.102 (ALPHA)		
Family	File/Input		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false	
Help	org.talend.help.tFileInputDelimited	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Property Type	Built-In	
REPOSITORY_ALLOW_AUTO_SV	ALIEH	
Schema	Built-In	
File name/Stream	((String)globalMap.get("tFileList_1_CURRENT_FILEDIRECTORY")) + "/UnArchive/" + StringHandling.EREPLACE(((String)globalMap.get("tFileList_1_CURRENT_FILE"))	,"zip","txt")
CSV options	false	
Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	" "	
Escape char	шш	
Text enclosure	пип	
Header	1	
Footer	0	

Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20160704_1411-V6.2.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=VendorNo, TRIM=false}, {SCHEMA_COLUMN=VendorName, TRIM=false}, {SCHEMA_COLUMN=VendorContact, TRIM=false}, {SCHEMA_COLUMN=VendorAddr1, TRIM=false}, {SCHEMA_COLUMN=VendorState, TRIM=false}, {SCHEMA_COLUMN=VendorZipCode, TRIM=false}, {SCHEMA_COLUMN=VendorProductLine, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{SCHEMA_COLUMN=VendorNo, DECODE=false}, {SCHEMA_COLUMN=VendorName, DECODE=false}, {SCHEMA_COLUMN=VendorContact, DECODE=false}, {SCHEMA_COLUMN=VendorAddr1, DECODE=false}, {SCHEMA_COLUMN=VendorState, DECODE=false}, {SCHEMA_COLUMN=VendorZipCode, DECODE=false}, {SCHEMA_COLUMN=VendorProductLine, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	AMZ_Vendor
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Ochichia for filetad	<u> </u>					
Column	Key	Туре	Length	Precision	Nullable	Comment
VendorNo	false	Integer	3		true	
VendorName	false	String	9		true	
VendorContact	false	String	10		true	
VendorAddr1	false	String	21		true	
VendorState	false	String	14		true	
VendorZipCode	false	Integer	5		true	

VendorProductLine	false	String	11	true	

Original Function Parameters: Component tFileList

UNIQUE NAME	tFileList_1	INPUT(S)	none
			tFileUnarchive_1
LABEL	UNIQUE_NAME	OUTPUT(S)	, tRunJob_1

Component Parameters:			
Properties	Values		
Unique Name	tFileList_1		
Component Name	tFileList		
Version	0.102 (ALPHA)		
Family	File/Management Orchestration		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFileList		
Update components	true		
IREPORT_PATH			

JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Directory	context.SourceFolder
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK="*.zip"}]
By default	true
By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"

Format file path to slash(/) style (useful on Windows)	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tFileOutputDelimited

₱;	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tMap_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values
Unique Name	tFileOutputDelimited_1
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	context.AMZ_Invoice_Mege_File
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	п
Append	true
Include Header	true

Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	MITEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	n
Decimal separator	n n -
CSV options	false
Escape char	
Text enclosure	ппп
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for Invoice:

Scrienia ioi i						
Column	Key	Туре	Length	Precision	Nullable	Comment
InvoiceNo	false	String	10		true	
InvoiceKey	false	String	6		true	
VendorNo	false	Integer	3		true	
Date	false	java.util.Date	10		true	
InvoiceType	false	String	8		true	
VendorName	false	String	10		true	
VendorAddr1	false	String	21		true	
VendorState	false	String	14		true	
StatusCode	false	Integer	3		true	
ReturnSize	false	Integer	6		true	

Original Function Parameters: Component tFileOutputDelimited

9	UNIQUE NAME	tFileOutputDelimited_2	INPUT(S)	tMap_2

LABEL	UNIQUE_NAME	OUTPUT(S)	none
-------	-------------	-----------	------

Component Parameters:				
Properties	Values			
Unique Name	tFileOutputDelimited_2			
Component Name	tFileOutputDelimited			
Version	0.101 (ALPHA)			
Family	File/Output			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileOutputDelimited			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			
Number of parallel executions	2			
PARALLELIZE_KEEP_EMPTY	false			

Property Type	Built-In				
Use Output Stream	false				
Output Stream	outputStream				
File Name	context.AMZ_Purchase_Merge_File				
Row Separator	"\n"				
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true				
CSV Row Separator	"\n"				
Field Separator	"]"				
Append	true				
Include Header	true				
Compress as zip file	false				
REPOSITORY_ALLOW_AUTO_SV	ALIDEH				
Schema	Built-In				
Advanced separator (for numbers)	false				
Thousands separator	","				
Decimal separator	n				
CSV options	false				
Escape char	нин				
Text enclosure	пип				
Create directory if does not exist	true				
Split output in several files	false				
Rows in each output file	1000				

Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for Purchase :

Column	Key	Туре	Length	Precision	Nullable	Comment
PurchaseNo	false	Integer	4		true	
PurchaseKey	false	String	10		true	
Department	false	String	9		true	
Date	false	java.util.Date	10		true	

PuchaseOrderType	false	String	8	true	
PurchaseHeader	false	String	7	true	
StatusCode	false	Integer	3	true	
RaisedBy	false	String	28	true	
ArrpovedBy	false	String	27	true	
ApproveDate	false	java.util.Date	10	true	

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_3	INPUT(S)	tMap_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tFileOutputDelimited_3		
Component Name	tFileOutputDelimited		
Version	0.101 (ALPHA)		
Family	File/Output		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	context.AMZ_Vendor_Merge_File
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	" "
Append	true
Include Header	true
Compress as zip file	false

REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	II II
CSV options	false
Escape char	ппп
Text enclosure	ппп
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for vendor:

Column	Key	Туре	Length	Precision	Nullable	Comment
VendorNo	false	Integer	3		true	
VendorName	false	String	9		true	
VendorContact	false	String	10		true	
VendorAddr1	false	String	21		true	
VendorState	false	String	14		true	
VendorZipCode	false	Integer	5		true	
VendorProductLine	false	String	11		true	

Original Function Parameters: Component tFileUnarchive

UNIQUE NAME	tFileUnarchive_1	INPUT(S)	tFileList_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tJava_1

Properties	Values
Unique Name	tFileUnarchive_1

Component Name	tFileUnarchive
Version	0.101 (ALPHA)
Family	File/Management
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileUnarchive
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Archive file	((String)globalMap.get("tFileList_1_CURRENT_FILEPATH"))
Extraction directory	context.UnArchiveFolder
Use archive file name as root directory	false

false
true
false
ZIP4J_DECRYPT
**
false
false
UNIQUE_NAME
UNIQUE_NAME COMMENT
row
false
false

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_1	INPUT(S)	tFileUnarchive_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputDelimited_1 , tFileInputDelimited_2, tFileInputDelimited_3

Properties	Values

Unique Name	tJava_1
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	context.FileName = ((String)globalMap.get("tFileList_1_CURRENT_FILEPATH")); context.FileID = ((String)globalMap.get("tFileList_1_CURRENT_FILE")); System.out.println(context.FileName);
Import	//import java.util.List;

Schema	Built-In
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_1	INPUT(S)	tFileList_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tRunJob_2

somponent i didineters.		
Properties	Values	
Unique Name	tRunJob_1	
Component Name	tRunJob	
Version	0.101 (ALPHA)	
Family	System Orchestration	
Start	false	
Startable	true	

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALIIEH
Schema	Built-In
Use dynamic job	false
Context job	
Job	AMZ_Sort_ND_Vendor
Context	Default
Use an independent process to run subjob	false
Die on child error	true

Transmit whole context	true
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1:

Original Function Parameters: Component tRunJob

	UNIQUE NAME	tRunJob_2	INPUT(S)	tRunJob_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tRunJob_3

Properties	Values

Unique Name	tRunJob_2
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In

г

Use dynamic job	false
Context job	
Job	AMZ_Sort_ND_Purchase
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_2 :

Original Function Parameters:

Component tRunJob

UNIQUE NAME tRunJob_3		INPUT(S)	tRunJob_2	
LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:			
Values			
tRunJob_3			
tRunJob			
0.101 (ALPHA)			
System Orchestration			
false			
true			
false			
false			
org.talend.help.tRunJob			
true			
C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			


Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLEH
Schema	Built-In
Use dynamic job	false
Context job	
Job	AMZ_Sort_ND_Invoice
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	true
Context Param	0
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	true
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false
Comment	


Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_3:

Colu	mn	Key	Туре	Length	Precision	Nullable	Comment
------	----	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tMap





Component Parameters:

Component i diameters.			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		

Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
InvoiceNo	String		true
InvoiceKey	String		true
VendorNo	Integer		true
Date	java.util.Date		true
InvoiceType	String		true
VendorName	String		true
VendorAddr1	String		true
VendorState	String		true
StatusCode	Integer		true
ReturnSize	Integer		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (output):
Mapper table Properties(Invoice):

Properties	Values
Name	Invoice
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Invoice):

Name	Туре	Expression	isNullable
InvoiceNo	String	row1.InvoiceNo	true
InvoiceKey	String	row1.InvoiceKey	true
VendorNo	Integer	row1.VendorNo	true
Date	java.util.Date	row1.Date	true
InvoiceType	String	row1.InvoiceType	true
VendorName	String	row1.VendorName	true
VendorAddr1	String	row1.VendorAddr1	true
VendorState	String	row1.VendorState	true
StatusCode	Integer	row1.StatusCode	true
ReturnSize	Integer	row1.ReturnSize	true

Constraint Table Entries(Invoice):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table Fropertie	- σ γ αι <i>γ</i> .
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):


me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable

Component tMap

 UNIQUE NAME	tMap_2	INPUT(S)	tFileInputDelimited_2
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_2



Component Parameters:

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Mapper table for tMap_2 (input):

Mapper table Properties (row2):

mapper table 1 toperties (10w2).			
Properties	Values		
Name	row2		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row2):

Name	Туре	Expression	isNullable
PurchaseNo	Integer		true
PurchaseKey	String		true
Department	String		true
Date	java.util.Date		true
PuchaseOrderType	String		true
PurchaseHeader	String		true
StatusCode	Integer		true
RaisedBy	String		true
ArrpovedBy	String		true
ApproveDate	java.util.Date		true

Constraint Table Entries(row2):

Name	Туре	Expression	isNullable	

Mapper table for tMap_2 (output):
Mapper table Properties(Purchase):

Properties	Values
Name	Purchase
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Purchase):

Name	Туре	Expression	isNullable
PurchaseNo	Integer	row2.PurchaseNo	true
PurchaseKey	String	row2.PurchaseKey	true
Department	String	row2.Department	true
Date	java.util.Date	row2.Date	true
PuchaseOrderType	String	row2.PuchaseOrderType	true
PurchaseHeader	String	row2.PurchaseHeader	true
StatusCode	Integer	row2.StatusCode	true
RaisedBy	String	row2.RaisedBy	true
ArrpovedBy	String	row2.ArrpovedBy	true
ApproveDate	java.util.Date	row2.ApproveDate	true

Constraint Table Entries(Purchase):

Mapper table for tMap_2 (var):

Mapper table Properties (Var):

Mapper table Propertie	s(vai).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):


ame	Туре	Expression	isNullable
-----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

UNIQUE NAME	tMap_3	INPUT(S)	tFileInputDelimited_3
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_3



Component Parameters:

Component Parameters:		
Properties	Values	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Mapping links display as:	AUTO	
Temp data directory path:		
Max buffer size (nb of rows):	200000	
Ignore trailing zeros for BigDecimal	false	
Show Information	false	
Comment		
Use an existing validation rule	false	

Mapper table for tMap_3 (input):

Mapper table Properties (row3):

mapper table Froperties (10w3).		
Properties	Values	
Name	row3	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row3):

incladata Table Entries (Tows).			
Name	Туре	Expression	isNullable
VendorNo	Integer		true
VendorName	String		true
VendorContact	String		true
VendorAddr1	String		true
VendorState	String		true
VendorZipCode	Integer		true
VendorProductLine	String		true

Constraint Table Entries(row3):

Mapper table for tMap_3 (output):
Mapper table Properties(vendor):

wapper table Properties	st vendor).
Properties	Values
Name	vendor
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(vendor):

Name	Туре	Expression	isNullable
VendorNo	Integer	row3.VendorNo	true
VendorName	String	row3.VendorName	true
VendorContact	String	row3.VendorContact	true
VendorAddr1	String	row3.VendorAddr1	true
VendorState	String	row3.VendorState	true
VendorZipCode	Integer	row3.VendorZipCode	true
VendorProductLine	String	row3.VendorProductLine	true

Constraint Table Entries(vendor):

Name Type Expression isNullable	Nam	ne	Туре	Expression	isNullable
---------------------------------	-----	----	------	------------	------------

Mapper table for tMap_3 (var):

Mapper table Properties (Var):

mapper table i reportion var ji			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable