*talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:56:54 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tMap_2
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:53 PM
Modification	5 Jan, 2016 1:10:31 AM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tLogRow_1	tLogRow
tMap_1	tMap
tRowGenerator_1	tRowGenerator

Components Description

Component   tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs & Errors
Startable	false

SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false

Field Separator	"|"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=filter, LENGTH=10}, {SCHEMA_COLUMN=number, LENGTH=10}, {SCHEMA_COLUMN=txt, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=flag, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
filter	false	String	15		false	
number	false	int	3		false	

txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	"D:\TOS-All-r14257-V2.4.0RC2\workspace/temp"
Max buffer size (nb of rows):	10000000
Ignore trailing zeros for BigDecimal	false
Show Information	false

Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
number	int		false
txt	String		false
date	String		false
flag	boolean		false

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):

Mapper table Properties(flag_eq_true):

Properties	Values
Name	flag_eq_true
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(flag_eq_true):

Name	Type	Expression	isNullable
filter	String	"flag = true"	false
number	int	row1.number	false
txt	String	row1.txt	false
date	String	row1.date	false
flag	boolean	row1.flag	false

Constraint Table Entries(flag_eq_true):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values

tStatCatcher Statistics	`false`
Enable parallel execution	`false`
Show Information	`false`
Comment	
Use an existing validation rule	`false`

Row generator information for tRowGenerator_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
number	false	int	false	3				1,2,3,4,5,6,7,8,9,10	
txt	false	String	false	20				text1, text2, text3, text4, text5, text6, text7, text8, text9, text10	
date	false	String	false	10				2007-01-21, 2007-02-22, 2007-03-23, 2006-04-24, 2006-05-25, 2006-06-26, 2005-07-27, 2005-08-28, 2005-08-29, 2004-11-210	
flag	false	boolean	false	5				true,false	