

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:26 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	MySQLInputOutput
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	9 May, 2016 4:40:23 PM
Modification	31 Jan, 2019 2:47:55 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tLogRow_4	tLogRow
tMap_3	tMap
tMysqlInput_4	tMysqlInput
tMysqlOutput_2	tMysqlOutput

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
LABEL	City	OUTPUT(S)	tMap_3

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALIEH
Schema	repository: DELIM:City - metadata
File name/Stream	"F:/Trainings/Marlabs/SampleFiles/City_Delimited.txt"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	II.II 5
Escape char	1111

Text enclosure	пип
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:City - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20161216_1026-V6.3.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	n n ,
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=CountryCode, TRIM=false}, {SCHEMA_COLUMN=District, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false

Decode table	[{SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=Name, DECODE=false}, {SCHEMA_COLUMN=CountryCode, DECODE=false}, {SCHEMA_COLUMN=District, DECODE=false}, {SCHEMA_COLUMN=Population, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	City
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	

Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_4	INPUT(S)	tMysqlInput_4	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:	
Properties	Values
Unique Name	tLogRow_4
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=ID, LENGTH=10}, {SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=CountryCode, LENGTH=10}, {SCHEMA_COLUMN=District, LENGTH=10}, {SCHEMA_COLUMN=Population, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for city:

Schema for	City.					
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Long	19		true	
Name	false	String	100		true	
CountryCode	false	String	3		true	
District	false	String	150		true	
Population	false	Long	19		true	

Original Function Parameters: Component tMysqlInput

UNIQUE NAME	tMysqlInput_4	INPUT(S)	none
LABEL	TABLE	OUTPUT(S)	tLogRow_4

Component anameters	,
Properties	Values
Database	tMysqlInput
Unique Name	tMysqlInput_4
Component Name	tMysqlInput

Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):mysqlcon
DB Version	MYSQL_5
Use an existing connection	false
Component List	

Host	"localhost"
Port	"3306"
Database	"world"
Database Driver	MYSQL
Username	"root"
Password	*****
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
Table Name	"city"
Query Type	Built-In
Guess Schema	""
Query	"SELECT `city`.`ID`, `city`.`Name`, `city`.`CountryCode`, `city`.`District`, `city`.`Population` FROM `city`"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	true
Trim column	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=CountryCode, TRIM=false}, {SCHEMA_COLUMN=District, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}]
Label format	TABLE

Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for city:

Ochichia ioi	Oity .					
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Long	19		true	
Name	false	String	100		true	
CountryCode	false	String	3		true	
District	false	String	150		true	
Population	false	Long	19		true	

Original Function Parameters: Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_2	INPUT(S)	tMap_3
	LABEL	TABLE	OUTPUT(S)	none

Properties	Values
Database	tMysqlOutput

Unique Name	tMysqlOutput_2
Component Name	tMysqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	true
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):conMYSQL56
DB Version	MYSQL_5
Use an existing connection	false

Component List	
Database Driver	MYSQL
Host	"localhost"
Port	"3306"
Database	"world"
Username	"root"
Password	*****
Table	"tabCity"
Action on table	DROP_IF_EXISTS_AND_CREATE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	m11
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000

Encoding	"ISO-8859-15"			
Commit every	10000			
Additional columns				
Use field options	false			
Field options	[{SCHEMA_COLUMN=ID, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Name, UPDATE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CountryCode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=District, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Population, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=countryname, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}]			
Use Hint Options	false			
Hint Options	0			
Enable debug mode	false			
Use duplicate key update mode insert	false			
DUPLICATED_KEYS				
Support null in "SQL WHERE" statement	false			
Label format	TABLE			
Hint format	UNIQUE_NAME COMMENT			
Connection format	row			
Show Information	false			
Comment				
Use an existing validation rule	false			
Validation Rule Type				

Schema for dsfsd:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	
countryname	false	String	50		true	

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_3	INPUT(S)	tFileInputDelimited_1	
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlOutput_2	

Component i arameters.				
Properties	Values			
tStatCatcher Statistics	false			
Enable parallel execution	false			
Mapping links display as:	AUTO			
Temp data directory path:				

Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 (input):

Mapper table Properties (row3):

mapper table i roperties (rows).			
Values			
row3			
UNIQUE_MATCH			
false			
null			

Metadata Table Entries(row3):

Name	Туре	Expression	isNullable
ID	Integer		true
Name	String		true
CountryCode	String		true
District	String		true
Population	Integer		true

Constraint Table Entries(row3):

Name	Туре	Expressi	on	isNullable

Mapper table for tMap_3 (output):

Mapper table Properties(dsfsd):

Properties	Values
Name	dsfsd
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(dsfsd):

Name	Туре	Expression	isNullable
ID	Integer	row3.ID	true
Name	String	row3.Name	true
CountryCode	String	row3.CountryCode	true
District	String	row3.District	true
Population	Integer	row3.Population	true
countryname	String		true

Constraint Table Entries(dsfsd):

Name	Туре	Expression	isNullable

Mapper table for tMap_3 (var):

mapper table Froperties	5(Vai).
Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

ame	Туре	Expression	isNullable
-----	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable
------	------	------------	------------