



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:15 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

Description

Properties	Values
Name	tPostgreSQLInput
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:53 PM
Modification	5 Jan, 2016 1:10:33 AM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault


Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------

Component List

Component Name	Component Type
tLogRow_1	tLogRow
tPostgresqlInput_1	tPostgresqlInput

Components Description

Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tPostgresqlInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs & Errors
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "


Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=number, LENGTH=10}, {SCHEMA_COLUMN=txt, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=flag, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	

flag	false	boolean	5		false	
------	-------	---------	---	--	-------	--

Original Function Parameters: Component tPostgresqlInput

	UNIQUE NAME	tPostgresqlInput_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__ __QUERY__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tPostgresqlInput_1
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/PostgreSQL
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true

REPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use an existing connection	false
Component List	
DB Version	PRIOR_TO_V9
Host	"myserver"
Database Driver	PostgreSQL
Port	"5432"
Database	"mysid"
Schema	"myschema"
Username	"login"
Password	*****
REPOSITORY_ALLOW_AUTO_SWITCH	Use
Schema	Built-In
Table Name	"demotable"
Query Type	Built-In

Guess Schema	""
Query	"SELECT number,txt,date,flag FROM demotable;"
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Encoding	"ISO-8859-15"
Use cursor	false
Cursor size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=number, TRIM=false}, {SCHEMA_COLUMN=txt, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=flag, TRIM=false}]
Label format	__UNIQUE_NAME__ __QUERY__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tPostgresqlInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	

date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters: