

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:49 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

|--|

Description

Properties	Values
Name	AMZ_Sort_ND_Purchase
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	1 Oct, 2016 11:45:39 PM
Modification	24 Jul, 2017 5:50:34 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true

Catch user errors	true	
Catch user warnings	true	

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value
AMZ_Purchase_Merge_File	AMZ_Purchase_Merge_File?	false	id_String	
AMZ_Purchase_ND_File	AMZ_Purchase_ND_File?	false	id_String	"D:/Trainings/CITI/Sample

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileOutputDelimited_1	tFileOutputDelimited
tSortRow_1	tSortRow
tUniqRow_1	tUniqRow

Components Description

Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none	
	LABEL	AMZ_Purchase	OUTPUT(S)	tUniqRow_1	

Component Parameters:		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFileInputDelimited	
Update components	true	
IREPORT_PATH		
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	
Subjob color		
Title color		
Enable parallel execution	false	

Number of parallal executions	2
Number of parallel executions	£
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALIDEH
Schema	Built-In
File name/Stream	context.AMZ_Purchase_Merge_File
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	" "
Escape char	пин
Text enclosure	пип
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20160704_1411-V6.2.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "

Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=PurchaseNo, TRIM=false}, {SCHEMA_COLUMN=PurchaseKey, TRIM=false}, {SCHEMA_COLUMN=Department, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}, {SCHEMA_COLUMN=PuchaseOrderType, TRIM=false}, {SCHEMA_COLUMN=PurchaseHeader, TRIM=false}, {SCHEMA_COLUMN=StatusCode, TRIM=false}, {SCHEMA_COLUMN=RaisedBy, TRIM=false}, {SCHEMA_COLUMN=ArrpovedBy, TRIM=false}, {SCHEMA_COLUMN=ApproveDate, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=PurchaseNo, DECODE=false}, {SCHEMA_COLUMN=PurchaseKey, DECODE=false}, {SCHEMA_COLUMN=Department, DECODE=false}, {SCHEMA_COLUMN=Date, DECODE=false}, {SCHEMA_COLUMN=PuchaseOrderType, DECODE=false}, {SCHEMA_COLUMN=PurchaseHeader, DECODE=false}, {SCHEMA_COLUMN=StatusCode, DECODE=false}, {SCHEMA_COLUMN=RaisedBy, DECODE=false}, {SCHEMA_COLUMN=ArrpovedBy, DECODE=false}, {SCHEMA_COLUMN=ApproveDate, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	AMZ_Purchase
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

ochema for metad	<u> </u>					
Column	Key	Туре	Length	Precision	Nullable	Comment
PurchaseNo	false	Integer	4		true	
PurchaseKey	false	String	10		true	
Department	false	String	9		true	
Date	false	java.util.Date	10		true	
PuchaseOrderType	false	String	8		true	
PurchaseHeader	false	String	7		true	
StatusCode	false	Integer	3		true	
RaisedBy	false	String	28		true	
ArrpovedBy	false	String	27		true	
ApproveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tSortRow_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Parameters:				
Properties	Values			
Unique Name	tFileOutputDelimited_1			
Component Name	tFileOutputDelimited			
Version	0.101 (ALPHA)			
Family	File/Output			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tFileOutputDelimited			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			
Number of parallel executions	2			
PARALLELIZE_KEEP_EMPTY	false			
Property Type	Built-In			

Use Output Stream	false
Output Stream	outputStream
File Name	context.AMZ_Purchase_ND_File
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	" "
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SWITTEH	
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	n n -
CSV options	false
Escape char	n##
Text enclosure	пип
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false

Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
PurchaseNo	false	Integer	4		true	
PurchaseKey	false	String	10		true	
Department	false	String	9		true	
Date	false	java.util.Date	10		true	
PuchaseOrderType	false	String	8		true	

PurchaseHeader	false	String	7	true	
StatusCode	false	Integer	3	true	
RaisedBy	false	String	28	true	
ArrpovedBy	false	String	27	true	
ApproveDate	false	java.util.Date	10	true	

Original Function Parameters: Component tSortRow

 UNIQUE NAME	tSortRow_1	INPUT(S)	tUniqRow_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_1

Component Parameters:

Component Parameters:			
Properties	Values		
Unique Name	tSortRow_1		
Component Name	tSortRow		
Version	0.102 (ALPHA)		
Family	Processing		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tSortRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALTEH
Schema	Built-In
Criteria	[{COLNAME=ApproveDate, SORT=date, ORDER=asc}]
Sort on disk	false
Temp data directory path	"D:/Talend-Tools-Studio-20160704_1411-V6.2.1/workspace/temp"
Create temp data directory if does not exist	true
Buffer size of external sort	1000000
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment
PurchaseNo	false	Integer	4		true	
PurchaseKey	false	String	10		true	
Department	false	String	9		true	
Date	false	java.util.Date	10		true	
PuchaseOrderType	false	String	8		true	
PurchaseHeader	false	String	7		true	
StatusCode	false	Integer	3		true	
RaisedBy	false	String	28		true	
ArrpovedBy	false	String	27		true	
ApproveDate	false	java.util.Date	10		true	

Original Function Parameters: Component tUniqRow

**	UNIQUE NAME	tUniqRow_1	INPUT(S)	tFileInputDelimited_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	tSortRow_1

Component Parameters:

Properties	Values
Unique Name	tUniqRow_1
Component Name	tUniqRow
Version	0.101 (ALPHA)
Family	Data_Quality
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tUniqRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MITTEH
Schema	Built-In

Schema	Built-In
Schema	Built-In
Unique key	[{SCHEMA_COLUMN=PurchaseNo, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=PurchaseKey, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=Department, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=Date, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=PuchaseOrderType, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=PurchaseHeader, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=StatusCode, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=RaisedBy, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=ArrpovedBy, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}, {SCHEMA_COLUMN=ApproveDate, KEY_ATTRIBUTE=true, CASE_SENSITIVE=false}]
Only once each duplicated key	false
Use of disk (suitable for processing large row set)	false
Buffer size in memory	М
Directory for temp files	
Ignore trailing zeros for BigDecimal	false
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Column	Key	Туре	Length	Precision	Nullable	Comment

PurchaseNo	false	Integer	4	true	
PurchaseKey	false	String	10	true	
Department	false	String	9	true	
Date	false	java.util.Date	10	true	
PuchaseOrderType	false	String	8	true	
PurchaseHeader	false	String	7	true	
StatusCode	false	Integer	3	true	
RaisedBy	false	String	28	true	
ArrpovedBy	false	String	27	true	
ApproveDate	false	java.util.Date	10	true	

Original Function Parameters: