talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:50 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tFileUnarchive
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:52 PM
Modification	24 Jul, 2017 5:50:43 PM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Type	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

Component List

Component Name	Component Type
tFileUnarchive_2	tFileUnarchive

Components Description

Component   tFileUnarchive

	UNIQUE NAME	tFileUnarchive_2	INPUT(S)	none
	LABEL	__UNIQUE_NAME__ unarchive a zip on your harddisk	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tFileUnarchive_2
Component Name	tFileUnarchive
Version	0.101 (ALPHA)
Family	File/Management

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileUnarchive
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Archive file	context.root.concat("talend_files_0.1/in/archive.zip")
Extraction directory	context.root.concat("talend_files_0.1/out")
Use archive file name as root directory	true
Check the integrity before unzip	false
Extract file paths	true
Need a password	false

Decrypt method	ZIP4J_DECRYPT
Enter the password	**
Die on Error	true
Print out the source file messages	false
Label format	__UNIQUE_NAME__ unarchive a zip on your harddisk
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileUnarchive_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters: