

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:21 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description

Description

Properties	Values
Name	tDB2Input
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:52 PM
Modification	5 Jan, 2016 1:10:33 AM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Component List

Component Name	Component Type
tDB2Input_1	tDB2Input
tLogRow_1	tLogRow

Components Description

Component tDB2Input

UNIQUE NAME	tDB2Input_1	INPUT(S)	none
LABEL	UNIQUE_NAME QUERY	OUTPUT(S)	tLogRow_1

Component Parameters:

Component i arameters.		
Properties	Values	
Database	tDB2Input	
Unique Name	tDB2Input_1	
Component Name	tDB2Input	
Version	0.102 (ALPHA)	
Family	Databases/DB2	
Start	true	

Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tDB2Input
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	false
Component List	
Property Type	Built-In
Host name	"myserver"
Database Driver	IBM DB2
Port	"50000"
Database	"mydb"

г

Schema	""
Username	"login"
Password	****
REPOSITORY_ALLOW_AUTO_SV	AFILEGH
Schema	Built-In
Table Name	"demotable"
Query Type	Built-In
Guess Schema	""
Query	"SELECT number,txt,date,flag FROM demotable;"
Specify a data source alias	false
Data source alias	""
Mapping	ibmdb2_id
Additional JDBC Parameters	""
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=number, TRIM=false}, {SCHEMA_COLUMN=txt, TRIM=false}, {SCHEMA_COLUMN=flag, TRIM=false}]
Label format	UNIQUE_NAME QUERY
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tDB2Input_1:

<u> </u>	Contenta for tebelinput_1:					
Column	Key	Туре	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_1	INPUT(S)	tDB2Input_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Farameters.				
Properties	Values			
Unique Name	tLogRow_1			
Component Name	tLogRow			
Version	0.101 (ALPHA)			
Family	Logs & Errors			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S\	NETSEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false

г

Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=number, LENGTH=10}, {SCHEMA_COLUMN=txt, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=flag, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1:

Scriema ioi	trogitow_i					
Column	Key	Туре	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters: