

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:24 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tAS400Input
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:52 PM
Modification	5 Jan, 2016 1:10:33 AM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Component List

Component Name	Component Type
tAS400Input_1	tAS400Input
tLogRow_1	tLogRow

Components Description

Component tAS400Input

UNIQUE NAME	tAS400Input_1	INPUT(S)	none
LABEL	UNIQUE_NAME QUERY	OUTPUT(S)	tLogRow_1

Component Parameters:

Component i arameters.		
Properties	Values	
Database	tAS400Input	
Unique Name	tAS400Input_1	
Component Name	tAS400Input	
Version	0.102 (ALPHA)	
Family	Databases/AS400	
Start	true	

Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tAS400Input
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Using an existing connection	false
Component List	
Property Type	Built-In
DB Version	jt400_V6R1.jar
Host name	"localhost"
Database	"TRAINING"
Database Driver	

Username	"root"
Password	******
REPOSITORY_ALLOW_AUTO_SV	APILESH
Schema	Built-In
Table Name	"demotable"
Query Type	Built-In
Guess Schema	II II
Query	"SELECT number,txt,date,flag FROM demotable;"
Mapping	as400_id
Additional JDBC Parameters	HTT
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=number, TRIM=false}, {SCHEMA_COLUMN=txt, TRIM=false}, {SCHEMA_COLUMN=flag, TRIM=false}]
Label format	UNIQUE_NAME QUERY
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tAS400Input_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

number	false	int	3	false	
txt	false	String	20	false	
date	false	String	10	false	
flag	false	boolean	5	false	

Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tAS400Input_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Unique Name	tLogRow_1		
Component Name	tLogRow		
Version	0.101 (ALPHA)		
Family	Logs & Errors		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		

Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	प्रधारक्षम
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false

Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=number, LENGTH=10}, {SCHEMA_COLUMN=txt, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=flag, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1:

Schema for	trogitow_i	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters: