talend

Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:48 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	NYSELoadJob
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	
Description	
Creation	13 Apr, 2018 5:00:15 PM
Modification	8 Aug, 2018 11:35:34 AM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
SourceFileLocation	SourceFileLocation?	false	id_String		
FieldDelim	FieldDelim?	false	id_String		
SourceFolder	SourceFolder?	false	id_String		TalendJobConfig
FileMask	FileMask?	false	id_String		TalendJobConfig
NYSEDestBadFile	NYSEDestBadFile?	false	id_String		TalendJobConfig
NYSEDestGoodFile	NYSEDestGoodFile?	false	id_String		TalendJobConfig

| NSEDestGoodFile | NSEDestGoodFile? | false | id_String | | TalendJobConfig |
| NSEDestBadFile | NSEDestBadFile? | false | id_String | | TalendJobConfig |

Component List

Component Name	Component Type
tAdvancedFileOutputXML_1	tAdvancedFileOutputXML
tFileInputDelimited_1	tFileInputDelimited
tMap_1	tMap

Components Description

Component   tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	org	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input

Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DELIM:org
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: DELIM:org - metadata
File name/Stream	"F:/Trainings/CITI/Assignments/Day1/Assignment2/OrgAddress.txt"
CSV options	false
Row Separator	"\n"

CSV Row Separator	"\n"
Field Separator	"|"
Escape char	"""
Text enclosure	"""
Header	0
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:org - metadata
!!!TEMP_DIR.NAME!!!	"F:/Talend-Tools-Studio-20180116_1512-V6.5.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=OrgName, TRIM=false}, {SCHEMA_COLUMN=Street, TRIM=false}, {SCHEMA_COLUMN=City, TRIM=false}, {SCHEMA_COLUMN=State, TRIM=false}, {SCHEMA_COLUMN=zip, TRIM=false}, {SCHEMA_COLUMN=Phone, TRIM=false}]
Check each row structure against schema	false
Check date	false

Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=OrgName, DECODE=false}, {SCHEMA_COLUMN=Street, DECODE=false}, {SCHEMA_COLUMN=City, DECODE=false}, {SCHEMA_COLUMN=State, DECODE=false}, {SCHEMA_COLUMN=zip, DECODE=false}, {SCHEMA_COLUMN=Phone, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	org
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
OrgName	false	String	11		true	
Street	false	String	25		true	
City	false	String	14		true	
State	false	String	11		true	

| zip | false | Integer | 5 | | true | |
| Phone | false | String | 10 | | true | |

Original Function Parameters:
Component   tAdvancedFileOutputXML

	UNIQUE NAME	tAdvancedFileOutputXML_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
Use Output Stream	false
File Name	"F:/OrgXML"
Configure XML Tree	
Append the source xml file	false
Generate compact file	false
Include DTD or XSL	false
Split output in several files	false

Trim data	false
Create directory if it does not exist	true
Create empty element if needed	true
Create attribute even if its value is NULL	false
Create attribute even if it is unmapped	false
Add Document type as node	false
Create associated XSD file	false
Advanced separator (for numbers)	false
Generation mode	Dom4j
Encoding	"ISO-8859-15"
Don't generate empty file	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for rwe :

Column	Key	Type	Length	Precision	Nullable	Comment
OrgName	false	String	11		true	
Street	false	String	25		true	
City	false	String	14		true	
State	false	String	11		true	
zip	false	Integer	5		true	
Phone	false	String	10		true	

Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tAdvancedFileOutputXML_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
OrgName	String		true
Street	String		true
City	String		true
State	String		true
zip	Integer		true
Phone	String		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):

Mapper table Properties(rwe):

Properties	Values
Name	rwe
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(rwe):

Name	Type	Expression	isNullable
OrgName	String	row1.OrgName	true
Street	String	row1.Street	true
City	String	row1.City	true
State	String	row1.State	true
zip	Integer	row1.zip	true
Phone	String	row1.Phone	true

Constraint Table Entries(rwe):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):
   Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable