

# Jobs

# Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:33 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

## **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

## **Project Description**


Properties	Values
Name	talendcloud
Language	java

Description	

# **Description**

Properties	Values
Name	FileWatcher
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	15 May, 2016 2:27:48 PM
Modification	8 Aug, 2018 11:53:43 AM

# **Preview Picture**



# **Settings**

### Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## **Context List**

#### ContextDefault

	Name	Prompt	Need Prompt?	Туре	Value	Source	
--	------	--------	--------------	------	-------	--------	--

# **Component List**

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tLogRow_1	tLogRow
tMap_1	tMap

tWaitForFile_1	tWaitForFile	

# **Components Description**

### Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	tWaitForFile_1
LABEL	metadata	OUTPUT(S)	tMap_1

**Component Parameters:** 

Component Parameters:		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	false	
Startable	true	
SUBTREE_START	false	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFileInputDelimited	
Update components	true	

C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
false
z false
z false
z false
ralse
Built-In
HTEH
repository: DELIM:NYSE - metadata
'F:/Sample_Files/FTP/NYSE_daily_prices_A.csv"
false
'\n"
'\n"
, ,
1111
1111
1
)
100
100
false
iá

Die on error	false
Schema	repository: DELIM:NYSE - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=exchange, TRIM=false}, {SCHEMA_COLUMN=stock_symbol, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=stock_price_open, TRIM=false}, {SCHEMA_COLUMN=stock_price_high, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_close, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_price_adj_close, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=exchange, DECODE=false}, {SCHEMA_COLUMN=stock_symbol, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=stock_price_open, DECODE=false}, {SCHEMA_COLUMN=stock_price_high, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_volume, DECODE=false}, {SCHEMA_COLUMN=stock_price_adj_close, DECODE=false}]
!!!DESTINATION.NAME!!!	

Min column number of optimize code	100
Label format	metadata
Hint format	<b>UNIQUE_NAME</b> <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

# Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

<b>Component Paramete</b>	ers:
Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=exchange, LENGTH=10}, {SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=stock_price_open, LENGTH=10}, {SCHEMA_COLUMN=stock_price_high, LENGTH=10}, {SCHEMA_COLUMN=stock_price_low, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100

Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

# Original Function Parameters: Component tWaitForFile

	UNIQUE NAME	tWaitForFile_1	INPUT(S)	none	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputDelimited_1	

**Component Parameters:** 

Component Parameters:				
Properties	Values			
Unique Name	tWaitForFile_1			
Component Name	tWaitForFile			
Version	0.102 (ALPHA)			
Family	Orchestration			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tWaitForFile			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				
Title color				
Enable parallel execution	false			

Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Time (in seconds) between iterations	10
Max. number of iterations (infinite loop if empty)	
Directory to scan	"F:/Trainings/CITI/SampleFiles/FileWatcher"
File mask	"*.CSV"
Includes subdirectories	false
Case Sensitive	true
Include present file	true
Trigger action when	filecreated
Then	continue
REPOSITORY_ALLOW_AUTO_SV	ALIEH
Schema	Built-In
Wait for file to be released	true
Every (in ms)	500
Exit loop and return file path when meeting unchanged file	false
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

#### Schema for tWaitForFile\_1 :

Outroma for trivata off i	<u> </u>					
Column	Key	Туре	Length	Precision	Nullable	Comment
CURRENT_ITERATION	false	Integer			true	
PRESENT_FILE	false	String	255		true	
DELETED_FILE	false	String	255		true	
CREATED_FILE	false	String	255		true	
UPDATED_FILE	false	String	255		true	
FILENAME	false	String	255		true	
NOT_UPDATED_FILE	false	String	255		true	

# Original Function Parameters: Component tMap

 UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1

**Component Parameters:** 

Properties	Values
tStatCatcher Statistics	false

Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row1 ):

Name	Туре	Expression	isNullable
exchange	String		true
stock_symbol	String		true
date	String		true
stock_price_open	String		true
stock_price_high	Float		true
stock_price_low	Float		true
stock_price_close	Float		true
stock_volume	String		true
stock_price_adj_close	Float		true

Constraint Table Entries( row1 ):

Name Type Expression Isnullable		Name	Туре	Expression	isNullable	
---------------------------------	--	------	------	------------	------------	--

Mapper table for tMap\_1 ( output ):
Mapper table Properties( loadFile ):

Properties	Values
Name	loadFile
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( loadFile ):** 

Name	Туре	Expression	isNullable
exchange	String	row1.exchange	true
stock_symbol	String	row1.stock_symbol	true
date	String	row1.date	true
stock_price_open	String	row1.stock_price_open	true
stock_price_high	Float	row1.stock_price_high	true
stock_price_low	Float	row1.stock_price_low	true
stock_price_close	Float	row1.stock_price_close	true
stock_volume	String	row1.stock_volume	true
stock_price_adj_close	Float	row1.stock_price_adj_close	true

Constraint Table Entries( loadFile ):

		Name	Туре	Expression	isNullable	
--	--	------	------	------------	------------	--

#### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

Happer table i repetites val j.		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable