talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:16 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

talend

Description	

Description

Properties	Values
Name	MySQLRow
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	9 May, 2016 4:41:02 PM
Modification	29 Mar, 2017 2:18:22 PM

Preview Picture

MySQL56World — OnSubjobOk — MySQL56World — OnSubjobOk — MySQL56World — OnSubjobOk — MySQL56World

tMysqlRow is the specific component for this database query.
It executes the SQL query stated in the specified database.
The row suffix means the component implements a flow
in the job design although it doesn't provide output

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tMysqlConnection_1	tMysqlConnection
tMysqlRow_1	tMysqlRow
tMysqlRow_2	tMysqlRow

tMysqlRow_3	tMysqlRow

Components Description

Component   tMysqlConnection

	UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
	LABEL	MySQL56World	OUTPUT(S)	tMysqlRow_1

Component Parameters:

Properties	Values
Database	tMysqlConnection
Unique Name	tMysqlConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL|ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlConnection

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	MYSQL_5
Host	"localhost"
Database Driver	MYSQL
Port	"3306"
Database	"world"
Additional JDBC Parameters	"noDatetimeStringSync=true"
Username	"root"
Password	********
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""

Auto Commit	false
Label format	MySQL56World
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tMysqlRow

	UNIQUE NAME	tMysqlRow_1	INPUT(S)	tMysqlConnection_1
	LABEL	MySQL56World	OUTPUT(S)	tMysqlRow_2

Component Parameters:

Properties	Values
Database	tMysqlRow
Unique Name	tMysqlRow_1
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MySQL56World
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	"localhost"
Port	"3306"
Database	"world"
Database Driver	MYSQL

Username	"root"
Password	*********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	""
Query Type	Built-In
Query	"Drop Table If Exists cts_mcourt"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	MySQL56World
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMysqlRow

	UNIQUE NAME	tMysqlRow_2	INPUT(S)	tMysqlRow_1
	LABEL	MySQL56World	OUTPUT(S)	tMysqlRow_3

Component Parameters:

Properties	Values
Database	tMysqlRow
Unique Name	tMysqlRow_2
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false

tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MySQL56World
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	"localhost"
Port	"3306"
Database	"world"
Database Driver	MYSQL
Username	"root"
Password	*********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In

Reject Schema	Built-In
Table Name	""
Query Type	Built-In
Query	"CREATE TABLE `cts_mcourt` (`ccm_ID` int(11) NOT NULL AUTO_INCREMENT, `ccm_CourtName` varchar(150) NOT NULL, `ccm_Description` varchar(150) DEFAULT NULL, `ccm_CourtType` varchar(150) DEFAULT NULL, `ccm_CourtCity` varchar(150) DEFAULT NULL, `ccm_CourtState` varchar(150) DEFAULT NULL, `ccm_CreateDate` datetime NOT NULL, `ccm_CreateUser` int(11) NOT NULL, `ccm_ModifyDate` datetime NOT NULL, `ccm_ModifyUser` int(11) NOT NULL PRIMARY KEY (`ccm_ID`)) ENGINE=InnoDB AUTO_INCREMENT=25 DEFAULT CHARSET=utf8;"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	MySQL56World
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type		

Schema for tMysqlRow_2 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMysqlRow

	UNIQUE NAME	tMysqlRow_3	INPUT(S)	tMysqlRow_2
	LABEL	MySQL56World	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tMysqlRow
Unique Name	tMysqlRow_3
Component Name	tMysqlRow
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRow

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
DB Version	MYSQL_5
Use an existing connection	true
Component List	tMysqlConnection_1
Host	"localhost"
Port	"3306"
Database	"world"
Database Driver	MYSQL
Username	"root"
Password	*********
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Table Name	""

Query Type	Built-In
Query	"Insert Into world.cts_mcourt Select * from case_tracking_system.cts_mcourt;"
Specify a data source alias	false
Data source alias	""
Die on error	false
Additional JDBC Parameters	"noDatetimeStringSync=true"
Propagate QUERY's recordset	false
use column	
Use PreparedStatement	false
Set PreparedStatement Parameters	[]
Encoding	"ISO-8859-15"
Commit every	10000
Label format	MySQL56World
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRow_3 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters: