![talend]

# Jobs

Generated by Talend Cloud Data Management Platform

| Project Name | talendcloud | GENERATION DATE | 31 Jan, 2019 2:58:32 PM |
|---|---|---|---|
| AUTHOR | Joshi, Nishad | Talend Cloud VERSION | 7.1.1.20181026_1147 |

## Summary

**Project Description**
**Description**
**Preview Picture**
**Settings**
**Context List**
**Component List**
**Components Description**

## Project Description

| Properties | Values |
|---|---|
| Name | talendcloud |
| Language | java |

| | |
|---|---|
| Description | |

# Description

| Properties | Values |
|---|---|
| Name | tMysqlOutputBulkExec |
| Author | Joshi, Nishad |
| Version | 0.1 |
| Purpose | |
| Status | |
| Description | |
| Creation | 13 Feb, 2008 6:42:53 PM |
| Modification | 15 May, 2016 2:55:59 AM |

# Preview Picture

# Settings

**Extra settings**

| Name | Value |
|---|---|

| | |
|---|---|
| COMP_DEFAULT_FILE_DIR | |
| Multi thread execution | false |
| Implicit tContextLoad | false |

**Status & Logs**

| Name | Value |
|---|---|
| Use statistics (tStatCatcher) | false |
| Use logs (tLogCatcher) | false |
| Use volumetrics (tFlowMeterCatcher) | false |
| On Console | false |
| On Files | false |
| On Databases | false |
| Catch components statistics | false |
| Catch runtime errors | true |
| Catch user errors | true |
| Catch user warnings | true |

# Context List

**ContextDefault**

| Name | Prompt | Need Prompt? | Type | Value | Source |
|------|--------|--------------|------|-------|--------|
| root | Set the path of the dir to store the example files folder: | false | id_String | C:\TalendDemoFiles\globalContext | |

**Contextdemo**

| Name | Prompt | Need Prompt? | Type | Value | Source |
|------|--------|--------------|------|-------|--------|
| root | Set the path of the dir to store the example files folder: | false | id_String | C:\TalendDemoFiles\globalContext | |

# Component List

| Component Name | Component Type |
|----------------|----------------|
| tMysqlOutputBulkExec_1 | tMysqlOutputBulkExec |
| tRowGenerator_1 | tRowGenerator |

# Components Description

**Component   tMysqlOutputBulkExec**

| | UNIQUE NAME | tMysqlOutputBulkExec_1 | INPUT(S) | tRowGenerator_1 |
|--|-------------|------------------------|----------|-----------------|
| | LABEL | __UNIQUE_NAME__ | OUTPUT(S) | none |

## Component Parameters:

| Properties | Values |
| --- | --- |
| Database | tMysqlOutputBulkExec |
| Unique Name | tMysqlOutputBulkExec_1 |
| Component Name | tMysqlOutputBulkExec |
| Version | 0.102 (ALPHA) |
| Family | Databases/DB Specifics/MySQL |
| Startable | false |
| SUBTREE_START | false |
| END_OF_FLOW | true |
| Activate | true |
| DUMMY | false |
| tStatCatcher Statistics | false |
| Help | org.talend.help.tMysqlOutputBulkExec |
| Update components | true |
| IREPORT_PATH | |
| JAVA_LIBRARY_PATH | C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java |
| Subjob color | |
| Title color | |
| Enable parallel execution | false |
| Number of parallel executions | 2 |
| PARALLELIZE_KEEP_EMPTY | false |

| | |
|---|---|
| Property Type | repository: DB (MYSQL):demoMysql |
| DB Version | MYSQL_5 |
| !!!TYPE.NAME!!! | MySQL |
| Host | "localhost" |
| Port | "3306" |
| Database | "case_tracking_system" |
| Username | "root" |
| Password | ********* |
| Action on table | CREATE_IF_NOT_EXISTS |
| Table | "demotable" |
| Local filename | context.root.concat("/out/mysql_bulk.txt") |
| Append | false |
| REPOSITORY_ALLOW_AUTO_SWITCH | true |
| Schema | Built-In |
| Mapping | mysql_id |
| Additional JDBC Parameters | "" |
| Row Separator | "\n" |
| Field Separator | ";" |
| Escape char | "\\" |
| Text enclosure | "\"" |
| Create directory if does not exist | true |
| Custom the flush buffer size | false |

| | |
|---|---|
| Row number | 1 |
| Action on data | INSERT |
| Records contain NULL value | true |
| Encoding | "ISO-8859-15" |
| Label format | __UNIQUE_NAME__ |
| Hint format | __UNIQUE_NAME__ |
| Connection format | row |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |
| Validation Rule Type | |

## Schema for tMysqlOutputBulkExec_1 :

| Column | Key | Type | Length | Precision | Nullable | Comment |
|---|---|---|---|---|---|---|
| number | false | int | 3 | | false | |
| txt | false | String | 20 | | false | |
| date | false | String | 10 | | false | |
| flag | false | boolean | 5 | | false | |

## Original Function Parameters:
## Component   tRowGenerator

| | UNIQUE NAME | tRowGenerator_1 | INPUT(S) | none |
|---|---|---|---|---|
| | | | | |

| LABEL | __UNIQUE_NAME__ | OUTPUT(S) | tMysqlOutputBulkExec_1 |
|-------|-----------------|-----------|------------------------|

**Component Parameters:**

| Properties | Values |
|------------|--------|
| tStatCatcher Statistics | false |
| Enable parallel execution | false |
| Show Information | false |
| Comment | |
| Use an existing validation rule | false |

**Row generator information for tRowGenerator_1 :**

| Column | Key | Type | Nullable | Length | Precision | Default | Comment | Functions | Parameters |
|--------|-----|------|----------|--------|-----------|---------|---------|-----------|------------|
| number | false | int | false | 3 | | | | 1,2,3,4,5,6,7,8,9,10 | |
| txt | false | String | false | 20 | | | | text1, text2, text3, text4, text5, text6, text7, text8, text9, text10 | |
| date | false | String | false | 10 | | | | 2007-01-21, 2007-02-22, 2007-03-23, 2006-04-24, 2006-05-25, 2006-06-26, 2005-07-27, 2005-08-28, 2005-08-29, 2004-11-21 | |

| flag | false | boolean | false | 5 | | | | true,false | |
|------|-------|---------|-------|---|---|---|---|-----------|---|