

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:59 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	generic_elt_step1
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	12 Mar, 2010 7:50:58 PM
Modification	29 Mar, 2017 2:17:53 PM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFileInputDelimited_2	tFileInputDelimited
tMysqlOutput_1	tMysqlOutput
tMysqlOutput_2	tMysqlOutput

Components Description

Component tFileInputDelimited

<u>;</u>	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	customer	OUTPUT(S)	tMysqlOutput_1 , tFileInputDelimited_2

Component Parameters:

Properties	Values
------------	--------

Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_S	WHTEH

г

Schema	Built-In
File name/Stream	context.root.concat("talend_files_0.1/in/customer.csv")
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	n. H ,
Escape char	пин
Text enclosure	птп
Header	6
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/workspace"
Advanced separator (for numbers)	false
Thousands separator	" "
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false

г

Check column to trim	[{SCHEMA_COLUMN=id, TRIM=false}, {SCHEMA_COLUMN=CustomerName, TRIM=false}, {SCHEMA_COLUMN=CustomerAddress, TRIM=false}, {SCHEMA_COLUMN=idState, TRIM=false}, {SCHEMA_COLUMN=id2, TRIM=false}, {SCHEMA_COLUMN=RegTime, TRIM=false}, {SCHEMA_COLUMN=RegTime, TRIM=false}, {SCHEMA_COLUMN=RegTime, TRIM=false}, {SCHEMA_COLUMN=Somme1, TRIM=false}, {SCHEMA_COLUMN=Somme2, TRIM=false}, {SCHEMA_COLUMN=Somme3, TRIM=false}, {SCHEMA_COLUMN=Somme4, TRIM=false}, {SCHEMA_COLUMN=Somme5, TRIM=false}, {SCHEMA_COLUMN=Somme6, TRIM=false}, {SCHEMA_COLUMN=Somme7, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=id, DECODE=false}, {SCHEMA_COLUMN=CustomerName, DECODE=false}, {SCHEMA_COLUMN=CustomerAddress, DECODE=false}, {SCHEMA_COLUMN=idState, DECODE=false}, {SCHEMA_COLUMN=id2, DECODE=false}, {SCHEMA_COLUMN=RegTime, DECODE=false}, {SCHEMA_COLUMN=RegisterTime, DECODE=false}, {SCHEMA_COLUMN=Somme1, DECODE=false}, {SCHEMA_COLUMN=Somme2, DECODE=false}, {SCHEMA_COLUMN=Somme3, DECODE=false}, {SCHEMA_COLUMN=Somme4, DECODE=false}, {SCHEMA_COLUMN=Somme5, DECODE=false}, {SCHEMA_COLUMN=Somme6, DECODE=false}, {SCHEMA_COLUMN=Somme6, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	customer
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
	·

Validation Rule Type

Schema for tFileInputDelimited_1:

Schema for trile	IIPutbellill	iteu_i .				
Column	Key	Туре	Length	Precision	Nullable	Comment
id	true	Integer	2		true	
CustomerName	false	String	255		true	
CustomerAddress	false	String	255		true	
idState	false	Integer	2		true	
id2	false	Integer	2		true	
RegTime	false	String	50		true	
RegisterTime	false	String	50		true	
Somme1	false	Float	5		true	
Somme2	false	Float	10	5	true	
Somme3	false	Float	5		true	
Somme4	false	Float	3		true	
Somme5	false	Float	10	5	true	
Somme6	false	Float	11		true	
Somme7	false	Float	11	2	true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_2	INPUT(S)	tFileInputDelimited_1
LABEL	state	OUTPUT(S)	tMysqlOutput_2

Component Parameters:	
Properties	Values
Unique Name	tFileInputDelimited_2
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
File name/Stream	context.root.concat("talend_files_0.1/in/state.txt")
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	n.n ''
Escape char	ппп
Text enclosure	ппп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/workspace"
Advanced separator (for numbers)	false

Thousands separator	" "
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=idstate, TRIM=false}, {SCHEMA_COLUMN=labelstate, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=idstate, DECODE=false}, {SCHEMA_COLUMN=labelstate, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	state
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
idstate	true	Integer	2		true	
labelstate	false	String	14		true	

Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tFileInputDelimited_1
LABEL	TABLE	OUTPUT(S)	none

Component Parameters:

Component Parameters:			
Properties	Values		
Database	MysqlOutput		
Unique Name	tMysqlOutput_1		
Component Name	tMysqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MySQL		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		

org.talend.help.tMysqlOutput
true
C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
false
2
false
repository: DB (MYSQL):demoMysql
MYSQL_5
false
MYSQL
"localhost"
"3306"
"case_tracking_system"
"root"

"customer"
DROP_IF_EXISTS_AND_CREATE
INSERT

REPOSITORY_ALLOW_AUTO_SV	¢HT€H
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	п
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	п
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	0
Use field options	false

Field options	[{SCHEMA_COLUMN=id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CustomerName, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=CustomerAddress, UPDATE_KEY=false, DELETE_KEY=false, UPDATBLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=idState, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=id2, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, UPDATABLE=true}, {SCHEMA_COLUMN=RegTime, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, INSERTABLE=true}, {SCHEMA_COLUMN=RegisterTime, UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=Somme2, UPDATABLE=true}, INSERTABLE=true}, {SCHEMA_COLUMN=Somme2, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, INSERTABLE=true}, {SCHEMA_COLUMN=Somme3, UPDATE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=Somme5, UPDATABLE=true}, INSERTABLE=true}, {SCHEMA_COLUMN=Somme6, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, SCHEMA_COLUMN=Somme6, UPDATE_KEY=false, UPDATABLE=true}, SCHEMA_COLUMN=Somme6, UPDATE_KEY=false, UPDATABLE=true}, SCHEMA_COLUMN=Somme6, UPDATE_KEY=false, UPDATABLE=true}, SCHEMA_COLUMN=Somme6, UPDATE_KEY=false, UPDATABLE=true}, SCHEMA_COLUMN=Somme6, UPDATE_K				
Use Hint Options	false				
Hint Options					
Enable debug mode	false				
Use duplicate key update mode insert	false				
DUPLICATED_KEYS					
Support null in "SQL WHERE" statement	false				
Label format	TABLE				
Hint format	_UNIQUE_NAME _COMMENT				
Connection format	row				
Show Information	false				
Comment					
Use an existing validation rule	false				
Validation Rule Type					

Schema for tMysqlOutput_1:

Scrienia for tiviys						
Column	Key	Туре	Length	Precision	Nullable	Comment
id	true	Integer	2		true	
CustomerName	false	String	255		true	
CustomerAddress	false	String	255		true	
idState	false	Integer	2		true	
id2	false	Integer	2		true	
RegTime	false	String	50		true	
RegisterTime	false	String	50		true	
Somme1	false	Float	5		true	
Somme2	false	Float	10	5	true	
Somme3	false	Float	5		true	
Somme4	false	Float	3		true	
Somme5	false	Float	10	5	true	
Somme6	false	Float	11		true	
Somme7	false	Float	11	2	true	

Original Function Parameters: Component tMysqlOutput

	UNIQUE NAME	tMysqlOutput_2	INPUT(S)	tFileInputDelimited_2	
	LABEL	TABLE	OUTPUT(S)	none	

Component Parameters:					
Properties	Values				
Database	tMysqlOutput				
Unique Name	tMysqlOutput_2				
Component Name	tMysqlOutput				
Version	0.102 (ALPHA)				
Family	Databases/DB Specifics/MySQL				
Startable	false				
SUBTREE_START	false				
END_OF_FLOW	true				
Activate	true				
DUMMY	false				
tStatCatcher Statistics	false				
Help	org.talend.help.tMysqlOutput				
Update components	true				
IREPORT_PATH					
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java				
Subjob color					
Title color					
Enable parallel execution	false				

Number of parallel executions	2			
PARALLELIZE_KEEP_EMPTY	false			
Property Type	repository: DB (MYSQL):demoMysql			
DB Version	MYSQL_5			
Use an existing connection	false			
Component List				
Database Driver	MYSQL			
Host	"localhost"			
Port	"3306"			
Database	"case_tracking_system"			
Username	"root"			
Password	*****			
Table	"state"			
Action on table	DROP_IF_EXISTS_AND_CREATE			
Action on data	INSERT			
REPOSITORY_ALLOW_AUTO_SV	ALIIEH			
Schema	Built-In			
Reject Schema	Built-In			
Specify a data source alias	false			
Data source alias	пп			
Die on error	false			
Mapping	mysql_id			

Additional JDBC Parameters	""			
Extend Insert	true			
Number of rows per insert	100			
Use Batch Size	true			
Batch Size	10000			
Encoding	"ISO-8859-15"			
Commit every	10000			
Additional columns	0			
Use field options	false			
Field options	[{SCHEMA_COLUMN=idstate, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=labelstate, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]			
Use Hint Options	false			
Hint Options	0			
Enable debug mode	false			
Use duplicate key update mode insert	false			
DUPLICATED_KEYS	О			
Support null in "SQL WHERE" statement	false			
Label format	TABLE			
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>			
Connection format	row			
Show Information	false			
Comment				

Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlOutput_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
idstate	true	Integer	2		true	
labelstate	false	String	14		true	

Original Function Parameters: