

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:16 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

Description

Description

Properties	Values
Name	RedirectConsoleOutputToFile
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	6 Jun, 2016 3:47:21 PM
Modification	29 Sep, 2017 12:40:49 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false

Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
tFileInputPositional_1	tFileInputPositional

tFileInputPositional_2	tFileInputPositional
tFileOutputDelimited_1	tFileOutputDelimited
tFileOutputDelimited_2	tFileOutputDelimited
tJava_1	tJava
tJava_2	tJava
tJava_3	tJava
tMap_1	tMap
tMap_2	tMap

Components Description

Component tFileInputPositional

UNIQUE NAME	tFileInputPositional_1	INPUT(S)	tJava_1
LABEL	metadata	OUTPUT(S)	tMap_1 , tJava_2

Properties	Values
Unique Name	tFileInputPositional_1
Component Name	tFileInputPositional
Version	0.102 (ALPHA)
Family	File/Input

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputPositional
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use existing dynamic	false
Component List	
File name/Stream	"F:/Trainings/Marlabs/SampleFiles/USCityZipCode.txt"
Row Separator	"\n"
Customize	false

г

Pattern	"24,35,21,30,*"
Pattern units	SYMBOLS
Formats	[{SCHEMA_COLUMN=USStreet, SIZE=24, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USCity, SIZE=35, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USState, SIZE=21, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USStateID, SIZE=30, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Date, SIZE=10, PADDING_CHAR=' ', ALIGN='L'}]
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Header	1
Footer	0
Limit	
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	repository: POS:USCity - metadata
Schema	repository: POS:USCity - metadata
Needed to process rows longer than 100 000 characters	false
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Trim all columns	true
Validate date	false
Check column to trim	[{SCHEMA_COLUMN=USStreet, TRIM=false}, {SCHEMA_COLUMN=USCity, TRIM=false}, {SCHEMA_COLUMN=USState, TRIM=false}, {SCHEMA_COLUMN=USStateID, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}]
Encoding	"UTF-8"

Label format	metadata
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
USStreet	false	String	24		true	
USCity	false	String	35		true	
USState	false	String	21		true	
USStateID	false	String	30		true	
Date	false	java.util.Date	10		true	

Original Function Parameters: Component tFileInputPositional

UNIQUE NAME	tFileInputPositional_2	INPUT(S)	tJava_2
LABEL	metadata	OUTPUT(S)	tMap_2 , tJava_3

Properties	Values
------------	--------

Unique Name	tFileInputPositional_2
Component Name	tFileInputPositional
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputPositional
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use existing dynamic	false

г

Component List	
Component List	
File name/Stream	"F:/Trainings/Marlabs/SampleFiles/USCityZipCode.txt"
Row Separator	"\n"
Customize	false
Pattern	"24,35,21,30,*"
Pattern units	SYMBOLS
Formats	[{SCHEMA_COLUMN=USStreet, SIZE=24, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USCity, SIZE=10, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USState, SIZE=21, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=USStateID, SIZE=30, PADDING_CHAR=' ', ALIGN='L'}, {SCHEMA_COLUMN=Date, SIZE=10, PADDING_CHAR=' ', ALIGN='L'}]
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Header	1
Footer	0
Limit	
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	repository: POS:USCity - metadata
Schema	repository: POS:USCity - metadata
Needed to process rows longer than 100 000 characters	false
Advanced separator (for numbers)	false
Thousands separator	n n ,
Decimal separator	" "
Trim all columns	true

Validate date	false
Check column to trim	[{SCHEMA_COLUMN=USStreet, TRIM=false}, {SCHEMA_COLUMN=USCity, TRIM=false}, {SCHEMA_COLUMN=USState, TRIM=false}, {SCHEMA_COLUMN=USStateID, TRIM=false}, {SCHEMA_COLUMN=Date, TRIM=false}]
Encoding	"UTF-8"
Label format	metadata
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Туре	Length	Precision	Nullable	Comment
USStreet	false	String	24		true	
USCity	false	String	35		true	
USState	false	String	21		true	
USStateID	false	String	30		true	
Date	false	java.util.Date	10		true	

Original Function Parameters:
Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_1	INPUT(S)	tMap_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Parameters:	
Properties	Values
Unique Name	tFileOutputDelimited_1
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2

PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"D:/Trainings/CITI/SampleFiles/City_Excel_Output.txt"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	" "
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	, , , , , , , , , , , , , , , , , , ,
Decimal separator	" " -
CSV options	false
Escape char	пин
Text enclosure	пин
Create directory if does not exist	true
Split output in several files	false

Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for USCity:

Column	Key	Туре	Length	Precision	Nullable	Comment
USStreet	false	String	24		true	
USCity	false	String	35		true	
USState	false	String	21		true	

USStateID	false	String	30	true	
Date	false	java.util.Date	10	true	

Original Function Parameters: Component tFileOutputDelimited

•	UNIQUE NAME	tFileOutputDelimited_2	INPUT(S)	tMap_2
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Paramete	ers:
Properties	Values
Unique Name	tFileOutputDelimited_2
Component Name	tFileOutputDelimited
Version	0.101 (ALPHA)
Family	File/Output
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileOutputDelimited
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
Use Output Stream	false
Output Stream	outputStream
File Name	"D:/Trainings/CITI/SampleFiles/City_Excel_Output.txt"
Row Separator	"\n"
Use OS line separator as row separator when CSV Row Separator is set to CR,LF or CRLF.	true
CSV Row Separator	"\n"
Field Separator	"]"
Append	false
Include Header	true
Compress as zip file	false
REPOSITORY_ALLOW_AUTO_SV	#HTEH
Schema	Built-In
Advanced separator (for numbers)	false
Thousands separator	n n
Decimal separator	и и •

CSV options	false
Escape char	
Text enclosure	***************************************
Create directory if does not exist	true
Split output in several files	false
Rows in each output file	1000
Custom the flush buffer size	false
Row number	1
Output in row mode	false
Encoding	"ISO-8859-15"
Don't generate empty file	false
Throw an error if the file already exist	false
Min column number of optimize code	90
Label format	UNIQUE_NAME
Hint format	_UNIQUE_NAME _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for USCity :

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

USStreet	false	String	24	true	
USCity	false	String	35	true	
USState	false	String	21	true	
USStateID	false	String	30	true	
Date	false	java.util.Date	10	true	

Original Function Parameters: Component tJava

_ 400	UNIQUE NAME	tJava_1	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputPositional_1

Component Parameters:		
Properties	Values	
Unique Name	tJava_1	
Component Name	tJava	
Version	0.101 (ALPHA)	
Family	Custom_Code	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	true	
Activate	true	

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	java.io.File outputFile = new java.io.File("F:/Trainings/CITI/SampleFiles/ConsoleLog.txt"); System.setOut(new java.io.PrintStream(new java.io.FileOutputStream(outputFile, true), true));
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column Key Type Length Precision Nullable Comme	t
---	---

Original Function Parameters: Component tJava

_ 400	UNIQUE NAME	tJava_2	INPUT(S)	tFileInputPositional_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFileInputPositional_2	

Component Parameters:	
Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java

Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("SubJob-1 Execution Complete");
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

Original Function Parameters: Component tJava

 UNIQUE NAME	tJava_3	INPUT(S)	tFileInputPositional_2
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values
Unique Name	tJava_3
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	System.out.println("SubJob-2 Execution Complete");

Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_3 :

Co	olumn	Key	Туре	Length	Precision	Nullable	Comment	
----	-------	-----	------	--------	-----------	----------	---------	--

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tFileInputPositional_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_1

Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		

Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

happer table i roperties (row i j.		
Properties	Values	
Name	row1	
Matching-mode	UNIQUE_MATCH	
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
USStreet	String		true
USCity	String		true
USState	String		true
USStateID	String		true
Date	java.util.Date		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable
		-	

Mapper table for tMap_1 (output):

Mapper table Properties (USCity):

mapper table i reperties	5(000.tj).
Properties	Values
Name	USCity
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(USCity):

Name	Туре	Expression	isNullable
USStreet	String	row1.USStreet	true
USCity	String	row1.USCity	true
USState	String	row1.USState	true
USStateID	String	row1.USStateID	true
Date	java.util.Date	row1.Date	true

Constraint Table Entries (USCity):

Name	Туре	Expression	isNullable
	.) 0		

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

5(vai).
Values
Var
true
false
false
false
null

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable

Component tMap

 UNIQUE NAME	tMap_2	INPUT(S)	tFileInputPositional_2
LABEL	UNIQUE_NAME	OUTPUT(S)	tFileOutputDelimited_2

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):

Mapper table Properties (row2):

mapper table i roperties (rowz).			
Values			
row2			
UNIQUE_MATCH			
false			
null			

Metadata Table Entries(row2):

Name	Туре	Expression	isNullable
USStreet	String		true
USCity	String		true
USState	String		true
USStateID	String		true
Date	java.util.Date		true

Constraint Table Entries(row2):

Name	Туре	Expressi	on	isNullable

Mapper table for tMap_2 (output):

Mapper table Properties(copyOfUSCity):

портиненти	mapper table i reporties (sep) erecetty ji			
Properties	Values			
Name	copyOfUSCity			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(copyOfUSCity):

Name	Туре	Expression	isNullable
USStreet	String	row2.USStreet	true
USCity	String	row2.USCity	true
USState	String	row2.USState	true
USStateID	String	row2.USStateID	true
Date	java.util.Date	row2.Date	true

Constraint Table Entries(copyOfUSCity):

			, ,		
Nam	е	Туре	Expression	isNullable	

Mapper table for tMap_2 (var):

Mapper table Properties (Var):

mapper table i reperties (tai).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable