

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:07 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	Routines
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	27 Jul, 2016 9:31:58 PM
Modification	9 Aug, 2018 1:06:37 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source

Component List

Component Name	Component Type
tFixedFlowInput_2	tFixedFlowInput
tJava_1	tJava
tLogRow_3	tLogRow

t	Map_2	tMap	

Components Description

Component tFixedFlowInput

a23z	UNIQUE NAME	tFixedFlowInput_2	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMap_2

Component Parameters:

Component Parameters:		
Properties	Values	
Unique Name	tFixedFlowInput_2	
Component Name	tFixedFlowInput	
Version	0.102 (ALPHA)	
Family	Misc	
Start	true	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	
DUMMY	false	
tStatCatcher Statistics	false	
Help	org.talend.help.tFixedFlowInput	
Update components	true	

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S\	AtrueH
Schema	Built-In
Number of rows	1
Use Single Table	false
Values	[{SCHEMA_COLUMN=input, VALUE=}]
Use Inline Table	false
Inline Table	0
Use Inline Content(delimited file)	true
Row Separator	"\n"
Field Separator	n.,n
Content	NISHAD 123456 JOSHI
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME <_COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFixedFlowInput_2:

Column	Key	Туре	Length	Precision	Nullable	Comment
input	false	String	20		true	

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Farameters.			
Properties	Values		
Unique Name	tJava_1		
Component Name	tJava		
Version	0.101 (ALPHA)		
Family	Custom_Code		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	IBMRoutines.helloExample("IBM");
Import	//import java.util.List;
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_1 :

Column Key Type Length Precision Nullable Comme	t
---	---

Original Function Parameters: Component tLogRow

 UNIQUE NAME	tLogRow_3	INPUT(S)	tMap_2
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Parameters:				
Properties	Values			
Unique Name	tLogRow_3			
Component Name	tLogRow			
Version	0.101 (ALPHA)			
Family	Logs_Errors			
Startable	false			
SUBTREE_START	false			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tLogRow			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Subjob color				


Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=strrev, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME


Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for reverse:

Column	Key	Туре	Length	Precision	Nullable	Comment
strrev	false	String			false	

Original Function Parameters: Component tMap





Component Parameters:

Component Parameters:			
Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		
Mapping links display as:	AUTO		
Temp data directory path:			
Max buffer size (nb of rows):	200000		
Ignore trailing zeros for BigDecimal	false		
Show Information	false		
Comment			
Use an existing validation rule	false		

Mapper table for tMap_2 (input):

Mapper table Properties (row3):

mapper table i repetites (1040).			
Properties	Values		
Name	row3		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row3):

Name	Туре	Expression	isNullable
input	String		true

Constraint Table Entries(row3):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_2 (output):

Mapper table Properties(reverse):

inapper table i reperties (reverse).			
Properties	Values		
Name	reverse		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(reverse):

Name	Туре	Expression	isNullable
strrev	String	Var.strrev	false

Constraint Table Entries(reverse):

Name Ty	Гуре	Expression	isNullable
---------	------	------------	------------

Mapper table for tMap_2 (var):

Mapper table Properties (Var):

mapper table i reporties (vai).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

Name	Туре	Expression	isNullable
strrev	String	StringRoutines.reverselt(row3.input)	false

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable
------	------	------------	------------