

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:23 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java


Description	


Description

Properties	Values
Name	Lookup
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	9 May, 2016 6:36:10 PM
Modification	7 Aug, 2018 1:34:35 PM

Preview Picture







Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false

On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

ı	Name	Prompt	Need Prompt?	Туре	Value	Source	
---	------	--------	--------------	------	-------	--------	--

Component List

Component Name	Component Type
tFileInputDelimited_7	tFileInputDelimited
tFileInputDelimited_8	tFileInputDelimited
tLogRow_5	tLogRow
tLogRow_7	tLogRow
tMap_4	tMap

Components Description

Component tFileInputDelimited

;	UNIQUE NAME	tFileInputDelimited_7	INPUT(S)	none
	LABEL	City	OUTPUT(S)	tMap_4

Component Parameters:		
Values		
tFileInputDelimited_7		
tFileInputDelimited		
0.102 (ALPHA)		
File/Input		
true		
true		
true		
false		
true		
false		
false		
org.talend.help.tFileInputDelimited		
true		
C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java		

L	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALICH
Schema	repository: DELIM:City - metadata
File name/Stream	"F:/Trainings/Marlabs/SampleFiles/City_Delimited.txt"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	n.,,
Escape char	пип
Text enclosure	nun
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:City - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20161216_1026-V6.3.1/workspace"

Advanced separator (for numbers)	false
Thousands separator	" " " " " " " " " " " " " " " " " " "
Decimal separator	n n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=CountryCode, TRIM=false}, {SCHEMA_COLUMN=District, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=Name, DECODE=false}, {SCHEMA_COLUMN=CountryCode, DECODE=false}, {SCHEMA_COLUMN=District, DECODE=false}, {SCHEMA_COLUMN=Population, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	City
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_8	INPUT(S)	none
LABEL	Country	OUTPUT(S)	tMap_4

Component Farameters.					
Properties	Values				
Unique Name	tFileInputDelimited_8				
Component Name	tFileInputDelimited				
Version	0.102 (ALPHA)				
Family	File/Input				
Start	false				

Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	repository: DELIM:Country - metadata
File name/Stream	"F:/Trainings/Marlabs/SampleFiles/Country_Delimited.txt"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"

г

Field Separator	"."
Escape char	ппп
Text enclosure	ппп
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:Country - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20161216_1026-V6.3.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=Code, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=Continent, TRIM=false}, {SCHEMA_COLUMN=Region, TRIM=false}, {SCHEMA_COLUMN=SurfaceArea, TRIM=false}, {SCHEMA_COLUMN=IndepYear, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}, {SCHEMA_COLUMN=LifeExpectancy, TRIM=false}, {SCHEMA_COLUMN=GNP, TRIM=false}, {SCHEMA_COLUMN=GNPOId, TRIM=false}, {SCHEMA_COLUMN=LocalName, TRIM=false}, {SCHEMA_COLUMN=GNPOID, TRIM=false}, {SCHEMA_COLUMN=GNPOID, TRIM=false}, {SCHEMA_COLUMN=GNPOID, TRIM=false}, {SCHEMA_COLUMN=CodeIN, TRIM=false}, {SCHEMA_COLUMN=Capital, TRIM=false}, {SCHEMA_COLUMN=Capital, TRIM=false}, {SCHEMA_COLUMN=Code2, TRIM=false}]
Check each row structure against schema	false

Check date	false	
Encoding	"UTF-8"	
Split row before field	false	
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false	
Decode table	[{SCHEMA_COLUMN=Code, DECODE=false}, {SCHEMA_COLUMN=Name, DECODE=false}, {SCHEMA_COLUMN=Continent, DECODE=false}, {SCHEMA_COLUMN=Region, DECODE=false}, {SCHEMA_COLUMN=Region, DECODE=false}, {SCHEMA_COLUMN=SurfaceArea, DECODE=false}, {SCHEMA_COLUMN=IndepYear, DECODE=false}, {SCHEMA_COLUMN=Population, DECODE=false}, {SCHEMA_COLUMN=LifeExpectancy, DECODE=false}, {SCHEMA_COLUMN=GNPOId, DECODE=false}, {SCHEMA_COLUMN=GNPOId, DECODE=false}, {SCHEMA_COLUMN=GOLUMN=COLUMN=CODE=false}, {SCHEMA_COLUMN=GOVERNENTED TO THE CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}, {SCHEMA_COLUMN=CODE=false}]	
!!!DESTINATION.NAME!!!		
Min column number of optimize code	100	
Label format	Country	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
Code	false	String	3		true	

Name	false	String	37		true	
Continent	false	String	13		true	
Region	false	String	25		true	
SurfaceArea	false	String	9		true	
IndepYear	false	String	5		true	
Population	false	Integer	10		true	
LifeExpectancy	false	String	4		true	
GNP	false	Float	8	4	true	
GNP GNPOld	false false	Float String	8		true	
	false					
GNPOld	false false	String String	8		true	
GNPOId LocalName	false false	String String	8 35		true	
GNPOId LocalName GovernmentForm	false false false	String String String String	8 35 44		true true true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_5	INPUT(S)	tMap_4

LABEL	UNIQUE_NAME_	OUTPUT(S)	none
-------	--------------	-----------	------

Component i arameters.	
Properties	Values
Unique Name	tLogRow_5
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

REPOSITORY_ALLOW_AUTO_SV	MHTEH
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=ID, LENGTH=10}, {SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=CountryCode, LENGTH=10}, {SCHEMA_COLUMN=District, LENGTH=10}, {SCHEMA_COLUMN=Population, LENGTH=10}, {SCHEMA_COLUMN=Name_1, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_5:

Schema for	LUGKUW_3	•				
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	
Name_1	false	String	37		true	

Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_7	INPUT(S)	tMap_4 , tFileInputDelimited_8	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Properties	Values		
Unique Name	tLogRow_7		
Component Name	tLogRow		
Version	0.101 (ALPHA)		

Family	Logs_Errors		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	true		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tLogRow		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		
Number of parallel executions	2		
PARALLELIZE_KEEP_EMPTY	false		
REPOSITORY_ALLOW_AUTO_SV	WHICH		
Schema	Built-In		
Basic	false		
Table (print values in cells of a table)	true		
Vertical (each row is a key/value list)	false		
Print unique name	true		

Print label	false		
Print unique name and label	false		
Field Separator	" "		
Print header	false		
Print component unique name in front of each output row	false		
Print schema column name in front of each value	false		
Use fixed length for values	false		
Lengths	[{SCHEMA_COLUMN=ID, LENGTH=10}, {SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=CountryCode, LENGTH=10}, {SCHEMA_COLUMN=District, LENGTH=10}, {SCHEMA_COLUMN=Population, LENGTH=10}]		
Print content with log4j	true		
Min column number of optimize code	100		
Label format	UNIQUE_NAME		
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>		
Connection format	row		
Show Information	false		
Comment			
Use an existing validation rule	false		
Validation Rule Type			


Schema for tLogRow 7:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	

Name	false	String	19	true	
CountryCode	false	String	3	true	
District	false	String	15	true	
Population	false	Integer	7	true	

Original Function Parameters: Component tMap

				tMap_4	
	UNIQUE NAME	tMap_4	INPUT(S)	, tFileInputDelimited_8	
				tLogRow_5	
	LABEL	UNIQUE_NAME	OUTPUT(S)	, tLogRow_7	



Properties	Values		
tStatCatcher Statistics	false		
Enable parallel execution	false		

Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):

Mapper table Properties(row7):

Mapper table i Toperties	5(10111)1
Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row7):

Name	Туре	Expression	isNullable
ID	Integer		true
Name	String		true
CountryCode	String		true
District	String		true
Population	Integer		true

Constraint Table Entries(row7):

Name	Туре	Expression	isNullable

Mapper table Properties(row8):

Properties	Values
Name	row8
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	true
expressionFilter	null

Metadata Table Entries(row8):

Name	Туре	Expression	isNullable
Code	String	row7.CountryCode	true
Name	String		true
Continent	String		true
Region	String		true
SurfaceArea	String		true
IndepYear	String		true
Population	Integer		true
LifeExpectancy	String		true
GNP	Float		true
GNPOld	String		true
LocalName	String		true
GovernmentForm	String		true
HeadOfState	String		true
Capital	String		true
Code2	String		true

Constraint Table Entries(row8):

Name Type	Expression	isNullable	
-----------	------------	------------	--

Mapper table for tMap_4 (output):

Mapper table Properties(out1):

Properties	Values
Name	out1
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(out1):

Name	Туре	Expression	isNullable
ID	Integer	row7.ID	true
Name	String	row7.Name	true
CountryCode	String	row7.CountryCode	true
District	String	row7.District	true
Population	Integer	row7.Population	true
Name_1	String	row8.Name	true

Constraint Table Entries(out1):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table Properties(out2):

outz j.
Values
out2
false
false
true
false
null

Metadata Table Entries(out2):

Name	Туре	Expression	isNullable
ID	Integer	row7.ID	true
Name	String	row7.Name	true
CountryCode	String	row7.CountryCode	true
District	String	row7.District	true
Population	Integer	row7.Population	true

Constraint Table Entries(out2):

Name	Туре	Expression	isNullable	

Mapper table for tMap_4 (var):

Mapper table Properties (Var):

mapper table i reporties (var /i				
Properties	Values			
Name	Var			
Matching-mode				
isMinimized	true			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable