



# Jobs

Generated by Talend Cloud Data  
Management Platform

|              |               |                      |                         |
|--------------|---------------|----------------------|-------------------------|
| Project Name | talendcloud   | GENERATION DATE      | 31 Jan, 2019 2:56:39 PM |
| AUTHOR       | Joshi, Nishad | Talend Cloud VERSION | 7.1.1.20181026_1147     |

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

## Project Description

| Properties | Values      |
|------------|-------------|
| Name       | talendcloud |
| Language   | java        |

|             |  |
|-------------|--|
| Description |  |
|-------------|--|

## Description

| Properties   | Values                  |
|--------------|-------------------------|
| Name         | tAdvancedFOXML          |
| Author       | Joshi, Nishad           |
| Version      | 0.1                     |
| Purpose      |                         |
| Status       |                         |
| Description  |                         |
| Creation     | 13 Feb, 2008 6:42:51 PM |
| Modification | 24 Jul, 2017 5:50:49 PM |

## Preview Picture

## Settings

### Extra settings

| Name | Value |
|------|-------|
|------|-------|

|                        |   |
|------------------------|---|
| COMP_DEFAULT_FILE_DIR  | C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/ |
| Multi thread execution | false   |
| Implicit tContextLoad  | false   |

Status & Logs

| Name                                | Value |
|-------------------------------------|-------|
| Use statistics (tStatCatcher)       | false |
| Use logs (tLogCatcher)              | false |
| Use volumetrics (tFlowMeterCatcher) | false |
| On Console                          | false |
| On Files                            | false |
| On Databases                        | false |
| Catch components statistics         | false |
| Catch runtime errors                | true  |
| Catch user errors                   | true  |
| Catch user warnings                 | true  |

Context List

Contextdemo


| Name      | Prompt   | Need Prompt? | Type       | Value                            | Source |
|-----------|--|--------------|------------|----------------------------------|--------|
| sampleInt | please define an sample int:                               | false        | id_Integer | 100                              |        |
| root      | Set the path of the dir to store the example files folder: | false        | id_String  | C:\TalendDemoFiles\globalContext |        |

## Component List

| Component Name           | Component Type         |
|--------------------------|------------------------|
| tAdvancedFileOutputXML_1 | tAdvancedFileOutputXML |
| tRowGenerator_1          | tRowGenerator          |

## Components Description

### Component tAdvancedFileOutputXML

|   |             |                          |           |                 |
|---|-------------|--------------------------|-----------|-----------------|
|  | UNIQUE NAME | tAdvancedFileOutputXML_1 | INPUT(S)  | tRowGenerator_1 |
|   | LABEL       | __UNIQUE_NAME__          | OUTPUT(S) | none            |

### Component Parameters:

| Properties | Values |
|------------|--------|
| Activate   | true   |


|  |  |
|--|--|
| tStatCatcher Statistics                    | false  |
| Enable parallel execution                  | false  |
| Use Output Stream                          | false  |
| File Name                                  | context.root.concat("talend_files_0.1/out/advanced.xml") |
| Configure XML Tree                         |  |
| Append the source xml file                 | false  |
| Generate compact file                      | false  |
| Include DTD or XSL                         | false  |
| Split output in several files              | false  |
| Trim data                                  | false  |
| Create directory if it does not exist      | true   |
| Create empty element if needed             | true   |
| Create attribute even if its value is NULL | false  |
| Create attribute even if it is unmapped    | false  |
| Add Document type as node                  | false  |

|                                  |               |
|----------------------------------|---------------|
| Create associated XSD file       | false         |
| Advanced separator (for numbers) | false         |
| Generation mode                  | Dom4j         |
| Encoding                         | "ISO-8859-15" |
| Don't generate empty file        | false         |
| Show Information                 | false         |
| Comment                          |               |
| Use an existing validation rule  | false         |

Schema for tAdvancedFileOutputXML\_1 :

| Column | Key   | Type    | Length | Precision | Nullable | Comment |
|--------|-------|---------|--------|-----------|----------|---------|
| number | false | int     | 3      |           | false    |         |
| txt    | false | String  | 20     |           | false    |         |
| date   | false | String  | 10     |           | false    |         |
| flag   | false | boolean | 5      |           | false    |         |

Component tRowGenerator

|   |             |                 |          |      |
|---|-------------|-----------------|----------|------|
|  | UNIQUE NAME | tRowGenerator_1 | INPUT(S) | none |
|   |             |                 |          |      |

|  |       |                 |           |                          |
|--|-------|-----------------|-----------|--------------------------|
|  | LABEL | __UNIQUE_NAME__ | OUTPUT(S) | tAdvancedFileOutputXML_1 |
|--|-------|-----------------|-----------|--------------------------|

### Component Parameters:

| Properties                      | Values |
|---------------------------------|--------|
| tStatCatcher Statistics         | false  |
| Enable parallel execution       | false  |
| Show Information                | false  |
| Comment                         |        |
| Use an existing validation rule | false  |

### Row generator information for tRowGenerator\_1 :

| Column | Key   | Type   | Nullable | Length | Precision | Default | Comment | Functions  | Parameters |
|--------|-------|--------|----------|--------|-----------|---------|---------|--|------------|
| number | false | int    | false    | 3      |           |         |         | 1,2,3,4,5,6,7,8,9,10   |            |
| txt    | false | String | false    | 20     |           |         |         | text1, text2, text3, text4, text5, text6, text7, text8, text9, text10  |            |
| date   | false | String | false    | 10     |           |         |         | 2007-01-21, 2007-02-22, 2007-03-23, 2006-04-24, 2006-05-25, 2006-06-26, 2005-07-27, 2005-08-28, 2005-08-29, 2004-11-21 |            |

|      |       |         |       |   |  |  |  |            |  |
|------|-------|---------|-------|---|--|--|--|------------|--|
| flag | false | boolean | false | 5 |  |  |  | true,false |  |
|------|-------|---------|-------|---|--|--|--|------------|--|