talend

Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:34 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tMomOutput
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:53 PM
Modification	9 Jul, 2015 9:31:24 AM

Preview Picture

Settings

Extra settings

Name	Value

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tMomOutput_2	tMomOutput
tRowGenerator_1	tRowGenerator

Components Description

Component   tMomOutput

	UNIQUE NAME	tMomOutput_2	INPUT(S)	tRowGenerator_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMomOutput_2
Component Name	tMomOutput
Version	0.102 (ALPHA)
Family	Internet
Startable	false
SUBTREE_START	false

END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMomInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use existing connection	false
Connection	
Failover	false
Static Discovery	false
URI parameters	"?randomize=false"
URI parameters	"?transport.maxReconnectDelay=5000&transport.useExponentialBackOff=false"
SERVERS	[]
MQ server	WebSphere
Use SSL Transport	false

Host	"localhost"
Port	"1414"
Username	""
Password	**
To	""
Message Type	Topic
Channel	"DC.SVRCONN"
Message Body Type	Text
REPOSITORY_ALLOW_AUTO_SWITCH	false
Schema	Built-In
Set Transacted	false
QueueManager	""
MessageQueue	""
Is using message id to set	false
Additional options	[]
Use Format	false
Web Sphere Message Format	"MQSTR"
Delivery Mode	N_PERSISTENT
Acknowledgment Mode	AUTO_ACKNOWLEDGE
Set Jms Header	false
Parameters	[]
Set Jms Properties	false

Parameters	[]
Set MQMD Fields	false
Parameters	[]
Include header	false
MQRFH2 fix portion	false
MQRFH2 fixed Parameters	[]
MCD folder	false
MCD Parameters	[]
JMS folder	false
JMS Parameters	[]
USR folder	false
USR Parameters	[]
Set Cipher Suite	false
Cipher Suite	SSL_RSA_WITH_NULL_MD5
Custom Cipher Suite	false
IBM Cipher Mappings	true
Oracle Cipher Mappings	false
Cipher Suite	"SSL_RSA_WITH_AES_256_CBC_SHA"
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMomOutput_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
message	false	String	255		true	

Original Function Parameters:
Component   tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__ : the message	OUTPUT(S)	tMomOutput_2

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Show Information	false
Comment	
Use an existing validation rule	false

Row generator information for tRowGenerator_1 :

Column	Key	Type	Nullable	Length	Precision	Default	Comment	Functions	Parameters
message	false	String	false					message example	