

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:28 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	Conditional_Ouput_Flows
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	7 Jun, 2016 4:05:52 AM
Modification	9 Aug, 2018 3:33:29 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false

On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
FileName	FileName?	false	id_String		
BreakPointValue	BreakPointValue?	false	id_String		
new1	new1?	false	id_String		
new2	new2?	false	id_String		
new3	new3?	false	id_String		
new4	new4?	false	id_String		

Component List

Component Name	Component Type
tFileInputDelimited_3	tFileInputDelimited
tFileInputDelimited_4	tFileInputDelimited
tFileList_2	tFileList
tJava_2	tJava
tLogRow_3	tLogRow
tLogRow_4	tLogRow
tMap_3	tMap
tMap_4	tMap

Components Description

Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_3	INPUT(S)	tJava_2
LABEL	metadata	OUTPUT(S)	tMap_3

Component Parameters:

Properties	Values	
Unique Name	tFileInputDelimited_3	
Component Name	tFileInputDelimited	

Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALIEH
Schema	repository: DELIM:NYSE - metadata
File name/Stream	((String)globalMap.get("tFileList_2_CURRENT_FILEPATH"))

CSV options	false		
Row Separator	"\n"		
CSV Row Separator	"\n"		
Field Separator	","		
Escape char	пин		
Text enclosure	****		
Header	1		
Footer	0		
Limit	1000		
Skip empty rows	false		
Uncompress as zip file	false		
Die on error	false		
Schema	repository: DELIM:NYSE - metadata		
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"		
Advanced separator (for numbers)	false		
Thousands separator	" "		
Decimal separator	" " -		
Extract lines at random	false		
Number of lines	10		
Trim all columns	false		

Check column to trim	[{SCHEMA_COLUMN=exchange, TRIM=false}, {SCHEMA_COLUMN=stock_symbol, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=stock_price_open, TRIM=false}, {SCHEMA_COLUMN=stock_price_high, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_close, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_price_adj_close, TRIM=false}]		
Check each row structure against schema	false		
Check date	false		
Encoding	"US-ASCII"		
Split row before field	false		
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false		
Decode table	[{SCHEMA_COLUMN=exchange, DECODE=false}, {SCHEMA_COLUMN=stock_symbol, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=stock_price_open, DECODE=false}, {SCHEMA_COLUMN=stock_price_high, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_volume, DECODE=false}, {SCHEMA_COLUMN=stock_price_adj_close, DECODE=false}]		
!!!DESTINATION.NAME!!!			
Min column number of optimize code	100		
Label format	metadata		
Hint format	UNIQUE_NAME COMMENT		
Connection format	row		
Show Information	false		
Comment			
Use an existing validation rule	false		
Validation Rule Type			

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters: Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_4	INPUT(S)	tJava_2
LABEL	metadata	OUTPUT(S)	tMap_4

Component Parameters:

Properties	Values			
Unique Name	tFileInputDelimited_4			
Component Name	tFileInputDelimited			
Version	0.102 (ALPHA)			

Family	File/Input		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFileInputDelimited		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java		
Subjob color			
Title color			
Enable parallel execution	false		
Number of parallel executions	2		
PARALLELIZE_KEEP_EMPTY	false		
Property Type	Built-In		
REPOSITORY_ALLOW_AUTO_SV	ALIEH		
Schema	repository: DELIM:NYSE - metadata		
File name/Stream	((String)globalMap.get("tFileList_2_CURRENT_FILEPATH"))		
CSV options	false		

г

Row Separator	"\n"	
CSV Row Separator	"\n"	
Field Separator	, , , , , , , , , , , , , , , , , , ,	
Escape char	1111	
Text enclosure	пин	
Header	1	
Footer	0	
Limit	1000	
Skip empty rows	false	
Uncompress as zip file	false	
Die on error	false	
Schema	repository: DELIM:NYSE - metadata	
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"	
Advanced separator (for numbers)	false	
Thousands separator	","	
Decimal separator	" "	
Extract lines at random	false	
Number of lines	10	
Trim all columns	false	
Check column to trim	[{SCHEMA_COLUMN=exchange, TRIM=false}, {SCHEMA_COLUMN=stock_symbol, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=stock_price_open, TRIM=false}, {SCHEMA_COLUMN=stock_price_high, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_close, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}]	

Check each row structure against schema	false	
Check date	false	
Encoding	"US-ASCII"	
Split row before field	false	
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false	
Decode table	[{SCHEMA_COLUMN=exchange, DECODE=false}, {SCHEMA_COLUMN=stock_symbol, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=stock_price_open, DECODE=false}, {SCHEMA_COLUMN=stock_price_high, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_volume, DECODE=false}, {SCHEMA_COLUMN=stock_price_adj_close, DECODE=false}]	
!!!DESTINATION.NAME!!!		
Min column number of optimize code	100	
Label format	metadata	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	

stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters: Component tFileList

	UNIQUE NAME	tFileList_2	INPUT(S)	none
	LABEL	tFileList_2	OUTPUT(S)	tJava_2

Component Parameters:						
Properties	Values					
Unique Name	tFileList_2					
Component Name	tFileList					
Version	0.102 (ALPHA)					
Family	File/Management Orchestration					
Start	true					

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileList
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Directory	"F:/Trainings/CITI//SampleFiles/FTP"
FileList Type	FILES
Includes subdirectories	false
Case Sensitive	YES
Generate Error if no file found	false
Use Glob Expressions as Filemask (Unchecked means Perl5 Regex Expressions)	true
Files	[{FILEMASK="*NYSE*"}]

By default	true
By file name	false
By file size	false
By modified date	false
ASC	true
DESC	false
Use Exclude Filemask	false
Exclude Filemask	"*.txt"
Format file path to slash(/) style (useful on Windows)	false
Label format	tFileList_2
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Component tJava

UNIQUE NAME	tJava_2	INPUT(S)	tFileList_2
LABEL	tJava_2	OUTPUT(S)	tFileInputDelimited_3 , tFileInputDelimited_4

Component Parameters:

Properties	Values
Unique Name	tJava_2
Component Name	tJava
Version	0.101 (ALPHA)
Family	Custom_Code
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tJava
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Code	context.FileName = ((String)globalMap.get("tFileList_2_CURRENT_FILE")).trim(); System.out.println(context.FileName);

Import	//import java.util.List;
Schema	Built-In
Label format	tJava_2
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tJava_2 :

Column	Key	Туре	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_3	INPUT(S)	tMap_3
LABEL	tLogRow_3	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false

CURTOEE CTADT	falco
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S\	MHTEH
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false

Field Separator	"]"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=exchange, LENGTH=10}, {SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=stock_price_open, LENGTH=10}, {SCHEMA_COLUMN=stock_price_high, LENGTH=10}, {SCHEMA_COLUMN=stock_price_low, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=stock_price_adj_close, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	tLogRow_3
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	

stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_4	INPUT(S)	tMap_4
LABEL	tLogRow_4	OUTPUT(S)	none

Component Parameters:				
Properties	Values			
Unique Name	tLogRow_4			
Component Name	tLogRow			
Version	0.101 (ALPHA)			
Family	Logs_Errors			
Startable	false			

CURTOEE CTADT	falco
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S\	MHTEH
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false

Field Separator	"]"
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=exchange, LENGTH=10}, {SCHEMA_COLUMN=stock_symbol, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=stock_price_open, LENGTH=10}, {SCHEMA_COLUMN=stock_price_high, LENGTH=10}, {SCHEMA_COLUMN=stock_price_low, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_price_close, LENGTH=10}, {SCHEMA_COLUMN=stock_volume, LENGTH=10}, {SCHEMA_COLUMN=stock_price_adj_close, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	tLogRow_4
Hint format	UNIQUE_NAME <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	

stock_symbol	false	String	3		true	
date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	Float	4	3	true	
stock_price_low	false	Float	4	3	true	
stock_price_close	false	Float	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	Float	4	3	true	

Original Function Parameters: Component tMap

 UNIQUE NAME	tMap_3	INPUT(S)	tFileInputDelimited_3
LABEL	tMap_3	OUTPUT(S)	tLogRow_3



Component Parameters:

Component Parameters.	,
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	

Use an existing validation rule	false	
---------------------------------	-------	--

Mapper table for tMap_3 (input):
Mapper table Properties(row3):

mapper table Properties (10w3).				
Values				
row3				
UNIQUE_MATCH				
false				
null				

Metadata Table Entries(row3):

Name	Туре	Expression	isNullable
exchange	String		true
stock_symbol	String		true
date	String		true
stock_price_open	String		true
stock_price_high	Float		true
stock_price_low	Float		true
stock_price_close	Float		true
stock_volume	String		true
stock_price_adj_close	Float		true

Constraint Table Entries(row3):

Name Type Expression Isnullable		Name	Туре	Expression	isNullable	
---------------------------------	--	------	------	------------	------------	--

Mapper table for tMap_3 (output):
Mapper table Properties(loadFile):

Properties	Values
Name	loadFile
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(loadFile):

Name	Туре	Expression	isNullable
exchange	String	row3.exchange	true
stock_symbol	String	row3.stock_symbol	true
date	String	row3.date	true
stock_price_open	String	row3.stock_price_open	true
stock_price_high	Float	row3.stock_price_high	true
stock_price_low	Float	row3.stock_price_low	true
stock_price_close	Float	row3.stock_price_close	true
stock_volume	String	context.FileName	true
stock_price_adj_close	Float	row3.stock_price_adj_close	true

Constraint Table Entries(loadFile):

Name	Туре	Expression	isNullable	

Mapper table for tMap_3 (var):

Mapper table Properties (Var):

wapper table Properties val).			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMap

 UNIQUE NAME	tMap_4	INPUT(S)	tFileInputDelimited_4
LABEL	tMap_4	OUTPUT(S)	tLogRow_4

Component Parameters:

Properties	Values
------------	--------

tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
exchange	String		true
stock_symbol	String		true
date	String		true
stock_price_open	String		true
stock_price_high	Float		true
stock_price_low	Float		true
stock_price_close	Float		true
stock_volume	String		true
stock_price_adj_close	Float		true

Constraint Table Entries(row1):

Name Type Expression Isnullable		Name	Туре	Expression	isNullable	
---------------------------------	--	------	------	------------	------------	--

Mapper table for tMap_4 (output):
Mapper table Properties(copyOfloadFile):

Properties	Values
Name	copyOfloadFile
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(copyOfloadFile):

Name	Туре	Expression	isNullable
exchange	String	row1.exchange	true
stock_symbol	String	row1.stock_symbol	true
date	String	row1.date	true
stock_price_open	String	row1.stock_price_open	true
stock_price_high	Float	row1.stock_price_high	true
stock_price_low	Float	row1.stock_price_low	true
stock_price_close	Float	row1.stock_price_close	true
stock_volume	String	row1.stock_volume	true
stock_price_adj_close	Float	row1.stock_price_adj_close	true

Constraint Table Entries(copyOfloadFile):

Name Type Expression isNullable		Name	Туре	Expression	isNullable
---------------------------------	--	------	------	------------	------------

Mapper table for tMap_4 (var):

Mapper table Properties (Var):

mapper table i reportion var ji		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	true	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter	null	

Metadata Table Entries(Var):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable