

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:56:52 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tMapParse
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:53 PM
Modification	5 Jan, 2016 1:10:31 AM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	D:\TOS-All-r17341-V3.0.0M3\workspace
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Prompt	Need Prompt?	Туре	Value	Source	
--------	--------------	------	-------	--------	--

Component List

Component Name	Component Type
tLogRow_1	tLogRow
tMap_1	tMap
tRowGenerator_1	tRowGenerator
tRowGenerator_2	tRowGenerator

Components Description

Component tLogRow

Q	UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
	LABEL	UNIQUE_NAME	OUTPUT(S)	none

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)

Family	Logs & Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	पश्चारक्ष ।
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true

Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=c_Integer, LENGTH=10}, {SCHEMA_COLUMN=c_string, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

	<u> </u>	-				
Column	Key	Туре	Length	Precision	Nullable	Comment
c_Integer	true	Integer			true	

c_string	true	String		false	
<u></u> 5g		Guing		laide	

Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tRowGenerator_1 , tRowGenerator_2
LABEL	UNIQUE_NAME Join the String with the int	OUTPUT(S)	tLogRow_1

Component Parameters.	
Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	"D:\TOS-All-r14257-V2.4.0RC2\workspace/temp"
Max buffer size (nb of rows):	1000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper	table	Pro	perties(row1) :
Mappoi	LUNIO		PO: 1.001	•	,-

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
c_Integer	Integer		true

Constraint Table Entries(row1):

Name	Туре	Expression	isNullable	

Mapper table Properties(row2):

mapper table i repertie	(· · · · · -):
Properties	Values
Name	row2
Matching-mode	FIRST_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Туре	Expression	isNullable
c_string	String	row1.c_Integer.toString()	false

Constraint Table Entries(row2):

Name	Туре	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(newOutput1):

mapper table i reportine (non output i).				
Properties	Values			
Name	newOutput1			
Matching-mode				
isMinimized	false			
isReject	false			
isRejectInnerJoin	false			
isInnerJoin	false			
expressionFilter	null			

Metadata Table Entries(newOutput1):

Name	Туре	Expression	isNullable
c_Integer	Integer	row1.c_Integer	true
c_string	String	row2.c_string	false

Constraint Table Entries(newOutput1):

Name	Туре	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties (Var):

mapper table i roperties vai j.				
Values				
Var				
true				
false				
false				
false				
null				

Metadata Table Entries(Var):

me	Туре	Expression	isNullable
----	------	------------	------------

Constraint Table Entries(Var):

Name	Туре	Expression	isNullable

Component tRowGenerator

	UNIQUE NAME	tRowGenerator_1	INPUT(S)	none
	LABEL	UNIQUE_NAME generate an int	OUTPUT(S)	tMap_1

Properties	Values

tStatCatcher Statistics	false
Enable parallel execution	false
Show Information	false
Comment	
Use an existing validation rule	false

Row generator information for tRowGenerator_1 :

Column	Key	Туре	Nullable	Length	Precision	Default	Comment	Functions	Parameters
c_Integer	true	Integer	true					random(1,3)	

Component tRowGenerator

UNIQUE NAME	tRowGenerator_2	INPUT(S)	none
LABEL	UNIQUE_NAME generate a String	OUTPUT(S)	tMap_1

Component Farameters.				
Properties	Values			
tStatCatcher Statistics	false			
Enable parallel execution	false			
Show Information	false			

Comment		
Use an existing validation rule	false	

Row generator information for tRowGenerator_2:

Column	Key	Туре	Nullable	Length	Precision	Default	Comment	Functions	Parameters
c_string	true	String	false					0,1,2,3	