

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:56 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

|--|

Description

Properties	Values
Name	tFileInputMSXML
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	19 Feb, 2010 4:03:14 PM
Modification	24 Jul, 2017 5:50:42 PM

Preview Picture

Settings

Extra settings

Name Value	
------------	--

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext

Component List

Component Name	Component Type
tFileInputMSXML_1	tFileInputMSXML
tLogRow_3	tLogRow
tLogRow_4	tLogRow

Components Description

Component tFileInputMSXML

r 3760	UNIQUE NAME	tFileInputMSXML_1	INPUT(S)	none
				tLogRow_3
	LABEL	UNIQUE_NAME	OUTPUT(S)	, tLogRow_4, tFileInputXML_2

Component Parameters:

Properties	Values
Unique Name	tFileInputMSXML_1
Component Name	tFileInputMSXML

Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputMSXML
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	context.root.concat("talend_files_0.1/in/XML/sample.xml")
Root XPath Query	"/root"
Enable XPath in column "Schema XPath loop" but lose the order	true

Outputs	[{SCHEMA=Book, LOOP_PATH="/biblio/book/.", MAPPING="@id","title/@subtitle","author","PublishingInfos/publisher","PublishingInformere, CREATE_EMPTY_ROW=false}, {SCHEMA=customer, LOOP_PATH="/customers/country/state/customer/.", MAPPING="@firstname","@lastname", CREATE_EMPTY_ROW=false}]	os/PublishedIn
Die on error	false	
Trim all columns	false	
Validate date	false	
Ignore DTD file	false	
Generation mode	Dom4j	
Encoding	"ISO-8859-15"	
Label format	UNIQUE_NAME	
Hint format	UNIQUE_NAME COMMENT	
Connection format	row	
Show Information	false	
Comment		
Use an existing validation rule	false	
Validation Rule Type		

Schema for Book:

Oonema ioi						
Column	Key	Туре	Length	Precision	Nullable	Comment
ld	false	Integer	1		true	
SubTitle	false	String	15		true	
Author	false	String	7		true	
Publisher	false	String	8		true	

EditedIn	false	String	6	true	
PrintedIn	false	String	6	true	
ISBN	false	String	10	true	

Schema for customer:

Column	Key	Туре	Length	Precision	Nullable	Comment
firstname	false	String	6		true	
lastname	false	String	7		true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_3	INPUT(S)	tFileInputMSXML_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component i diamotoro:	
Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_S\	MHTEH
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false

г

false
false
false
[{SCHEMA_COLUMN=Id, LENGTH=10}, {SCHEMA_COLUMN=SubTitle, LENGTH=10}, {SCHEMA_COLUMN=Author, LENGTH=10}, {SCHEMA_COLUMN=Publisher, LENGTH=10}, {SCHEMA_COLUMN=EditedIn, LENGTH=10}, {SCHEMA_COLUMN=PrintedIn, LENGTH=10}, {SCHEMA_COLUMN=ISBN, LENGTH=10}]
false
100
UNIQUE_NAME
UNIQUE_NAME COMMENT
row
false
false

Schema for tLogRow 3:

Scrienia ioi	trogitow_c	.				
Column	Key	Туре	Length	Precision	Nullable	Comment
ld	false	Integer	1		true	
SubTitle	false	String	15		true	
Author	false	String	7		true	
Publisher	false	String	8		true	

EditedIn	false	String	6	true	
PrintedIn	false	String	6	true	
ISBN	false	String	10	true	

Original Function Parameters: Component tLogRow

UNIQUE NAME	tLogRow_4	INPUT(S)	tFileInputMSXML_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Component Parameters:	
Properties	Values
Unique Name	tLogRow_4
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true

IREPORT_PATH					
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java				
Subjob color					
Title color					
Enable parallel execution	false				
Number of parallel executions	2				
PARALLELIZE_KEEP_EMPTY	false				
REPOSITORY_ALLOW_AUTO_SV	ALLIEH				
Schema	Built-In				
Basic	true				
Table (print values in cells of a table)	false				
Vertical (each row is a key/value list)	false				
Print unique name	true				
Print label	false				
Print unique name and label	false				
Field Separator	" "				
Print header	false				
Print component unique name in front of each output row	false				
Print schema column name in front of each value	false				
Use fixed length for values	false				
Lengths	[{SCHEMA_COLUMN=firstname, LENGTH=10}, {SCHEMA_COLUMN=lastname, LENGTH=10}]				

Print content with log4j	false
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_4:

Column	Key		Length	Precision	Nullable	Comment
firstname	false	String	6		true	
lastname	false	String	7		true	

Original Function Parameters: