

# Jobs

## Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:00:12 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

### **Project Description**


Properties	Values
Name	talendcloud
Language	java

Description	

# **Description**

Properties	Values
Name	MySQLCommitRollback
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	
Description	
Creation	25 Jul, 2016 3:34:10 PM
Modification	9 Aug, 2018 10:31:18 AM

## **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

### **Context List**

#### ContextDefault

Name	Prompt	Need Prompt?	Туре	Value	Source
------	--------	--------------	------	-------	--------

## **Component List**

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tMap_1	tMap
tMysqlCommit_1	tMysqlCommit
tMysqlConnection_1	tMysqlConnection
tMysqlOutput_1	tMysqlOutput
tMysqlRollback_1	tMysqlRollback

## **Components Description**

#### Component tFileInputDelimited

UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	tMysqlConnection_1
LABEL	metadata	OUTPUT(S)	tMap_1 , tMysqlCommit_1, tMysqlRollback_1

Component i arameters.		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	
Family	File/Input	

Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In
File name/Stream	"F:/Trainings/CITI/SampleFiles/NYSE_daily_prices_MySQLRollback.csv"
CSV options	false
Row Separator	"\n"

CSV Row Separator	"\n"
Field Separator	и и ,
Escape char	11111
Text enclosure	
Header	1
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:NYSE - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	n n
Decimal separator	
Extract lines at random	false
Number of lines	10
Trim all columns	true
Check column to trim	[{SCHEMA_COLUMN=exchange, TRIM=false}, {SCHEMA_COLUMN=stock_symbol, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}, {SCHEMA_COLUMN=stock_price_open, TRIM=false}, {SCHEMA_COLUMN=stock_price_high, TRIM=false}, {SCHEMA_COLUMN=stock_price_low, TRIM=false}, {SCHEMA_COLUMN=stock_price_close, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_volume, TRIM=false}, {SCHEMA_COLUMN=stock_price_adj_close, TRIM=false}]
Check each row structure against schema	false

Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=exchange, DECODE=false}, {SCHEMA_COLUMN=stock_symbol, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=stock_price_open, DECODE=false}, {SCHEMA_COLUMN=stock_price_high, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_low, DECODE=false}, {SCHEMA_COLUMN=stock_price_close, DECODE=false}, {SCHEMA_COLUMN=stock_volume, DECODE=false}, {SCHEMA_COLUMN=stock_price_adj_close, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	metadata
Hint format	<b>_UNIQUE_NAME</b> _COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
exchange	false	String	4		true	
stock_symbol	false	String	3		true	

date	false	String	10		true	
stock_price_open	false	String	4		true	
stock_price_high	false	String	4	3	true	
stock_price_low	false	String	4	3	true	
stock_price_close	false	String	4	3	true	
stock_volume	false	String	7		true	
stock_price_adj_close	false	String	4	3	true	

# Original Function Parameters: Component tMysqlCommit

UNIQUE NAME	tMysqlCommit_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Farameters.	
Properties	Values
Database	tMysqlCommit
Unique Name	tMysqlCommit_1
Component Name	tMysqlCommit
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL
Start	false
Startable	true

SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlCommit
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	felo
	false
Component List	tMysqlConnection_1
Component List  Close Connection	
	tMysqlConnection_1
Close Connection	tMysqlConnection_1 true
Close Connection Schema	tMysqlConnection_1 true  Built-In
Close Connection Schema Label format	tMysqlConnection_1  true  Built-In  _UNIQUE_NAME
Close Connection  Schema  Label format  Hint format	tMysqlConnection_1  true  Built-In UNIQUE_NAME <b>UNIQUE_NAME</b> COMMENT

Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlCommit\_1:

Column Key Type	Length Pro	Precision Nullable Co	omment
-----------------	------------	-----------------------	--------

# Original Function Parameters: Component tMysqlConnection

 UNIQUE NAME	tMysqlConnection_1	INPUT(S)	none
LABEL	MySQL56World	OUTPUT(S)	tFileInputDelimited_1

Component i arameters.	
Properties	Values
Database	tMysqlConnection
Unique Name	tMysqlConnection_1
Component Name	tMysqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MySQL ELT/Connections
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
	·

Help	org.talend.help.tMysqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):MySQL56World
DB Version	MYSQL_5
Host	"localhost"
Database Driver	MYSQL
Port	"3306"
Database	"world"
Additional JDBC Parameters	"noDatetimeStringSync=true"
Username	"root"
Password	*****
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false

Data source alias	""
Auto Commit	false
Label format	MySQL56World
Hint format	<b>UNIQUE_NAME</b> <_COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

# Original Function Parameters: Component tMysqlOutput

UNIQUE NAME	tMysqlOutput_1	INPUT(S)	tMap_1
LABEL	MySQL56World	OUTPUT(S)	none

Component i arameters.			
Properties	Values		
Database	tMysqlOutput		
Unique Name	tMysqlOutput_1		
Component Name	tMysqlOutput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MySQL		
Startable	false		

false
true
true
false
false
org.talend.help.tMysqlOutput
true
C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
false
2
false
false repository: DB (MYSQL):MySQL56World
repository: DB (MYSQL):MySQL56World
repository: DB (MYSQL):MySQL56World  MYSQL_5
repository: DB (MYSQL):MySQL56World  MYSQL_5  true
repository: DB (MYSQL):MySQL56World  MYSQL_5  true  tMysqlConnection_1
repository: DB (MYSQL):MySQL56World  MYSQL_5  true  tMysqlConnection_1  MYSQL

Username	"root"
Password	*****
Table	"NYSERollBack"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
Reject Schema	Built-In
Specify a data source alias	false
Data source alias	пп
Die on error	false
Mapping	mysql_id
Additional JDBC Parameters	"noDatetimeStringSync=true"
Extend Insert	true
Number of rows per insert	100
Use Batch Size	true
Batch Size	10000
Encoding	"ISO-8859-15"
Commit every	100
Additional columns	
Use field options	false

Field options	[{SCHEMA_COLUMN=exchange, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_symbol, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_price_open, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_price_high, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_price_low, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_price_close, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=stock_volume, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=stock_price_adj_close, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}, {SCHEMA_COLUMN=stock_price_adj_close, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true}]		
Use Hint Options	false		
Hint Options			
Enable debug mode	false		
Use duplicate key update mode insert	false		
DUPLICATED_KEYS			
Support null in "SQL WHERE" statement	false		
Label format	MySQL56World		
Hint format	<b>UNIQUE_NAME</b> COMMENT		
Connection format	row		
Show Information	false		
Comment			
Use an existing validation rule	false		
Validation Rule Type			

#### Schema for NYSE :

exchange	false	String	4	true	
stock_symbol	false	String	3	true	
date	false	java.util.Date	10	true	
stock_price_open	false	Float	4	true	
stock_price_high	false	String	10	true	
stock_price_low	false	String	10	true	
stock_price_close	false	String	10	true	
stock_volume	false	Integer	7	true	
stock_price_adj_close	false	String	10	true	

### Original Function Parameters: Component tMysqlRollback

UNIQUE NAME	tMysqlRollback_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:			
Properties	Values		
Database	tMysqlRollback		
Unique Name	tMysqlRollback_1		
Component Name	tMysqlRollback		
Version	0.102 (ALPHA)		

Family	Databases/DB Specifics/MySQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlRollback
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Component List	tMysqlConnection_1
Close Connection	true
Schema	Built-In
Label format	UNIQUE_NAME
Hint format	<b>_UNIQUE_NAME</b> _COMMENT

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlRollback\_1:

Column Key Type	Length F	Precision	Nullable	Comment
-----------------	----------	-----------	----------	---------

# Original Function Parameters: Component tMap

 UNIQUE NAME	tMap_1	INPUT(S)	tFileInputDelimited_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlOutput_1

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000

Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 ( input ):

Mapper table Properties (row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( row2 ):

Name	Туре	Expression	isNullable
exchange	String		true
stock_symbol	String		true
date	String		true
stock_price_open	String		true
stock_price_high	String		true
stock_price_low	String		true
stock_price_close	String		true
stock_volume	String		true
stock_price_adj_close	String		true

Constraint Table Entries( row2 ):

Name Type Expression Isnullable		Name	Туре	Expression	isNullable	
---------------------------------	--	------	------	------------	------------	--

Mapper table for tMap\_1 ( output ): Mapper table Properties( NYSE ):

Properties	Values
Name	NYSE
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

**Metadata Table Entries( NYSE ):** 

Name	Туре	Expression	isNullable
exchange	String	row2.exchange	true
stock_symbol	String	row2.stock_symbol	true
date	java.util.Date	Var.StockDate	true
stock_price_open	Float	Var.varStockOpen	true
stock_price_high	String	row2.stock_price_high	true
stock_price_low	String	row2.stock_price_low	true
stock_price_close	String	row2.stock_price_close	true
stock_volume	Integer	Var.volume	true
stock_price_adj_close	String	row2.stock_price_adj_close	true

Constraint Table Entries( NYSE ):

Name	Туре	Expression	isNullable	

#### Mapper table for tMap\_1 ( var ):

Mapper table Properties( Var ):

mapper tanere i reperties ( rai ):	
Properties	Values
Name	Var
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null
•	•

Metadata Table Entries( Var ):

Name	Туре	Expression
varStockOpen	III();aii	row2.stock_price_open.isEmpty()   row2.stock_price_open == null ? Float.parseFloat("0.0"):Float.parseFloat(row2.stock_price_open)
StockDate	java.util.Date	row2.date.isEmpty()   row2.date == null ? TalendDate.parseDate("MM/dd/yyyy","12/31/2100"):TalendDate.parseDa row2.date)
volume	Int	row2.stock_volume.isEmpty()   row2.stock_volume == null ? Integer.parseInt("0"):Integer.parseInt(row2.stock_volume)

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable