



# Jobs

Generated by Talend Cloud Data  
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:55 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

## Project Description

Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

## Description

Properties	Values
Name	tFileInputMSPositional
Author	Joshi, Nishad
Version	0.1
Purpose	tFileInputMSPositional
Status	DEV
Description	tFileInputMSPositional
Creation	10 Oct, 2009 9:23:09 PM
Modification	24 Jul, 2017 5:50:42 PM

## Preview Picture

## Settings

### Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Type	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

## Component List

Component Name	Component Type
tFileInputMSPositional_1	tFileInputMSPositional
tLogRow_1	tLogRow
tLogRow_2	tLogRow
tLogRow_3	tLogRow

## Components Description

### Component tFileInputMSPositional

	UNIQUE NAME	tFileInputMSPositional_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_2, tLogRow_1, tLogRow_3

### Component Parameters:

Properties	Values
------------	--------

Unique Name	tFileInputMSPositional_1
Component Name	tFileInputMSPositional
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputMSPositional
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
PROPERTY	Built-In
File name/Stream	context.root.concat("talend_files_0.1/in/FileInput/MSInputPositional.txt")

Row Separator	"\n"
Header Field Position	"0-4"
Records	[[{SCHEMA=input_01, HEADER="01", PATTERN="4,21,13,10", CHECK_ROW_SIZE=true, PARENT_ROW=, PARENT_KEY_COLUMN=, KEY_COLUMN=}, {SCHEMA=input_02, HEADER="02", PATTERN="4,23,*", CHECK_ROW_SIZE=true, PARENT_ROW=input_01, PARENT_KEY_COLUMN="id", KEY_COLUMN="id"}]]
skip from header	0
skip from footer	0
limit	
Die on parse error	false
Die on unknown header type	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Process long rows (needed for processing rows longer than 100,000 characters wide)	false
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Trim all columns	true
Validate date	false
Encoding	"ISO-8859-15"
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for REJECT :

Column	Key	Type	Length	Precision	Nullable	Comment
errorCode	false	Integer	10		true	
errorMessage	false	String	255		true	
line	false	String			true	


Schema for input1 :

Column	Key	Type	Length	Precision	Nullable	Comment
id	true	int			false	
type	false	String			true	
name	false	String			true	
date	false	String			true	

Schema for input\_02 :

Column	Key	Type	Length	Precision	Nullable	Comment
id_child	false	String			true	
name	false	String			true	
id	true	Integer			true	

Original Function Parameters:  
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tFileInputMSPositional_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

### Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false




Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=id, LENGTH=10}, {SCHEMA_COLUMN=type, LENGTH=10}, {SCHEMA_COLUMN=name, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
id	true	int			false	
type	false	String			true	
name	false	String			true	
date	false	String			true	

Original Function Parameters:  
Component tLogRow

	UNIQUE NAME	tLogRow_2	INPUT(S)	tFileInputMSPositional_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_2
Component Name	tLogRow
Version	0.101 (ALPHA)

Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true


Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=errorCode, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}, {SCHEMA_COLUMN=line, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tLogRow\_2 :

Column	Key	Type	Length	Precision	Nullable	Comment
errorCode	false	Integer	10		true	

errorMessage	false	String	255		true	
line	false	String			true	

Original Function Parameters:  
Component tLogRow

	UNIQUE NAME	tLogRow_3	INPUT(S)	tFileInputMSPositional_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	false
Table (print values in cells of a table)	true
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=id_child, LENGTH=10}, {SCHEMA_COLUMN=name, LENGTH=10}, {SCHEMA_COLUMN=id, LENGTH=10}]
Print content with log4j	false

Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	<b>__UNIQUE_NAME__</b> __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tLogRow\_3 :

Column	Key	Type	Length	Precision	Nullable	Comment
id_child	false	String			true	
name	false	String			true	
id	true	Integer			true	

### Original Function Parameters: