

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:11 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	tMysqlSCD
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	29 Sep, 2008 8:54:13 PM
Modification	24 Jul, 2017 5:50:41 PM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext

Component List

Component Name	Component Type
tCreateTable_1	tCreateTable
tLogRow_1	tLogRow
tMap_1	tMap
tMysqlInput_1	tMysqlInput
tMysqlInput_2	tMysqlInput
tMysqlSCD_1	tMysqlSCD

Components Description

Component tCreateTable

UNIQUE NAME	tCreateTable_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlInput_1

Component Parameters	
Properties	Values
Unique Name	tCreateTable_1
Component Name	tCreateTable
Version	0.102 (ALPHA)
Family	Databases
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tCreateTable
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
	·

Database Type	MYSQL
Table Action	DROP_IF_EXIST_CREATE
Case Sensitive	false
Use an existing connection	false
Host	"localhost"
Database Name	"case_tracking_system"
Local Service Name	""
URL	"jdbc:oracle:oci:/@db10g_test"
UserName	"root"
Password	*****
Port	"3306"
Schema	***
CONNECTION_ACCESS	
Access File	"C:/Talend/Logiciels/TOS/TOS2.4.2/Install/TOS-All-r17347-V2.4.2/workspace/in.mdb"
DB Version	jt400_V5R3.jar
CONNECTION_AS400	
CONNECTION_DB2	
CONNECTION_FIREBIRD	
Firebird File	"C:/Talend/Logiciels/TOS/TOS2.4.2/Install/TOS-All-r17347-V2.4.2/workspace/in.FDB"
Running Mode	HSQLDB_SERVER
Use TLS/SSL Sockets	false
DB Path	пп

Database Name	п
DB Alias	пп
CONNECTION_INFORMIX	
Instance	пп
CONNECTION_INGRES	
CONNECTION_INTERBASE	
Interbase File	"C:\Talend\Logiciels\TOS\TOS2.4.2\Install\TOS-All-r17347-V2.4.2\workspace/in.gdb"
Framework Type	EMBEDED
Has been connected to a network server	false
Database Name	пп
DB Root Path	пп
CONNECTION_MSSQL	
JDBC Provider	JTDS
Temporary Table	false
CONNECTION_MYSQL	
DB Version	MYSQL_5
CONNECTION_NETEZZA	
CONNECTION_ORACLE	
Connection Type	ORACLE_SID
URL	пп
DB Version	ORACLE_11
CONNECTION_POSTGRE	

DB Version	PRIOR_TO_V9
Unlogged Table	false
CONNECTION_POSTGREPLUS	
CONNECTION_SQLITE	
SQLite File	"C:/Talend/Logiciels/TOS/TOS2.4.2/Install/TOS-All-r17347-V2.4.2/workspace/talend.d
CONNECTION_SYBASE	
DB Version	SYBSEIQ_16
CONNECTION_TERADATA	
ODBC Name	пп
CONNECTION_GREENPLUM	
Use "drop cascade"	true
DB Version	vertica_3.0_jdk_5.jar
CONNECTION_VERTICA	
CONNECTION_EXASOL	
CONNECTION_REDSHIFT	
CONNECTION_SNOWFLAKE	
Account	пп
Role	nn
Table Name	"scdstates"
REPOSITORY_ALLOW_AUTO_S\	Attueh
Schema	Built-In
Mapping	mysql_id

Create	SET
Enforce database delimited identifiers	false
Additional JDBC Parameters	"prompt=false"
!!!ENCODING.NAME!!!	"ISO-8859-15"
Create projection	true
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tCreateTable 1:

	to. outo run					
Column	Key	Туре	Length	Precision	Nullable	Comment
idstate	true	int	10		false	
labelstate	false	String	14		true	
date	false	String	29		true	

Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMysqlInput_2
~				

LABEL	UNIQUE_NAME_	OUTPUT(S)	none
-------	--------------	-----------	------

Values
tLogRow_1
tLogRow
0.101 (ALPHA)
Logs_Errors
false
false
true
true
false
false
org.talend.help.tLogRow
true
C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
false
2
false

REPOSITORY_ALLOW_AUTO_SV	¥FTI€H
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=idstate, LENGTH=10}, {SCHEMA_COLUMN=labelstate, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	

Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
idstate	true	int	10		false	
labelstate	false	String	14		true	
date	false	java.util.Date			true	

Original Function Parameters: Component tMysqlInput

UNIQUE NAME	tMysqlInput_1	INPUT(S)	tCreateTable_1
LABEL	UNIQUE_NAME		tMap_1 , tMysqlInput_2

Component i arameters.			
Properties	Values		
Database	tMysqlInput		
Unique Name	tMysqlInput_1		
Component Name	tMysqlInput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MySQL		
Start	false		
Startable	true		

SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"case_tracking_system"
Database Driver	MySQL

Username	"root"
Password	*****
REPOSITORY_ALLOW_AUTO_SV	ALICH
Schema	Built-In
Table Name	"states"
Query Type	Built-In
Guess Schema	
Query	"SELECT states.idstate, states.labelstate FROM states"
Specify a data source alias	false
Data source alias	пп
Mapping	mysql_id
Additional JDBC Parameters	п
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=idstate, TRIM=false}, {SCHEMA_COLUMN=labelstate, TRIM=false}]
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

|--|--|

Schema for tMysqlInput_1:

Column	Key	Туре	Length	Precision	Nullable	Comment
idstate	true	int	10		false	
labelstate	false	String	14		true	

Original Function Parameters: Component tMysqlInput

UNIQUE NAME	tMysqlInput_2	INPUT(S)	tMysqlInput_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1

Component Parameters:		
Properties	Values	
Database	tMysqlInput	
Unique Name	tMysqlInput_2	
Component Name	tMysqlInput	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MySQL	
Start	false	
Startable	true	
SUBTREE_START	true	
END_OF_FLOW	false	
Activate	true	

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: DB (MYSQL):demoMysql
DB Version	MYSQL_5
Use an existing connection	false
Component List	
Host	"localhost"
Port	"3306"
Database	"case_tracking_system"
Database Driver	MySQL
Username	"root"
Password	*****
REPOSITORY_ALLOW_AUTO_SV	VITEH

Schema	Built-In
Table Name	"scdstates"
Query Type	Built-In
Guess Schema	""
Query	"SELECT scdstates.idstate, scdstates.labelstate, scdstates.date FROM scdstates"
Specify a data source alias	false
Data source alias	""
Mapping	mysql_id
Additional JDBC Parameters	""
Encoding	"ISO-8859-15"
Enable stream	false
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=idstate, TRIM=false}, {SCHEMA_COLUMN=labelstate, TRIM=false}, {SCHEMA_COLUMN=date, TRIM=false}]
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMysqlInput_2:

	Column	Key	Туре	Length	Precision	Nullable	Comment
--	--------	-----	------	--------	-----------	----------	---------

idstate	true	int	10	false	
labelstate	false	String	14	true	
date	false	java.util.Date		true	

Original Function Parameters: Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tMysqlInput_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tMysqlSCD_1	

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	"C:/Talend/Logiciels/TOS/TOS2.4.2/Install/TOS-All-r17347-V2.4.2/workspace/temp"
Max buffer size (nb of rows):	200000

Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row1):

happer table i roperties (row i):			
Properties	Values		
Name	row1		
Matching-mode	UNIQUE_MATCH		
isMinimized	false		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries(row1):

Name	Туре	Expression	isNullable
idstate	int		false
labelstate	String		true

Constraint Table Entries(row1):

	Name	Туре	Expression	isNullable
--	------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(ToSCDTable):

mapper tante : repert	
Properties	Values
Name	ToSCDTable
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries (ToSCDTable):

Name	Туре	Expression	isNullable
idstate	int	row1.idstate	false
labelstate	String	row1.labelstate	true
date	String	TalendDate.getDate("CCYY-MM-DD hh:mm:ss")	true

Constraint Table Entries(ToSCDTable):

Name	Туре	Expression	isNullable	

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Values
Var
true
false
false
false
null

Metadata Table Entries(Var):

ame	Туре	Expression	isNullable
-----	------	------------	------------

Constraint Table Entries (Var):

Name Type Expre	ssion isNullable
-----------------	------------------

Component tMysqlSCD

UNIQUE NAME	tMysqlSCD_1	INPUT(S)	tMap_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters.		
Properties	Values	
Database	tMysqlSCD	

Activate	true			
tStatCatcher Statistics	false			
Enable parallel execution	false			
DB Version	MYSQL_5			
Use an existing connection	false			
Host	"localhost"			
Port	"3306"			
Database	"case_tracking_system"			
Username	"root"			
Password	*****			
Table	"scdstates"			
Action on table	NONE			
SCD Editor				
Use memory saving mode	true			
Source keys include Null	false			
Die on error	false			

Additional JDBC Parameters	пп
Debug mode	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for tMysqlSCD_1 :									
Column	Key	Туре	Length	Precision	Nullable	Comment			
idstate	true	int	10		false				
labelstate	false	String	14		true				
date	false	java.util.Date			true				