talend

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 3:01:02 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

Description	

Description

Properties	Values
Name	ReadXMLFile
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	18 Jul, 2016 2:40:33 PM
Modification	29 Mar, 2017 2:18:31 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false

Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source

Component List

Component Name	Component Type
tAdvancedFileOutputXML_1	tAdvancedFileOutputXML
tFileInputDelimited_1	tFileInputDelimited

tMap_2	tMap

Components Description

Component   tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_2

Component Parameters:

Properties	Values
Unique Name	tFileInputDelimited_1
Component Name	tFileInputDelimited
Version	0.102 (ALPHA)
Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true

IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
File name/Stream	"D:/Trainings/Training/Day1/Assignment2/OrgAddress.txt"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	"|"
Escape char	"""
Text enclosure	"""
Header	0
Footer	0
Limit	
Skip empty rows	true
Uncompress as zip file	false

Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	"."
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=OrgName, TRIM=false}, {SCHEMA_COLUMN=USStreet, TRIM=false}, {SCHEMA_COLUMN=USCity, TRIM=false}, {SCHEMA_COLUMN=USState, TRIM=false}, {SCHEMA_COLUMN=ZipCode, TRIM=false}, {SCHEMA_COLUMN=Phone, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"ISO-8859-15"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=OrgName, DECODE=false}, {SCHEMA_COLUMN=USStreet, DECODE=false}, {SCHEMA_COLUMN=USCity, DECODE=false}, {SCHEMA_COLUMN=USState, DECODE=false}, {SCHEMA_COLUMN=ZipCode, DECODE=false}, {SCHEMA_COLUMN=Phone, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	__UNIQUE_NAME__

Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
OrgName	false	String	20		true	
USStreet	false	String	30		true	
USCity	false	String	20		true	
USState	false	String	20		true	
ZipCode	false	Integer	8		true	
Phone	false	String	25		true	

Original Function Parameters:
Component   tAdvancedFileOutputXML

	UNIQUE NAME	tAdvancedFileOutputXML_1	INPUT(S)	tMap_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values

Activate	true
tStatCatcher Statistics	false
Enable parallel execution	false
Use Output Stream	false
File Name	"D:/Trainings/CITI/SampleFiles/outORGAddress.xml"
Configure XML Tree	
Append the source xml file	false
Generate compact file	false
Include DTD or XSL	false
Split output in several files	false
Trim data	false
Create directory if it does not exist	true
Create empty element if needed	true
Create attribute even if its value is NULL	false
Create attribute even if it is unmapped	false

Add Document type as node	false
Create associated XSD file	false
Advanced separator (for numbers)	false
Generation mode	Dom4j
Encoding	"ISO-8859-15"
Don't generate empty file	false
Show Information	false
Comment	
Use an existing validation rule	false

Schema for orgaddress :

Column	Key	Type	Length	Precision	Nullable	Comment
OrgName	false	String	20		true	
USStreet	false	String	30		true	
USCity	false	String	20		true	
USState	false	String	20		true	
ZipCode	false	Integer	8		true	

Phone	false	String	25		true	

Component   tMap

	UNIQUE NAME	tMap_2	INPUT(S)	tFileInputDelimited_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tAdvancedFileOutputXML_1

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Enable parallel execution	false
Mapping links display as:	AUTO
Temp data directory path:	

Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	false
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
OrgName	String		true
USStreet	String		true
USCity	String		true
USState	String		true
ZipCode	Integer		true
Phone	String		true

Constraint Table Entries(row2):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (output):

Mapper table Properties(orgaddress):

Properties	Values
Name	orgaddress
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(orgaddress):

Name	Type	Expression	isNullable
OrgName	String	row2.OrgName	true
USStreet	String	row2.USStreet	true
USCity	String	row2.USCity	true
USState	String	row2.USState	true
ZipCode	Integer	row2.ZipCode	true
Phone	String	row2.Phone	true

Constraint Table Entries(orgaddress):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (var):
   Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable