



# Jobs

Generated by Talend Cloud Data  
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:34 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

## Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

## Project Description

Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

## Description

Properties	Values
Name	tPop
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:53 PM
Modification	24 Jul, 2017 5:50:45 PM

## Preview Picture

## Settings

### Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo


Name	Prompt	Need Prompt?	Type	Value	Source
sampleInt	please define an sample int:	false	id_Integer	100	
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\globalContext	

## Component List

Component Name	Component Type
tFileInputMail_1	tFileInputMail
tLogRow_1	tLogRow
tPOP_1	tPOP

## Components Description

### Component tFileInputMail

	UNIQUE NAME	tFileInputMail_1	INPUT(S)	tPOP_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

### Component Parameters:

Properties	Values
------------	--------

Unique Name	tFileInputMail_1
Component Name	tFileInputMail
Version	0.102 (ALPHA)
Family	File/Input
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputMail
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
File Name	((String)globalMap.get("tPOP_1_CURRENT_FILEPATH"))
REPOSITORY_ALLOW_AUTO_SWITCH	true


Schema	Built-In
Mail type	MIME
Attachment export directory	"D:/TOS-All-r5798-V2.2.0RC1/workspace/"
Mail parts	[[{SCHEMA_COLUMN=subject, MAIL_PART="subject", MULTI_VALUE=false, PART_SEPARATOR=""}, {SCHEMA_COLUMN=to, MAIL_PART="to", MULTI_VALUE=false, PART_SEPARATOR=""}, {SCHEMA_COLUMN=from, MAIL_PART="from", MULTI_VALUE=false, PART_SEPARATOR=""}, {SCHEMA_COLUMN=date, MAIL_PART="date", MULTI_VALUE=false, PART_SEPARATOR=""}, {SCHEMA_COLUMN=Received, MAIL_PART="Received", MULTI_VALUE=false, PART_SEPARATOR=""}, {SCHEMA_COLUMN=body, MAIL_PART="body", MULTI_VALUE=false, PART_SEPARATOR=""}]]
MSG Mail parts	[[{SCHEMA_COLUMN=subject, MAIL_PART=0}, {SCHEMA_COLUMN=to, MAIL_PART=0}, {SCHEMA_COLUMN=from, MAIL_PART=0}, {SCHEMA_COLUMN=date, MAIL_PART=0}, {SCHEMA_COLUMN=Received, MAIL_PART=0}, {SCHEMA_COLUMN=body, MAIL_PART=0}]]
Die on error	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tFileInputMail\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
subject	false	String	255		false	
to	false	String	255		false	
from	false	String	255		false	

date	false	String	10		false	
Received	false	String	10		false	
body	false	String	255		false	

**Original Function Parameters:**  
**Component tLogRow**

	UNIQUE NAME	tLogRow_1	INPUT(S)	tFileInputMail_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

**Component Parameters:**

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true

REPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false




Lengths	[[{SCHEMA_COLUMN=subject, LENGTH=10}, {SCHEMA_COLUMN=to, LENGTH=10}, {SCHEMA_COLUMN=from, LENGTH=10}, {SCHEMA_COLUMN=date, LENGTH=10}, {SCHEMA_COLUMN=Received, LENGTH=10}, {SCHEMA_COLUMN=body, LENGTH=10}]
Print content with log4j	false
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for tLogRow\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
subject	false	String	255		false	
to	false	String	255		false	
from	false	String	255		false	
date	false	String	10		false	
Received	false	String	10		false	
body	false	String	255		false	

**Original Function Parameters:**  
**Component tPOP**

	UNIQUE NAME	tPOP_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFileInputMail_1

### Component Parameters:

Properties	Values
Unique Name	tPOP_1
Component Name	tPOP
Version	0.101 (ALPHA)
Family	Internet
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPOP
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Host	"127.0.0.1"
Port	110
Username	"username"
Password	*****
Output directory	context.root.concat("talend_files_0.1/out")
Filename pattern	TalendDate.getDate("yyyyMMdd-hhmmss") + "_" + (counter_tPOP_1 + 1) + ".mail"
Retrieve all emails?	true
Newer email first	false
Number of emails to retrieve	10
Delete emails from server	false
Choose the protocol	pop3
Specify Mail Folder	false
MAIL_FOLDER	"INBOX"
Use SSL	false
Filter	[]
Filter condition relation	&&
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__
Connection format	row

Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tPOP\_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

Original Function Parameters: