

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:58:02 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

|--|

Description

Properties	Values
Name	ELTdemo
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	13 Feb, 2008 6:42:51 PM
Modification	15 May, 2016 2:55:48 AM

Preview Picture

Settings

Extra settings

Name	Value
------	-------

COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Prompt	Need Prompt?	Туре	Value	Source	
--------	--------------	------	-------	--------	--

Component List

Component Name	Component Type
tELTMysqlInput_1	tELTMysqlInput
tELTMysqlMap_1	tELTMysqlMap
tELTMysqlOutput_1	tELTMysqlOutput
tRunJob_1	tRunJob

Components Description

Component tELTMysqlInput

UNIQUE NAME	tELTMysqlInput_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tELTMysqlMap_1

Component Parameters:

Properties	Values	
Unique Name	tELTMysqlInput_1	
Component Name	tELTMysqlInput	
Version	0.102 (ALPHA)	

Family	ELT/Map/MySQL
Startable	false
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tELTMysqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	Built-In
Default Table Name	пт
Mapping	mysql_id
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for employees:

<u></u>						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	INT	11		true	
NAME	false	VARCHAR	50		true	
ID_MANAGER	false	INT	11		true	

Original Function Parameters: Component tELTMysqlOutput

UNIQUE NAME	tELTMysqlOutput_1		tELTMysqlMap_1 , tRunJob_1
LABEL	UNIQUE_NAME	OUTPUT(S)	none

Component Parameters:

Properties	Values	
Unique Name	tELTMysqlOutput_1	
Component Name	tELTMysqlOutput	
Version	0.102 (ALPHA)	
Family	ELT/Map/MySQL	
Startable	false	

SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tELTMysqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SV	ALIDEH
Schema	Built-In
WHERE clauses (for UPDATE and DELETE only)	пп
Default Table Name	"results"
Table name from connection name is variable	false
Use different table name	false
Table name	1111

Mapping	mysql_id
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tELTMysqlOutput_1:

	. , , , , , , , , , , , , , , , , , , ,	_				
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	INT	11		true	
		_				
NAME	false	VARCHAR	50		true	
ID MANAGED	foloo	INIT	4.4		4	
ID_MANAGER	false	INT	11		true	
NAME_MANAGER	folco	VARCHAR	50		truo	
INAIVIE_IVIAINAGER	เลเรษ	VARCHAR	50		true	

Original Function Parameters: Component tRunJob

UNIQUE NAME	tRunJob_1	INPUT(S)	none
LABEL	UNIQUE_NAME	OUTPUT(S)	tELTMysqlMap_1

Component Parameters:

Properties

Unique Name	tRunJob_1
Component Name	tRunJob
Version	0.101 (ALPHA)
Family	System Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tRunJob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLIEH
Schema	Built-In

г

Use dynamic job	false
Context job	
Job	createTables4ETL
Context	Default
Use an independent process to run subjob	false
Die on child error	true
Transmit whole context	false
Context Param	o o
Propagate the child result to the output schema	false
Print Parameters	false
Transmit original context value(if uncheck, there will convert context value to string type before transmiting.)	false
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tRunJob_1 :

Original Function Parameters:

Component tELTMysqlMap

UNIQUE NAME	tELTMysqlMap_1	INPUT(S)	tELTMysqlMap_1 , tRunJob_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tELTMysqlOutput_1

Mapper table for tELTMysqlMap_1 (input):

Mapper table Properties (employees):

mapper table i reperties	
Properties	Values
Name	employees
Table Name	employees
Alias	
Join Type	NO_JOIN
isMinimized	false

Metadata Table Entries(employees):

Name	Expression	Operator	isJoin
ID			false
NAME			false
ID_MANAGER			false

Custom Conditions Entries(employees):

	Name	Expression	Operator	isJoin	
- 1					

Mapper table Properties (managers):

mapper table i reperties	
Properties	Values
Name	managers
Table Name	employees
Alias	managers
Join Type	LEFT_OUTER_JOIN
isMinimized	false

Metadata Table Entries(managers):

i			
Name	Expression	Operator	isJoin
ID	employees.ID_MANAGER	=	true
NAME			false
ID_MANAGER			false

Custom Conditions Entries(managers):

Name	Expression	Operator	isJoin	

Mapper table for tELTMysqlMap_1 (output):

Mapper table Properties (table2):

mappor table i loportio	().
Properties	Values
Name	table2
Table Name	results
Alias	
Join Type	
isMinimized	false

Metadata Table Entries(table2):

Name	Expression	Operator	isJoin
ID	employees.ID		false
NAME	employees.NAME		false
ID_MANAGER	employees.ID_MANAGER		false
NAME_MANAGER	managers.NAME		false

Custom Conditions Entries(table2):

Name Expression Operator isJoin	Name	Expression	Operator	isJoin
---------------------------------	------	------------	----------	--------