

Jobs

Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:57:37 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	talendcloud
Language	java

|--|

Description

Properties	Values
Name	tSocketOutput
Author	Joshi, Nishad
Version	0.1
Purpose	
Status	
Description	
Creation	2 Oct, 2008 6:58:54 PM
Modification	24 Jul, 2017 5:50:45 PM

Preview Picture

Settings

Extra settings

Name	/alue
------	-------

COMP_DEFAULT_FILE_DIR	C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

Contextdemo

Name	Prompt	Need Prompt?	Туре	Value	Source
root	Set the path of the dir to store the example files folder:	false	id_String	C:\TalendDemoFiles\	globalContext

Component List

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tSocketOutput_1	tSocketOutput

Components Description

Component tFileInputDelimited

	UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
	LABEL	UNIQUE_NAME	OUTPUT(S)	tSocketOutput_1

Component Parameters:

component i didineters.		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	

Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITTEH	
Schema	Built-In
File name/Stream	context.root.concat("talend_files_0.1/in/FileInput/out.csv")
CSV options	false

г

Row Separator	"\n"
CSV Row Separator	"\n"
Field Separator	
Escape char	
Text enclosure	
Header	6
Footer	0
Limit	
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	Built-In
!!!TEMP_DIR.NAME!!!	"C:/Users/jlamiel/Talend/Install/Talend-4.2/TOS/TOS-All-r59885-V4.2.0/workspace"
Advanced separator (for numbers)	false
Thousands separator	","
Decimal separator	" "
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=number, TRIM=false}, {SCHEMA_COLUMN=txt, TRIM=false}, {SCHEMA_COLUMN=flag, TRIM=false}]
Check each row structure against schema	false

г

Check date	false
Encoding	"US-ASCII"
Split row before field	false
Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=number, DECODE=false}, {SCHEMA_COLUMN=txt, DECODE=false}, {SCHEMA_COLUMN=date, DECODE=false}, {SCHEMA_COLUMN=flag, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	UNIQUE_NAME
Hint format	UNIQUE_NAME COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tFileInputDelimited 1:

Column	Key	Туре	Length	Precision	Nullable	Comment	
number	false	int	3		false		
txt	false	String	20		false		
date	false	String	10		false		
flag	false	boolean	5		false		

Original Function Parameters: Component tSocketOutput

	UNIQUE NAME	tSocketOutput_1	INPUT(S)	tFileInputDelimited_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component Paramete	ers:
Properties	Values
Unique Name	tSocketOutput_1
Component Name	tSocketOutput
Version	0.102 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSocketOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	

Title color Enable parallel execution Enable parallel executions 2 PARALLELIZE_KEEP_EMPTY false Host "127.0.0.1" Port 3456 Compress false Retry Times 10 Timeout 1000 Row Separator "in" Field Separator "" Text enclosure "" Text enclosure REPOSITORY_ALLOW_AUTO_SWINGEH Schema Built-In Encoding "ISO-8859-15" Label format _UNIQUE_NAME_ Hint format row Show Information false Comment Les as existing a stidiation rule false Comment Les as existing a stidiation rule false Comment		I I
Number of parallel executions 2 PARALLELIZE_KEEP_EMPTY false Host "127.0.0.1" Port 3456 Compress false Retry Times 10 Timeout 1000 Row Separator """ Field Separator """ Escape char """ Text enclosure """ REPOSITORY_ALLOW_AUTO_SWriteH Schema Built-In Encoding "ISO-8859-15" Label format _UNIQUE_NAME Hint format https://doi.org/10.2007/bj.chiro-comment Show Information false Comment ****	Title color	
PARALLELIZE_KEEP_EMPTY	Enable parallel execution	false
Host	Number of parallel executions	2
Port 3456 Compress false Retry Times 10 Timeout 1000 Row Separator "\" Field Separator "\" Escape char "\" Text enclosure "\" REPOSITORY_ALLOW_AUTO_SVINGEH Schema Built-In Encoding "ISO-8859-15" Label format UNIQUE_NAME Hint format UNIQUE_NAME Connection format row Show Information false Comment	PARALLELIZE_KEEP_EMPTY	false
Compress false Retry Times 10 Timeout 1000 Row Separator "\n" Field Separator "\" Escape char "\" Text enclosure \text{\text{min}} REPOSITORY_ALLOW_AUTO_SWITIGH Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format 	Host	"127.0.0.1"
Retry Times 10 Timeout 1000 Row Separator "\n" Field Separator ";" Escape char """ Text enclosure """ REPOSITORY_ALLOW_AUTO_SVIRTIGEH Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format <_b>_UNIQUE_NAME Connection format row Show Information false Comment	Port	3456
Timeout 1000 Row Separator "\n" Field Separator ";" Escape char """ Text enclosure """ REPOSITORY_ALLOW_AUTO_SWITEH Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format <b->UNIQUE_NAME</b-> COMMENT Connection format row Show Information false Comment	Compress	false
Row Separator "\n" Field Separator ";" Escape char """ Text enclosure """ REPOSITORY_ALLOW_AUTO_SWrtieH Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format <by_unique_name< by=""> Connection format row Show Information false Comment</by_unique_name<>	Retry Times	10
Field Separator ":" Escape char Text enclosure """ REPOSITORY_ALLOW_AUTO_SWITTEH Schema Built-In Encoding "ISO-8859-15" Label format _UNIQUE_NAME Hint format 	Timeout	1000
Escape char Text enclosure """ REPOSITORY_ALLOW_AUTO_SWITEH Schema Built-In Encoding "ISO-8859-15" Label format UNIQUE_NAME Hint format connection format row Show Information false Comment	Row Separator	"\n"
Text enclosure """ REPOSITORY_ALLOW_AUTO_SWfftieH Schema Built-In Encoding "ISO-8859-15" Label format UNIQUE_NAME Hint format connection format row Show Information false Comment	Field Separator	n.,,
REPOSITORY_ALLOW_AUTO_SWIFTEEH Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format <bunique_name< b-=""> Connection format row Show Information false Comment</bunique_name<>	Escape char	HTTT
Schema Built-In Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format _UNIQUE_NAME Connection format row Show Information false Comment	Text enclosure	
Encoding "ISO-8859-15" Label formatUNIQUE_NAME Hint format _UNIQUE_NAME _COMMENT Connection format row Show Information false Comment	REPOSITORY_ALLOW_AUTO_SV	WHICH
Label format UNIQUE_NAME Hint format _UNIQUE_NAME _COMMENT Connection format row Show Information false Comment	Schema	Built-In
Hint format	Encoding	"ISO-8859-15"
Connection format row Show Information false Comment	Label format	UNIQUE_NAME
Show Information false Comment	Hint format	UNIQUE_NAME COMMENT
Comment	Connection format	row
	Show Information	false
Lice an existing validation rule false	Comment	
Use all existing validation fulle laise	Use an existing validation rule	false

|--|--|

Schema for tSocketOutput_1:

		<u> </u>				
Column	Key	Туре	Length	Precision	Nullable	Comment
number	false	int	3		false	
txt	false	String	20		false	
date	false	String	10		false	
flag	false	boolean	5		false	

Original Function Parameters: