



Jobs

Generated by Talend Cloud Data
Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:06 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	talendcloud
Language	java

Description	
-------------	--

Description

Properties	Values
Name	CallingWebService
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	DEV
Description	
Creation	30 Jun, 2017 9:37:24 AM
Modification	10 Apr, 2018 2:16:25 PM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
CountryName	CountryName?	false	id_String	"india"	


Component List

Component Name	Component Type
tExtractXMLField_1	tExtractXMLField
tLogRow_1	tLogRow

tWebServiceInput_1	tWebServiceInput
--------------------	------------------

Components Description

Component tExtractXMLField

	UNIQUE NAME	tExtractXMLField_1	INPUT(S)	tWebServiceInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1

Component Parameters:

Properties	Values
Unique Name	tExtractXMLField_1
Component Name	tExtractXMLField
Version	0.102 (ALPHA)
Family	XML Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputXML
Update components	true
IREPORT_PATH	


JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	TRUE
Schema	Built-In
XML field	Country
!!!USE_ITEMS.NAME!!!	false
!!!LOOP_QUERY_BASE.NAME!!!	""
Loop XPath query	"/NewDataSet/Table"
Mapping	[{SCHEMA_COLUMN=Country, QUERY="Country", NODECHECK=false}, {SCHEMA_COLUMN=City, QUERY="City", NODECHECK=false}]
Limit	99999
Die on error	false
Schema	Built-In
Use static Field	false
XML Record	""
XPath Prefix	""
Min column number of optimize code	100
Ignore the namespaces	false

Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tExtractXMLField_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Country	false	String			true	
City	false	String			true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tExtractXMLField_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors

Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false


Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=Country, LENGTH=10}, {SCHEMA_COLUMN=City, LENGTH=10}]]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Country	false	String			true	
City	false	String			true	

Original Function Parameters:

Component tWebServiceInput

	UNIQUE NAME	tWebServiceInput_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tExtractXMLField_1

Component Parameters:

Properties	Values
Unique Name	tWebServiceInput_1
Component Name	tWebServiceInput
Version	0.102 (ALPHA)
Family	Internet
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tWebServiceInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SWITCH	True
Schema	Built-In
WSDL	"http://www.webservices.net/globalweather.asmx?WSDL"
Need authentication?	false
Username	"username"
Password	*****
Windows authentication?	false
Domain	"windows_domain"
Use http proxy	false
Proxy host	"61.163.92.4"
Proxy port	"8080"
Proxy user	""
Proxy password	**
Trust server with SSL	false
TrustStore file	"C:/clientTrustStore.trustStore"
TrustStore password	*****
!!!SSL_TRUSTSERVER_KEYSTORE.NAME!!!	"C:/clientTrustStore.keyStore"
!!!SSL_TRUSTSERVER_KEYSTOREPASSWORD.NAME!!!	*****

Method name	"GetCitiesByCountry"
Time out(second)	20
Parameters	{VALUE=context.CountryName}
Advanced Use (It will generate client stub codes in Routines.)	false
WSDL2Java	false
Code	<pre>//===== //example code for : http://www.deeptraining.com/webservices/weather.asmx?WSDL //===== /* routines.WeatherSoap_PortType weatherSoap = new routines.WeatherLocator().getWeatherSoap(); routines.WeatherSoap_BindingStub stub = (routines.WeatherSoap_BindingStub)weatherSoap; //stub.setUsername(String username); //stub.setPassword(String password); //stub.setTimeout(int timeout); //AxisProperties.setProperty("http.proxyHost", proxyHost); //AxisProperties.setProperty("http.proxyPort", proxyPort); //AxisProperties.setProperty("http.proxyUser", proxyUser); //AxisProperties.setProperty("http.proxyPassword", proxyPassword); String city = "Paris"; String result = weatherSoap.getWeather(city); output_row.weather = result; */ //===== //example code for : http://localhost:8080/talendJob_0.1/services/talendJob?wsdl //===== /* routines.TalendJob_PortType talendJob = new routines.TalendJobServiceLocator().getTalendJob(); routines.TalendJobSoapBindingStub stub = (routines.TalendJobSoapBindingStub)talendJob; //stub.setUsername(String username); //stub.setPassword(String password); //stub.setTimeout(int timeout); //AxisProperties.setProperty("http.proxyHost", proxyHost); //AxisProperties.setProperty("http.proxyPort", proxyPort); //AxisProperties.setProperty("http.proxyUser", proxyUser); //AxisProperties.setProperty("http.proxyPassword", proxyPassword); String[] args = new String[]{}; String[][] result = talendJob.runJob(args); for(int i = 0; i < result.length; i++){ // output_row.name = result[i][0]; // output_row.address = result[i][1]; // output_row.phone = result[i][2]; */</pre>
Match Brackets	
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

Validation Rule Type	
----------------------	--

Schema for tWebServiceInput_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
Country	false	String	100		true	
CityXML	false	String	5000		true	

Original Function Parameters: