

# Jobs

## Generated by Talend Cloud Data Management Platform

Project Name	talendcloud	GENERATION DATE	31 Jan, 2019 2:59:20 PM
AUTHOR	Joshi, Nishad	Talend Cloud VERSION	7.1.1.20181026_1147

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

### **Project Description**


Properties	Values
Name	talendcloud
Language	java

Description	

# **Description**

Properties	Values
Name	FuzzyMatch
Author	Joshi, Nishad
Version	1.0
Purpose	
Status	
Description	
Creation	27 Jul, 2016 1:58:23 AM
Modification	7 Aug, 2018 3:27:28 PM

# **Preview Picture**



# **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false

Implicit tContextLoad	false	
-----------------------	-------	--

#### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

### **Context List**

#### ContextDefault

|--|

# **Component List**

Component Name	Component Type
tFileInputDelimited_1	tFileInputDelimited
tFixedFlowInput_1	tFixedFlowInput
tFuzzyMatch_1	tFuzzyMatch
tLogRow_1	tLogRow

# **Components Description**

#### Component tFileInputDelimited

 UNIQUE NAME	tFileInputDelimited_1	INPUT(S)	none
LABEL	City	OUTPUT(S)	tFuzzyMatch_1

Component i didineters.		
Properties	Values	
Unique Name	tFileInputDelimited_1	
Component Name	tFileInputDelimited	
Version	0.102 (ALPHA)	
Family	File/Input	
Start	true	
Startable	true	

SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputDelimited
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	Built-In
REPOSITORY_ALLOW_AUTO_SV	WHICH
Schema	repository: DELIM:City - metadata
File name/Stream	"F:/Trainings/CITI/SampleFiles/City_Delimited.txt"
CSV options	false
Row Separator	"\n"
CSV Row Separator	"\n"

Escape char	
Text enclosure	
Header	1
Footer	0
Limit	40
Skip empty rows	false
Uncompress as zip file	false
Die on error	false
Schema	repository: DELIM:City - metadata
!!!TEMP_DIR.NAME!!!	"D:/Talend-Tools-Studio-20151214_1327-V6.1.1/workspace"
Advanced separator (for numbers)	false
Thousands separator	" " ,
Decimal separator	n
Extract lines at random	false
Number of lines	10
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=ID, TRIM=false}, {SCHEMA_COLUMN=Name, TRIM=false}, {SCHEMA_COLUMN=CountryCode, TRIM=false}, {SCHEMA_COLUMN=District, TRIM=false}, {SCHEMA_COLUMN=Population, TRIM=false}]
Check each row structure against schema	false
Check date	false
Encoding	"UTF-8"
Split row before field	false

Permit hexadecimal (0xNNN) or octal (0NNNN) for numeric types	false
Decode table	[{SCHEMA_COLUMN=ID, DECODE=false}, {SCHEMA_COLUMN=Name, DECODE=false}, {SCHEMA_COLUMN=CountryCode, DECODE=false}, {SCHEMA_COLUMN=District, DECODE=false}, {SCHEMA_COLUMN=Population, DECODE=false}]
!!!DESTINATION.NAME!!!	
Min column number of optimize code	100
Label format	City
Hint format	<b>_UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	

Original Function Parameters: Component tFixedFlowInput

	UNIQUE NAME	tFixedFlowInput_1	INPUT(S)	none	
	LABEL	UNIQUE_NAME	OUTPUT(S)	tFuzzyMatch_1	

Unique Name  IFixedFlowInput  IFixedFlowInput  Version  0.102 (ALPHA)  Misc  Start  false  Startable  true  SUBTREE_START  false  END_OF_FLOW  false  Activate  true  DUMMY  false  IStatCatcher Statistics  false  Help  org.talend.help.tFixedFlowInput  true  Update components  true  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Component Parameters:				
Component Name  tFixedFlowInput  Version  0.102 (ALPHA)  Misc  Start false  Start false  Startable  true  SUBTREE_START false  END_OF_FLOW false  Activate  true  DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components  true  JAVA_LIBRARY_PATH  C.\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Properties	Values			
Version  0.102 (ALPHA)  Misc  Start  false  Startable  true  SUBTREE_START  false  END_OF_FLOW  false  Activate  true  DUMMY  false  StatCatcher Statistics  false  Help  org.talend.help.tFixedFlowInput  true  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\\ib\java	Unique Name	tFixedFlowInput_1			
Start false  Start false  Startable true  SUBTREE_START false  END_OF_FLOW false  Activate true  DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Component Name	tFixedFlowInput			
Start false  Startable true  SUBTREE_START false  END_OF_FLOW false  Activate true  DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components true  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Version	0.102 (ALPHA)			
SUBTREE_START  false  END_OF_FLOW  false  Activate  true  DUMMY  false  IStatCatcher Statistics  false  Help  org.talend.help.tFixedFlowInput  true  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Family	Misc			
SUBTREE_START  false  END_OF_FLOW  false  Activate  true  DUMMY  false  IStatCatcher Statistics  false  Help  org.talend.help.tFixedFlowInput  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Start	false			
Activate true  DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Startable	true			
Activate true  DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	SUBTREE_START	false			
DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tFixedFlowInput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	END_OF_FLOW	false			
tStatCatcher Statistics  false  Help  org.talend.help.tFixedFlowInput  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java	Activate	true			
Help org.talend.help.tFixedFlowInput  Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java  Subjob color	DUMMY	false			
Update components true  IREPORT_PATH  JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java  Subjob color	tStatCatcher Statistics	false			
JAVA_LIBRARY_PATH  C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java  Subjob color	Help	org.talend.help.tFixedFlowInput			
JAVA_LIBRARY_PATH C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java  Subjob color	Update components	true			
Subjob color	IREPORT_PATH				
	JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java			
Title color	Subjob color				
	Title color				

Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALTIEH
Schema	Built-In
Number of rows	1
Use Single Table	false
Values	[{SCHEMA_COLUMN=CityName, VALUE=}]
Use Inline Table	false
Inline Table	[{CityName="newLine"}, {CityName="newLine"}, {CityName="newLine"}, {CityName="newLine"}]
Use Inline Content(delimited file)	true
Row Separator	"\n"
Field Separator	n.u ,
	Kabul Qandahar Kandahar Herat Mazar-e-Sharif Mazare-Sharif Amsterdam Rotterdam Roterdaam Haag Utrecht Breda Apeldoorn Nijmegen
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for tFixedFlowInput\_1 :

Column	Key	Туре	Length	Precision	Nullable	Comment
CityName	false	String	50		true	

# Original Function Parameters: Component tFuzzyMatch

UNIQUE NAME	tFuzzyMatch_1	INPUT(S)	tFuzzyMatch_1 , tFixedFlowInput_1
LABEL	UNIQUE_NAME	OUTPUT(S)	tLogRow_1

Component Parameters:			
Properties	Values		
Unique Name	tFuzzyMatch_1		
Component Name	tFuzzyMatch		
Version	0.103 (ALPHA)		
Family	Data_Quality/Matching		
Startable	false		
SUBTREE_START	false		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		
tStatCatcher Statistics	false		
Help	org.talend.help.tFuzzyMatch		
Update components	true		
IREPORT_PATH			

JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SV	ALLICH
Schema	Built-In
Matching type	matchDoubleMetaphone
Case Sensitive	false
Look Up	CityName
Min. distance	0
Max. distance	3
Matching column	Name
Unique matching	false
Matching item separator	" "
Label format	UNIQUE_NAME
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false

|--|

#### Schema for metadata:

Odilollia idi						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	
Name	false	String	19		true	
CountryCode	false	String	3		true	
District	false	String	15		true	
Population	false	Integer	7		true	
VALUE	false	String	255		true	
MATCHING	false	String	255		true	

# Original Function Parameters: Component tLogRow

	UNIQUE NAME	tLogRow_1	INPLIT(S)	tFuzzyMatch_1 , tFixedFlowInput_1	
	LABEL	UNIQUE_NAME	OUTPUT(S)	none	

Component i diameters.					
Properties	Values				
Unique Name	tLogRow_1				
Component Name	tLogRow				
Version	0.101 (ALPHA)				

Family	Logs_Errors				
Startable	false				
SUBTREE_START	false				
END_OF_FLOW	true				
Activate	true				
DUMMY	false				
tStatCatcher Statistics	false				
Help	org.talend.help.tLogRow				
Update components	true				
IREPORT_PATH					
JAVA_LIBRARY_PATH	C:\Talend-Studio-20181026_1147-V7.1.1\configuration\lib\java				
Subjob color					
Title color					
Enable parallel execution	false				
Number of parallel executions	2				
PARALLELIZE_KEEP_EMPTY	false				
REPOSITORY_ALLOW_AUTO_SV	WHIEH				
Schema	Built-In				
Basic	false				
Table (print values in cells of a table)	true				
Vertical (each row is a key/value list)	false				
Print unique name	true				

Print label	false				
Print unique name and label	false				
Field Separator	" "				
Print header	true				
Print component unique name in front of each output row	false				
Print schema column name in front of each value	false				
Use fixed length for values	false				
Lengths	[{SCHEMA_COLUMN=ID, LENGTH=10}, {SCHEMA_COLUMN=Name, LENGTH=10}, {SCHEMA_COLUMN=CountryCode, LENGTH=10}, {SCHEMA_COLUMN=District, LENGTH=10}, {SCHEMA_COLUMN=Population, LENGTH=10}, {SCHEMA_COLUMN=VALUE, LENGTH=10}, {SCHEMA_COLUMN=MATCHING, LENGTH=10}]				
Print content with log4j	true				
Min column number of optimize code	100				
Label format	UNIQUE_NAME				
Hint format	<b>UNIQUE_NAME</b> COMMENT				
Connection format	row				
Show Information	false				
Comment					
Use an existing validation rule	false				
Validation Rule Type					

#### Schema for metadata:

Ochema for metadata:						
Column	Key	Туре	Length	Precision	Nullable	Comment
ID	false	Integer	2		true	

Name	false	String	19	true	
CountryCode	false	String	3	true	
District	false	String	15	true	
Population	false	Integer	7	true	
VALUE	false	String	255	true	
MATCHING	false	String	255	true	

### **Original Function Parameters:**