Name: Nishan Subedi

Section : C

Subject : OOP

Tutorial 1

Screenshot 1: java version




Installer File Edit Window Help
Thu 14 May 18:58
oracle.com/java/technologies/downloads/#jdk26-mac
JDK 26 binaries are free to use in p
JDK 26 will receive updates under t
Linux macOS Windows
Product/file description
ARM64 Compressed Archive
ARM64 DMG Installer
x64 Compressed Archive
x64 DMG Installer
Documentation Download
Release information
Online Documentation
Installation Instructions
Release Notes
Documentation License
JDK 26 Licensing Information User Manual (includes third-party licenses)
Certified System Configurations
Readme
Java Value Engineering
JDK 26.0.1
JDK 26.0.1.pkg
Install JDK 26.0.1
Installing JDK 26.0.1
Introduction
Destination Select
Installation Type
Installation
Summary
Writing files...
Go Back
Continue
BCS 7th Intake (Section C)
View group
Please use the following link to join the Operating Systems group. All notes and assignments will be shared in this group.
Sunday
Tutorial-1_OOP-2026.pdf
find the tutorial for the subject Object Oriented Programming attached herewith. Please go through the file carefully and follow the instructions accordingly.
Thank you.
Nischal Shrestha
Academic Calendar (April


Installer File Edit Window Help
Thu 14 May 18:58
oracle.com/java/technologies/downloads/#jdk26-mac
JDK 26.0.1
Install JDK 26.0.1
The installation was completed successfully.
Introduction
Destination Select
Installation Type
Installation
Summary
Install Succeeded
Visit the Java SE Documentation to access tutorials, API documentation, developer guides, release notes and more to help you get started with the JDK.
Go Back
Close

2) Downloaded IntelliJ



3) Checking Java Version



4) Programs and outputs

- Hello World Program



Output:

Handwritten:


Nishan Subedi

PAGE NO.
DATE :

• Hello world program

→
```
public class main {
    public static void main (string [] args) {
        system.out.println("Hello, Java world!");
    }
}
```

output :
Hello, Java world!

- Variables & Data Types




```java
public class variable {
    public static void main(String[] args) {


        int age = 20;
        double salary = 45678.90;
        boolean isStudent = true;
        char grade = 'A';
        String name = "John";


        System.out.println("Integer value: " + age);
        System.out.println("Double value: " + salary);
        System.out.println("Boolean value: " + isStudent);
        System.out.println("Character value: " + grade);
        System.out.println("String value: " + name);
    }
}
```

Output:

```
Run    variable

/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagen
Integer value: 20
Double value: 45678.9
Boolean value: true
Character value: A
String value: John

Process finished with exit code 0
```

Handwritten:

• Variables & data types.

→

```
public class variable {
  public static void main (string[]args {

    int age = 20;
    double salary = 45678.90;
    boolean isStudent = true;
    char grade = 'A';
    string name = "John";

  system.out.println("Integer value: "+age);
  system.out.println("Double value: "+salary);
  system.out.println("Boolean value: "+isStudent);
  system.out.println("Character value: "+grade);
  system.out.println("String value: "+name);
  }
}
```


output:

Integer value: 20
Double value: 45678.9
Boolean value: true
Character value: A
String value: John

Operators Program:

```java
class Operator {
    public static void main(String[] args) {

        int a = 10;
        int b = 5;


        System.out.println("Arithmetic Operators:");
        System.out.println("a + b = " + (a + b));
        System.out.println("a - b = " + (a - b));
        System.out.println("a * b = " + (a * b));
        System.out.println("a / b = " + (a / b));
        System.out.println("a % b = " + (a % b));


        System.out.println("\nRelational Operators:");
        System.out.println("a > b : " + (a > b));
        System.out.println("a < b : " + (a < b));
        System.out.println("a == b : " + (a == b));
        System.out.println("a != b : " + (a != b));


        boolean x = true;
        boolean y = false;

        System.out.println("\nLogical Operators:");
        System.out.println("x && y : " + (x && y));
        System.out.println("x || y : " + (x || y));
        System.out.println("!x : " + (!x));
    }
}
```

Output:

```
/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent
Arithmetic Operators:
a + b = 15
a - b = 5
a * b = 50
a / b = 2
a % b = 0

Relational Operators:
a > b : true
a < b : false
a == b : false
a != b : true

Logical Operators:
x && y : false
x || y : true
!x : false

Process finished with exit code 0
```

Handwritten:

String value: ...

• Operators Program

→

```
class operator {
public static void main (String[] args) {
    int a = 10;
    int b = 5;

    system.out.println("Arithmetic operators : ");
    system.out.println("a+b = " + (a+b));
    system.out.println("a-b = " + (a-b));
    system.out.println("a*b = " + (a*b));
    system.out.println("a/b = " + (a/b));
    system.out.println("a%b = " + (a%b));

    system.out.println("\n Relational operators : ");
    system.out.println("a>b: " + (a>b));
    system.out.println("a<b: " + (a<b));
    system.out.println("a==b: " + (a==b));
    system.out.println("a!=b: " + (a!=b));
```

~~bool~~

PAGE NO.
DATE:

```
    boolean x = true;
    boolean y = false;

    system.out.println("\n Logical operators : ");
    system.out.println("x && y: " + (x&&y));
    system.out.println("x || y: " + (x||y));
    system.out.println("x " + (!x));
    }
}
```


Output :

Arithmetic Operators :
a+b = 15
a-b = 5
a* b = 50
a/b = 2
a % b = 0

Relational Operators :
a > b : true
a < b : false
a == b : false
a != b : true

Logical operators :
x && y : false
x || y : true
! x : false

User Input Program:

Main.java   variable.java   operators.java   USERINPUT.java

```java
import java.util.Scanner;

class SumUsingScanner {   Nishan Subedi
    public static void main(String[] args) {   Nishan Subedi

        Scanner sc = new Scanner(System.in);

        System.out.print("Enter first number: ");
        int num1 = sc.nextInt();

        System.out.print("Enter second number: ");
        int num2 = sc.nextInt();


        int sum = num1 + num2;

        System.out.println("Sum = " + sum);

        sc.close();
    }
}
```

Output:

Run   SumUsingScanner

```
/Library/Java/JavaVirtualMachines/jdk-26.jdk/Contents/Home/bin/java -javaagent:/Users/nishansubedi/Desktop/IntelliJ IDEA.app/Co
Enter first number: 10
Enter second number: 20
Sum = 30

Process finished with exit code 0
```

Handwritten:

PAGE NO.
DATE :

- User Input :

```
import java.util.Scanner;

class SumUsingScanner {
    public static void main(String[] args) {

      Scanner sc = new Scanner(System.in);

     System.out.print("Enter first number: ");
     int num1 = sc.nextInt();

    System.out.print("Enter second number: ");
    int num2 = sc.nextInt();

     int sum = num1 + num2;

      System.out.println("sum = "+sum);

      sc.close();
    }
}
```


Output:

```
Enter first number : 10
Enter second number : 20
Sum = 30
```


THANKYOU<<<>>>