
Author : Pradyot Patil

Roll No : 53 [6A]

Date : 28-January-2018

QUERY-01: Creating database using DDL statements

```
CREATE TABLE CUSTOMER(  
2      C_CODE NUMBER(5) NOT NULL,  
3      LNAME VARCHAR(10) NOT NULL,  
4      FNAME VARCHAR(10) NOT NULL,  
5      C_AREA NUMBER(3) NOT NULL,  
6      C_PHONE NUMBER(7) NOT NULL,  
7      BALANCE NUMBER(7,2) default 0,  
8      CONSTRAINT CUSTOMER_PK_C_CODE PRIMARY KEY(C_CODE),  
9      CONSTRAINT CUSTOMER_CK_C_CODE CHECK(C_CODE BETWEEN 10010 AND 99999 ),  
10     CONSTRAINT CUSTOMER_CK_C_AREA CHECK (C_AREA BETWEEN 501 AND 999)  
11     );
```

Table created.

```
CREATE TABLE VENDOR(  
2      V_CODE NUMBER(5) NOT NULL,  
3      V_NAME VARCHAR(30) NOT NULL,  
4      V_CONTACT VARCHAR(20) NOT NULL,  
5      V_AREA NUMBER(3) NOT NULL,  
6      V_PHONE NUMBER(7) NOT NULL,  
7      V_STATE CHAR(2) NOT NULL,  
8      V_ORDER CHAR(1) DEFAULT 'N',  
9      CONSTRAINT VENDOR_PK_V_CODE PRIMARY KEY(V_CODE),  
10     CONSTRAINT VENDOR_CK_V_CODE CHECK(V_CODE BETWEEN 21000 AND 99999 ),  
11     CONSTRAINT VENDOR_CK_V_AREA CHECK (V_AREA BETWEEN 501 AND 999),  
12     CONSTRAINT VENDOR_CK_V_STATE CHECK (V_STATE IN ('TN','FL','KY','GA'))  
13     );
```

Table created.

CREATE TABLE INVOICE (

```

2  INV_NUM NUMBER(4) NOT NULL,
3  C_CODE NUMBER(5) NOT NULL,
4  INV_DATE DATE NOT NULL,
5  CONSTRAINT INVOICE_PK_INV_NUM PRIMARY KEY(INV_NUM),
6  CONSTRAINT INVOICE_CK_INV_NUM CHECK(INV_NUM BETWEEN 1001 AND 9999),
7  CONSTRAINT INVOICE_FK_C_CODE FOREIGN KEY(C_CODE) REFERENCES CUSTOMER(C_CODE)
8  );

```

Table created.

```

CREATE TABLE PRODUCT(
2  P_CODE CHAR(5) NOT NULL,
3  DESCRIPT VARCHAR(30) NOT NULL,
4  P_DATE DATE NOT NULL,
5  QTY NUMBER(4) NOT NULL,
6  P_MIN NUMBER(3) NOT NULL,
7  P_PRICE NUMBER(6,2) NOT NULL,
8  P_DISC NUMBER(2,2) DEFAULT 0,
9  V_CODE NUMBER(5) NOT NULL,
10 CONSTRAINT PRODUCT_PK_P_CODE PRIMARY KEY(P_CODE),
11 CONSTRAINT PRODUCT_CK_P_MIN CHECK(P_MIN < QTY ),
12 CONSTRAINT PRODUCT_FK_V_CODE FOREIGN KEY (V_CODE) REFERENCES VENDOR(V_CODE)
13 );

```

Table created.

```

CREATE TABLE LINE (
2  INV_NUM NUMBER(4) NOT NULL,
3  L_NUM NUMBER(1) NOT NULL,
4  P_CODE CHAR(5) NOT NULL,
5  L_UNITS NUMBER(3) NOT NULL,
6  L_PRICE NUMBER(5,2) NOT NULL,
7  CONSTRAINT LINE_PK_INV_NUM_L_NUM PRIMARY KEY(INV_NUM,L_NUM),
8  CONSTRAINT LINE_CK_L_NUM CHECK(L_NUM BETWEEN 1 AND 9),
9  CONSTRAINT LINE_CK_L_UNITS CHECK(L_UNITS > 0),
10 CONSTRAINT LINE_CK_L_PRICE CHECK(L_PRICE > 0),
11 CONSTRAINT LINE_FK_P_CODE FOREIGN KEY(P_CODE) REFERENCES PRODUCT(P_CODE),
12 CONSTRAINT LINE_FK_INV_NUM FOREIGN KEY(INV_NUM) REFERENCES INVOICE(INV_NUM)
13 );

```

Table created.

QUERY-02: Populate the database with sample contents.

INSERT INTO CUSTOMER VALUES (10010, 'Anderson', 'James', 615, 2933893, 0.00);

1 row created.

INSERT INTO CUSTOMER VALUES (10011, 'Kurtis', 'Elena', 713, 2753455, 0.00);

1 row created.

INSERT INTO CUSTOMER VALUES (10012, 'Smith', 'Kathy', 615, 2873453, 345.86);

1 row created.

INSERT INTO CUSTOMER VALUES (10013, 'Paul', 'Chris', 615, 2879998, 536.75);

1 row created.

INSERT INTO CUSTOMER VALUES (10014, 'Johnson', 'Bill', 615, 2455533, 0.00);

1 row created.

INSERT INTO CUSTOMER VALUES (10015, 'Samuels', 'Julia', 713, 2345432, 0.00);

1 row created.

INSERT INTO CUSTOMER VALUES (10018, 'Harris', 'Anne ', 615, 2233445, 221.19);

1 row created.

INSERT INTO CUSTOMER VALUES (10016, 'Ford ', 'Gustav', 615, 2223444, 768.93);

1 row created.

INSERT INTO CUSTOMER VALUES (10017, 'Lee', 'Ming ', 713, 2323234, 216.55);

1 row created.

INSERT INTO CUSTOMER VALUES (10019, 'Green', 'Walter', 615, 2786403, 0.00);

1 row created.

INSERT INTO VENDOR VALUES(21225, 'Bryson, Inc.', 'Bella', 615, 2453628, 'TN', 'Y');

1 row created.

INSERT INTO VENDOR VALUES(21226, 'SuperLoo, Inc.', 'Ching-Hun', 904, 3876330, 'FL', 'N');

1 row created.

INSERT INTO VENDOR VALUES(21231, 'GnB Supply', 'Samson', 615, 2889922, 'TN', 'Y');

1 row created.

INSERT INTO VENDOR VALUES(21344, 'Gomez Sons', 'Mark', 615, 2986363, 'KY', 'N');

1 row created.

INSERT INTO VENDOR VALUES(22587, 'Downing, Inc.', 'Simon Singh', 901, 3985333, 'GA', 'N');

1 row created.

INSERT INTO VENDOR VALUES(23119, 'Blackman Sisters', 'Svetlana', 901, 3562429, 'GA', 'Y');

1 row created.

INSERT INTO VENDOR VALUES(24004, 'Almeda House', 'Almeda', 615, 2787878, 'TN', 'N');

1 row created.

```
INSERT INTO VENDOR VALUES(24288 , 'Justin Stores', 'Gracy Yu', 615, 2543333, 'TN', 'Y');
```

1 row created.

```
INSERT INTO VENDOR VALUES(25443 , 'Super Systems', 'Ted Hwang', 904, 3561111, 'FL', 'N');
```

1 row created.

```
INSERT INTO VENDOR VALUES(25501 , 'Silvermines Ltd.', 'Anne White', 615, 2983455, 'TN', 'N');
```

1 row created.

```
INSERT INTO VENDOR VALUES(25595 , 'HighEnd Supplies', 'Smith', 904, 3098773, 'FL', 'Y');
```

1 row created.

```
INSERT INTO PRODUCT VALUES('AB112', 'Power Painter', '03-NOV-2011', 8, 5, 109.99, 0.00, 25595);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('SB725', '7.25in Saw Blade', '13-DEC-2011', 32, 15, 14.99, 0.05, 21344);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('SB900', '9.00 in Saw Blade', '13-NOV-2011', 18, 12, 17.49, 0.00, 21344);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('CL025', 'Hrd. Cloth 1/4in', '15-JAN-2012', 15, 8, 39.95, 0.00, 23119);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('CL050', 'Hrd. Cloth 1/2in', '15-JAN-2012', 23, 5, 43.99, 0.00, 23119);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('JB012', 'Jigsaw 12in Blade', '30-DEC-2011', 8, 5, 109.92, 0.05, 24288);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('JB008', 'Jigsaw 8in Blade', '24-DEC-2011', 6, 5, 99.87, 0.05, 24288);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('CD00X', 'Cordless Drill', '20-JAN-2012', 12, 5, 38.95, 0.05, 25595);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('CH10X', 'Claw Hammer', '20-JAN-2012', 23, 10, 9.95, 0.10, 21225);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('SH100', 'Sledge Hammer', '02-JAN-2012', 8, 5, 14.40, 0.05, 21225);
```

1 row created.

```
INSERT INTO PRODUCT VALUES('RF100', 'Rat Tail File', '15-DEC-2011', 43, 20, 4.99, 0.00, 21344);
```

1 row created.

INSERT INTO PRODUCT VALUES('HC100', 'Hicut Chain Saw', '07-FEB-2012', 11, 5, 256.99, 0.05, 24288);

1 row created.

INSERT INTO PRODUCT VALUES('PP101', 'PVC Pipe', '20-FEB-2012', 188, 75, 5.87, 0.00, 24288);

1 row created.

INSERT INTO PRODUCT VALUES('MC001', 'Metal Screw', '01-MAR-2012', 172, 75, 6.99, 0.00, 21225);

1 row created.

INSERT INTO PRODUCT VALUES('WC025', '2.5in wide Screw', '24-FEB-2012', 237, 100, 8.45, 0.00, 21231);

1 row created.

INSERT INTO PRODUCT VALUES('SM48X', 'Steel Malting Mesh', '17-JAN-2012', 18, 5, 119.95, 0.10, 25595);

1 row created.

INSERT INTO INVOICE VALUES(1001, 10014, '16-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1002, 10011, '16-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1003, 10012, '16-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1004, 10017, '17-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1005, 10011, '17-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1006, 10014, '17-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1007, 10015, '17-JAN-12');

1 row created.

INSERT INTO INVOICE VALUES(1008, 10011, '17-JAN-12');

1 row created.

INSERT INTO LINE VALUES(1001, 1, 'SB725', 1, 14.99);

1 row created.

INSERT INTO LINE VALUES(1001, 2, 'CH10X', 1, 9.95) ;

1 row created.

INSERT INTO LINE VALUES(1002, 1, 'RF100', 2, 4.99);

1 row created.

INSERT INTO LINE VALUES(1003, 1, 'CD00X', 1, 38.95);

1 row created.

INSERT INTO LINE VALUES(1003, 2, 'CL025', 1, 39.95);

```

1 row created.
INSERT INTO LINE VALUES(1003, 3, 'SB725', 5, 14.99 );
1 row created.
INSERT INTO LINE VALUES(1004, 2, 'RF100', 3, 4.99 );
1 row created.
INSERT INTO LINE VALUES(1004, 3, 'CH10X', 2, 9.95 );
1 row created.
INSERT INTO LINE VALUES(1005, 1, 'PP101', 12, 5.87);
1 row created.
INSERT INTO LINE VALUES(1006, 1, 'MC001', 3, 6.99);
1 row created.
INSERT INTO LINE VALUES(1006, 2, 'JB012', 1, 109.92);
1 row created.
INSERT INTO LINE VALUES(1006, 3, 'CH10X', 1, 9.95);
1 row created.
INSERT INTO LINE VALUES(1006, 4, 'HC100', 1, 256.99);
1 row created.
INSERT INTO LINE VALUES(1007, 1, 'SB725', 2, 14.99);
1 row created.
INSERT INTO LINE VALUES(1007, 2, 'RF100', 1, 4.99);
1 row created.
INSERT INTO LINE VALUES(1008, 1, 'PP101', 5, 5.87);
1 row created.
INSERT INTO LINE VALUES(1008, 2, 'SM48X', 3, 119.95);
1 row created.
INSERT INTO LINE VALUES(1008, 3, 'CH10X', 1, 9.95);
1 row created.

```

QUERY-03: For each table of SalesCo database, list all the enforced constraints. (Use USER_CONSTRAINTS)

```

SELECT CONSTRAINT_NAME, TABLE_NAME, SEARCH_CONDITION, GENERATED FROM USER_CONSTRAINTS
WHERE TABLE_NAME= 'CUSTOMER' ;

```

| CONSTRAINT_NAME | TABLE_NAME | SEARCH_CONDITION | GENERATED |
|--------------------|------------|--------------------------------|----------------|
| ----- | ----- | ----- | ----- |
| SYS_C0011057 | CUSTOMER | "C_CODE" IS NOT NULL | GENERATED NAME |
| SYS_C0011058 | CUSTOMER | "LNAME" IS NOT NULL | GENERATED NAME |
| SYS_C0011059 | CUSTOMER | "FNAME" IS NOT NULL | GENERATED NAME |
| SYS_C0011060 | CUSTOMER | "C_AREA" IS NOT NULL | GENERATED NAME |
| SYS_C0011061 | CUSTOMER | "C_PHONE" IS NOT NULL | GENERATED NAME |
| CUSTOMER_CK_C_CODE | CUSTOMER | C_CODE BETWEEN 10010 AND 99999 | USER NAME |

| | | | |
|--------------------|----------|----------------------------|-----------|
| CUSTOMER_CK_C_AREA | CUSTOMER | C_AREA BETWEEN 501 AND 999 | USER NAME |
| CUSTOMER_PK_C_CODE | CUSTOMER | | USER NAME |

8 rows selected.

SQL> SELECT CONSTRAINT_NAME, TABLE_NAME, SEARCH_CONDITION, GENERATED FROM
USER_CONSTRAINTS WHERE TABLE_NAME= 'PRODUCT' ;

| CONSTRAINT_NAME | TABLE_NAME | SEARCH_CONDITION | GENERATED |
|-------------------|------------|------------------------|----------------|
| ----- | ----- | ----- | ----- |
| SYS_C0011081 | PRODUCT | "P_CODE" IS NOT NULL | GENERATED NAME |
| SYS_C0011082 | PRODUCT | "DESCRIPT" IS NOT NULL | GENERATED NAME |
| SYS_C0011083 | PRODUCT | "P_DATE" IS NOT NULL | GENERATED NAME |
| SYS_C0011084 | PRODUCT | "QTY" IS NOT NULL | GENERATED NAME |
| SYS_C0011085 | PRODUCT | "P_MIN" IS NOT NULL | GENERATED NAME |
| SYS_C0011086 | PRODUCT | "P_PRICE" IS NOT NULL | GENERATED NAME |
| SYS_C0011087 | PRODUCT | "V_CODE" IS NOT NULL | GENERATED NAME |
| PRODUCT_CK_P_MIN | PRODUCT | P_MIN < QTY | USER NAME |
| PRODUCT_PK_P_CODE | PRODUCT | | USER NAME |

9 rows selected.

SQL> SELECT CONSTRAINT_NAME, TABLE_NAME, SEARCH_CONDITION, GENERATED FROM
USER_CONSTRAINTS WHERE TABLE_NAME= 'VENDOR' ;

| CONSTRAINT_NAME | TABLE_NAME | SEARCH_CONDITION | GENERATED |
|-------------------|------------|-------------------------------------|----------------|
| ----- | ----- | ----- | ----- |
| SYS_C0011091 | VENDOR | "V_CODE" IS NOT NULL | GENERATED NAME |
| SYS_C0011092 | VENDOR | "V_NAME" IS NOT NULL | GENERATED NAME |
| SYS_C0011093 | VENDOR | "V_CONTACT" IS NOT NULL | GENERATED NAME |
| SYS_C0011094 | VENDOR | "V_AREA" IS NOT NULL | GENERATED NAME |
| SYS_C0011095 | VENDOR | "V_PHONE" IS NOT NULL | GENERATED NAME |
| SYS_C0011096 | VENDOR | "V_STATE" IS NOT NULL | GENERATED NAME |
| VENDOR_CK_V_CODE | VENDOR | V_CODE BETWEEN 21000 AND 99999 | USER NAME |
| VENDOR_CK_V_AREA | VENDOR | V_AREA BETWEEN 501 AND 999 | USER NAME |
| VENDOR_CK_V_STATE | VENDOR | V_STATE IN ('TN', 'FL', 'KY', 'GA') | USER NAME |
| VENDOR_PK_V_CODE | VENDOR | | USER NAME |

10 rows selected.

SQL> SELECT CONSTRAINT_NAME, TABLE_NAME, SEARCH_CONDITION, GENERATED FROM
USER_CONSTRAINTS WHERE TABLE_NAME= 'INVOICE' ;

| CONSTRAINT_NAME | TABLE_NAME | SEARCH_CONDITION | GENERATED |
|--------------------|------------|-------------------------------|----------------|
| SYS_C0011075 | INVOICE | "INV_NUM" IS NOT NULL | GENERATED NAME |
| SYS_C0011076 | INVOICE | "C_CODE" IS NOT NULL | GENERATED NAME |
| SYS_C0011077 | INVOICE | "INV_DATE" IS NOT NULL | GENERATED NAME |
| INVOICE_CK_INV_NUM | INVOICE | INV_NUM BETWEEN 1001 AND 9999 | USER NAME |
| INVOICE_PK_INV_NUM | INVOICE | | USER NAME |
| INVOICE_FK_C_CODE | INVOICE | | USER NAME |

6 rows selected.

**SQL> SELECT CONSTRAINT_NAME, TABLE_NAME, SEARCH_CONDITION, GENERATED FROM
USER_CONSTRAINTS WHERE TABLE_NAME= 'LINE' ;**

| CONSTRAINT_NAME | TABLE_NAME | SEARCH_CONDITION | GENERATED |
|-----------------------|------------|-----------------------|----------------|
| SYS_C0011101 | LINE | "INV_NUM" IS NOT NULL | GENERATED NAME |
| SYS_C0011102 | LINE | "L_NUM" IS NOT NULL | GENERATED NAME |
| SYS_C0011103 | LINE | "P_CODE" IS NOT NULL | GENERATED NAME |
| SYS_C0011104 | LINE | "L_UNITS" IS NOT NULL | GENERATED NAME |
| SYS_C0011105 | LINE | "L_PRICE" IS NOT NULL | GENERATED NAME |
| LINE_CK_L_NUM | LINE | L_NUM BETWEEN 1 AND 9 | USER NAME |
| LINE_CK_L_UNITS | LINE | L_UNITS > 0 | USER NAME |
| LINE_CK_L_PRICE | LINE | L_PRICE > 0 | USER NAME |
| LINE_PK_INV_NUM_L_NUM | LINE | | USER NAME |
| LINE_FK_P_CODE | LINE | | USER NAME |
| LINE_FK_INV_NUM | LINE | | USER NAME |

11 rows selected.

QUERY-04: List the contents of all the tables in the database.

SELECT * FROM CUSTOMER ;

| C_CODE | LNAME | FNAME | C_AREA | C_PHONE | BALANCE |
|--------|----------|-------|--------|---------|---------|
| 10010 | Anderson | James | 615 | 2933893 | 0 |
| 10011 | Kurtis | Elena | 713 | 2753455 | 0 |
| 10012 | Smith | Kathy | 615 | 2873453 | 345.86 |
| 10013 | Paul | Chris | 615 | 2879998 | 536.75 |
| 10014 | Johnson | Bill | 615 | 2455533 | 0 |
| 10015 | Samuels | Julia | 713 | 2345432 | 0 |

| | | | | | |
|-------|--------|--------|-----|---------|--------|
| 10016 | Ford | Gustav | 615 | 2223444 | 768.93 |
| 10017 | Lee | Ming | 713 | 2323234 | 216.55 |
| 10019 | Green | Walter | 615 | 2786403 | 0 |
| 10018 | Harris | Anne | 615 | 2233445 | 221.19 |
| 10020 | Dawson | Grace | 904 | 3562098 | 452.99 |

SELECT * FROM VENDOR ;

| V_CODE | V_NAME | V_CONTACT | V_AREA | V_PHONE | V_STATE | V_ORDER |
|--------|-------------------|-------------|--------|---------|---------|---------|
| 21225 | Bryson, Inc. | Bella | 615 | 2453628 | TN | Y |
| 21226 | SuperLoo, Inc. | Ching-Hun | 904 | 3876330 | FL | N |
| 21231 | GnB Supply | Samson | 615 | 2889922 | TN | Y |
| 21344 | Gomez Sons | Mark | 615 | 2986363 | KY | N |
| 22587 | Downing, Inc. | Simon Singh | 901 | 3985333 | GA | N |
| 23119 | Blackman Sisters | Svetlana | 901 | 3562429 | GA | Y |
| 24004 | Almeda House | Almeda | 615 | 2787878 | TN | N |
| 24288 | Justin Stores | Gracy Yu | 615 | 2543333 | TN | Y |
| 25443 | Super Systems | Ted Hwang | 904 | 3561111 | FL | N |
| 25501 | Silvermines Ltd. | Anne White | 615 | 2983455 | TN | N |
| 25595 | HighEnd Supplies | Smith | 904 | 3098773 | FL | Y |
| 24992 | Martha Associates | Jasmine Ray | 904 | 2863322 | KY | Y |

12 rows selected.

SQL> SELECT * FROM PRODUCT ;

| P_COD | DESCRIPT | P_DATE | QTY | P_MIN | P_PRICE | P_DISC | V_CODE |
|-------|-------------------|-----------|-----|-------|---------|--------|--------|
| AB112 | Power Painter | 03-NOV-11 | 8 | 5 | 109.99 | 0 | 25595 |
| SB725 | 7.25in Saw Blade | 13-DEC-11 | 32 | 15 | 14.99 | .05 | 21344 |
| SB900 | 9.00 in Saw Blade | 13-NOV-11 | 18 | 12 | 17.49 | 0 | 21344 |
| CL025 | Hrd. Cloth 1/4in | 15-JAN-12 | 15 | 8 | 39.95 | 0 | 23119 |
| CL050 | Hrd. Cloth 1/2in | 15-JAN-12 | 23 | 5 | 43.99 | 0 | 23119 |
| JB012 | Jigsaw 12in Blade | 30-DEC-11 | 8 | 5 | 109.92 | .05 | 24288 |
| JB008 | Jigsaw 8in Blade | 24-DEC-11 | 6 | 5 | 99.87 | .05 | 24288 |
| CD00X | Cordless Drill | 20-JAN-12 | 12 | 5 | 38.95 | .05 | 25595 |
| CH10X | Claw Hammer | 20-JAN-12 | 23 | 10 | 9.95 | .1 | 21225 |
| SH100 | Sledge Hammer | 02-JAN-12 | 8 | 5 | 14.4 | .05 | 21225 |
| RF100 | Rat Tail File | 15-DEC-11 | 43 | 20 | 4.99 | 0 | 21344 |
| HC100 | Hicut Chain Saw | 07-FEB-12 | 11 | 5 | 256.99 | .05 | 24288 |
| PP101 | PVC Pipe | 20-FEB-12 | 188 | 75 | 5.87 | 0 | 24288 |

| | | | | | |
|--------------------------|-----------|-----|-----|--------|----------|
| MC001 Metal Screw | 01-MAR-12 | 172 | 75 | 6.99 | 0 21225 |
| WC025 2.5in wide Screw | 24-FEB-12 | 237 | 100 | 8.45 | 0 21231 |
| SM48X Steel Malting Mesh | 17-JAN-12 | 18 | 5 | 119.95 | .1 25595 |
| HH15X Hanging Hook 15in | 10-JAN-13 | 200 | 25 | 5.75 | 0 24992 |

17 rows selected.

SQL> SELECT * FROM INVOICE ;

| INV_NUM | C_CODE | INV_DATE |
|---------|--------|-----------|
| ----- | ----- | ----- |
| 1001 | 10014 | 16-JAN-12 |
| 1002 | 10011 | 16-JAN-12 |
| 1003 | 10012 | 16-JAN-12 |
| 1004 | 10017 | 17-JAN-12 |
| 1005 | 10011 | 17-JAN-12 |
| 1006 | 10014 | 17-JAN-12 |
| 1007 | 10015 | 17-JAN-12 |
| 1008 | 10011 | 17-JAN-12 |
| 1009 | 10020 | 22-JUN-13 |

9 rows selected.

SQL> SELECT * FROM LINE ;

| INV_NUM | L_NUM | P_COD | L_UNITS | L_PRICE |
|---------|-------|-------|---------|---------|
| ----- | ----- | ----- | ----- | ----- |
| 1001 | 1 | SB725 | 1 | 14.99 |
| 1001 | 2 | CH10X | 1 | 9.95 |
| 1002 | 1 | RF100 | 2 | 4.99 |
| 1003 | 1 | CD00X | 1 | 38.95 |
| 1003 | 2 | CL025 | 1 | 39.95 |
| 1003 | 3 | SB725 | 5 | 14.99 |
| 1004 | 2 | RF100 | 3 | 4.99 |
| 1004 | 3 | CH10X | 2 | 9.95 |
| 1005 | 1 | PP101 | 12 | 5.87 |
| 1006 | 1 | MC001 | 3 | 6.99 |
| 1006 | 2 | JB012 | 1 | 109.92 |
| 1006 | 3 | CH10X | 1 | 9.95 |
| 1006 | 4 | HC100 | 1 | 256.99 |
| 1007 | 1 | SB725 | 2 | 14.99 |
| 1007 | 2 | RF100 | 1 | 4.99 |

| | | | |
|------|---------|----|--------|
| 1008 | 1 PP101 | 5 | 5.87 |
| 1008 | 2 SM48X | 3 | 119.95 |
| 1008 | 3 CH10X | 1 | 9.95 |
| 1009 | 1 HH15X | 20 | 5.5 |

19 rows selected.

QUERY-05: Write SQL code to insert a LINE record - 1009, 1, HH15X, 20, 5.50. What are the problems encountered? What are the additional requirements? Assume that the 200 units of the product -Hanging Hook 15in|| were supplied by-Martha Associates|| located in -KY' at unit price of 5.75 on January 10, 2013. Minimum stock quantity was anticipated to be 25. The line was billed to Grace Dawson located in area 904 with phone 3562098 and a balance of 452.99 on June 22, 2013. The supplier with ID 24992 has a contact named -Jasmine Ray|| with phone 2863322.

INSERT INTO LINE VALUES (1009,1,'HH15X',20,5.5) ;

ERROR at line 1:

ORA-02291: integrity constraint (SYSTEM.LINE_FK_INV_NUM) violated - parent key not found

Additional requirement : C_CODE of Grace Dawson - 10020

INSERT INTO CUSTOMER VALUES (10020, 'Dawson', 'Grace', 904, 3562098, 452.99);

1 row created.

INSERT INTO VENDOR VALUES(24992, 'Martha Associates', 'Jasmine Ray', 904, 2863322, 'KY', 'Y');

1 row created.

INSERT INTO PRODUCT VALUES('HH15X', 'Hanging Hook 15in', '10-JAN-2013', 200, 25, 5.75, 0.00, 24992);

1 row created.

INSERT INTO INVOICE VALUES(1009, 10020, '22-JUN-13');

1 row created.

INSERT INTO LINE VALUES(1009, 1, 'HH15X', 20, 5.50) ;

1 row created.

QUERY-06: SQL code that will list P_CODE, DESCRIPT, V_CODE for all products that are some kind of blades.

SELECT P_CODE,DESCRIPT,V_CODE FROM PRODUCT WHERE DESCRIPT LIKE '%Blade' ;

| P_COD | DESCRIPT | V_CODE |
|-------|------------------|--------|
| SB725 | 7.25in Saw Blade | 21344 |

| | |
|-------------------------|-------|
| SB900 9.00 in Saw Blade | 21344 |
| JB012 Jigsaw 12in Blade | 24288 |
| JB008 Jigsaw 8in Blade | 24288 |

4 rows selected.

QUERY-07: Write the SQL code that will list for all zero-balance customers their names, phone numbers and customer IDs. You must but ensure that in the output the name is a single field that combines first name followed by last name of the customer.

```
SELECT (FNAME || ' ' || LNAME) AS NAME,C_PHONE,C_CODE FROM CUSTOMER WHERE
BALANCE='0.00' ;
```

| NAME | C_PHONE | C_CODE |
|----------------|---------|--------|
| James Anderson | 2933893 | 10010 |
| Elena Kurtis | 2753455 | 10011 |
| Bill Johnson | 2455533 | 10014 |
| Julia Samuels | 2345432 | 10015 |
| Walter Green | 2786403 | 10019 |

5 rows selected.

QUERY-08: SQL code that will list all products which were added to inventory during 2012.

```
SELECT * FROM PRODUCT WHERE P_DATE LIKE '%12' ;
```

| P_COD | DESCRIPT | P_DATE | QTY | P_MIN | P_PRICE | P_DISC | V_CODE |
|-------|--------------------|-----------|-----|-------|---------|--------|--------|
| CL025 | Hrd. Cloth 1/4in | 15-JAN-12 | 15 | 8 | 39.95 | 0 | 23119 |
| CL050 | Hrd. Cloth 1/2in | 15-JAN-12 | 23 | 5 | 43.99 | 0 | 23119 |
| CD00X | Cordless Drill | 20-JAN-12 | 12 | 5 | 38.95 | .05 | 25595 |
| CH10X | Claw Hammer | 20-JAN-12 | 23 | 10 | 9.95 | .1 | 21225 |
| SH100 | Sledge Hammer | 02-JAN-12 | 8 | 5 | 14.4 | .05 | 21225 |
| HC100 | Hicut Chain Saw | 07-FEB-12 | 11 | 5 | 256.99 | .05 | 24288 |
| PP101 | PVC Pipe | 20-FEB-12 | 188 | 75 | 5.87 | 0 | 24288 |
| MC001 | Metal Screw | 01-MAR-12 | 172 | 75 | 6.99 | 0 | 21225 |
| WC025 | 2.5in wide Screw | 24-FEB-12 | 237 | 100 | 8.45 | 0 | 21231 |
| SM48X | Steel Malting Mesh | 17-JAN-12 | 18 | 5 | 119.95 | .1 | 25595 |

10 rows selected.

