

mini-erp-frontend/

```
├─ src/
|   └─ api/
|       ├── axiosInstance.js    ← base config, token attach, refresh logic
|       ├── auth.js            ← login, register, me
|       ├── catalog.js         ← categories, units, products
|       ├── inventory.js       ← stock in/out/adjustment/history
|       ├── partners.js        ← customers, suppliers
|       ├── purchases.js       ← purchases, purchase-items
|       ├── sales.js           ← invoices, invoice-items
|       └─ reports.js          ← dashboard, sales reports
|
|   └─ pages/
|       ├── auth/
|           ├── Login.jsx
|           └─ Register.jsx
|       ├── catalog/
|           ├── Categories.jsx
|           ├── Units.jsx
|           └─ Products.jsx
|       ├── inventory/
|           ├── StockDashboard.jsx
|           ├── StockIn.jsx
|           └─ StockHistory.jsx
|       ├── partners/
|           ├── Customers.jsx
|           └─ Suppliers.jsx
|       ├── purchases/
|           ├── PurchaseList.jsx
|           └─ PurchaseForm.jsx
```

```
| | └─ sales/
| | | └─ InvoiceList.jsx
| | | └─ InvoiceForm.jsx
| | └─ reports/
| |   └─ Dashboard.jsx
| |
| └─ components/
| | └─ layout/
| | | └─ Sidebar.jsx
| | | └─ Navbar.jsx
| | | └─ ProtectedRoute.jsx
| | └─ common/
| |   └─ Table.jsx
| |   └─ Modal.jsx
| |   └─ Button.jsx
| |
| └─ context/
| | └─ AuthContext.jsx    ← logged-in user, token state
| |
| └─ App.jsx              ← routes define yahan
| └─ main.jsx
| └─ .env                 ← API_BASE_URL
```

Command for project –

```
npm create vite@latest mini-erp-frontend -- --template react
```

```
cd mini-erp-frontend
```

```
npm install
```

```
npm install axios react-router-dom
```

```
npm run dev
```

Step 3: .env file setup

VITE_API_BASE_URL=https://mini-erp-production.up.railway.app/api

Step 4: axiosInstance.js

Ye file banne ke baad, baaki sab API calls isi `instance` ko import karke use karenge — token handling, refresh, sab automatic ho jaayega, har jagah alag se likhna nahi padega.

VITE_API_BASE_URL=https://mini-erp-production.up.railway.app/api

Sprint	work
1	axiosInstance.js + Login/Register pages + ProtectedRoute
2	Category/Unit/Product pages (CRUD tables + forms)
3	Inventory dashboard + stock in/out forms
4	Purchase aur Sales forms (2-step: header pehle, phir items)
5	Reports dashboard

API base URL `.env` mein set karo. `src/api/` folder banao jisme har backend module ke liye ek file ho (`auth.js`, `catalog.js`, `inventory.js`, etc.) — pehle `axiosInstance.js` banao jo token auto-attach aur auto-refresh handle kare (code de rahi hoon). Uske baad Login page se shuru karo, phir Category/Product CRUD, phir Inventory, phir Purchase/Sales.

Purchase aur Sales dono 2-step hain — pehle header create hota hai (`POST /purchases/`), phir items alag se add hote hain (`POST /purchase-items/`) — wahi call stock update karta hai. Poori detail API Reference doc mein hai jo bheji thi.