Rajalakshmi Engineering College

Name: NISHANTH B

Email: 240701364@rajalakshmi.edu.in

Roll no: 240701364 Phone: 7904264876

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
 - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d

1 h.0

3

2

240101364

```
Output: Adding Section: d
Adding Section: h
Enrolled 6
    Removing Section: h
    Enrolled Sections: d
    Exiting program
    Answer
    #include <stdio.h>
    #include <stdlib.h>
    struct Node {
    char data;
      struct Node* next;
    struct Node* top = NULL;
    // You are using GCC
    void push(char value) {
      //Type your code here
      struct Node* n=(struct Node*)malloc(sizeof(n));
       n->data=value;
printf("Adding Section: %c\n",value);
       n->next=top;
    void pop() {
      //Type your code here
      if(top==NULL){
         printf("Stack is empty. Cannot pop.\n");
         return;
      printf("Removing Section: %c\n",top->data);
      struct Node* tmp=top;
      top=top->next;
                                                                                240701364
      free(tmp);
```

```
240701364
     void displayStack() {
      //Type your code here
       if(top==NULL){
          printf("Stack is empty\n");
          return;
       }
       printf("Enrolled Sections: ");
       for(struct Node* n=top;n!=NULL;n=n->next){
          printf("%c ",n->data);
       }
       printf("\n");
     int main() {
       int choice;
      char value;
        do {
          scanf("%d", &choice);
          switch (choice) {
            case 1:
               scanf(" %c", &value);
              push(value);
              break:
            case 2:
               pop();
break
case 3:
disr'
              break;
              displayStack();
              break;
              printf("Exiting program\n");
              break;
            default:
              printf("Invalid choice\n");
       } while (choice != 4);
       return 0;
                                                                           Marks: 10/10 364
     Status : Correct
```