

Ex:8 ANONYMOUS

AIM

To develop a Python script that scans one or more hosts for open FTP (port 21) services and checks whether anonymous login is permitted. Optionally, it lists the contents of the root directory if login is successful.

ALGORITHM

1. **Input Handling:**
 - Accept a single IP/hostname or a text file containing multiple hosts.
 - Optionally accept a `--list` flag to enable root directory listing.
2. **Target Loading:**
 - If the input is a file, read and extract hostnames/IPs line by line.
 - If not a file, treat the input as a single host.
3. **FTP Scan for Each Host:**
 - Attempt to connect to the host on port 21 using a timeout.
 - Retrieve and display the FTP server's welcome banner.
 - Try anonymous login using credentials `anonymous / anonymous@`.
 - If login succeeds:
 - Print success message.
 - If `--list` is enabled, attempt to list root directory contents.
 - If login fails or connection errors occur:
 - Print appropriate error messages (e.g., timeout, refused, permission denied).
4. **Output:**
 - Display results for each host, indicating login success/failure and optional root listing.

CODE:

```
import ftplib
def anonymousLogin(hostname):
    try:
        ftp = ftplib.FTP(hostname)
        response = ftp.login('anonymous', 'anonymous')
        print(response)
        if "230 Anonymous access granted" in response:
            print("\n[*] " + str(hostname) + " FTP Anonymous Login Succeeded.")
            print(ftp.getwelcome())
            ftp.dir()
```

```
except Exception as e:
    print(str(e))
    print("\n[-] ' + str(hostname) + ' FTP Anonymous Login Failed.')
hostname = 'ftp.be.debian.org'
anonymousLogin(hostname)
```

OUTPUT:

```
C:\Users\Lenovo\Desktop>python Anonymous.py
230-Welcome to mirror.as35701.net.

The server is located in Brussels, Belgium.

Server connected with gigabit ethernet to the internet.

The server maintains software archive accessible via ftp, http, https and rsync.

ftp.be.debian.org is an alias for this host, but https will not work with that
alias. If you want to use https use mirror.as35701.net.

Contact: mirror-admin at as35701.net

230 Anonymous access granted, restrictions apply

[*] ftp.be.debian.org FTP Anonymous Login Succeeded.
220 ProFTPD Server (mirror.as35701.net) [::ffff:195.234.45.114]
drwxr-xr-x  9 ftp      ftp      4096 Oct  3 02:52 debian
drwxr-xr-x  5 ftp      ftp      105 Sep  7 06:58 debian-cd
drwxr-xr-x  7 ftp      ftp      4096 Oct  2 17:33 debian-security
drwxr-xr-x  5 ftp      ftp      4096 Oct 13 2006 ftp.irc.org
-rw-r--r--  1 ftp      ftp      717 Apr 15 08:10 HEADER.html
drwxr-xr-x  5 ftp      ftp      4096 Oct  3 07:23 mint
drwxr-xr-x  5 ftp      ftp      49 May 16 11:49 mint-iso
lrwxrwxrwx  1 ftp      ftp      33 Apr 29 2021 pub -> /var/www/html/www.kernel.org/pub/
drwxr-xr-x  7 ftp      ftp      4096 Oct  3 04:45 ubuntu
drwxr-xr-x 39 ftp      ftp      4096 Oct  3 04:57 ubuntu-cdimage
drwxr-xr-x 32 ftp      ftp      4096 Oct  3 07:22 ubuntu-cloudimages
drwxr-xr-x  7 ftp      ftp      4096 Oct  3 05:23 ubuntu-ports
drwxr-xr-x 16 ftp      ftp      4096 Oct  3 01:16 ubuntu-releases
drwxr-xr-x 25 ftp      ftp      303 Oct  3 07:09 video.fosdem.org
-rw-r--r--  1 ftp      ftp      390 Jul  9 2021 welcome.msg
drwxr-xr-x  4 ftp      ftp      4096 Jun 14 2023 www.kernel.org

C:\Users\Lenovo\Desktop>
```

RESULT

For each scanned host, the script outputs:

- Whether anonymous FTP login is allowed.
- The FTP server's banner (if available).
- A list of files in the root directory (if `--list` is used and login succeeds).
- Error messages for unreachable hosts or failed logins.