

SKILL 3

The screenshot shows the MySQL Workbench interface with the following SQL queries in the editor:

```
1 CREATE DATABASE joins_set_operations;
2 USE joins_set_operations;
3 CREATE TABLE class (
4     id INT,
5     name VARCHAR(30)
6 );
7 CREATE TABLE class_info (
8     id INT,
9     address VARCHAR(30)
10 );
11 INSERT INTO class VALUES
12 (1,'abhi'),
13 (2,'adam'),
14 (3,'alex'),
15 (4,'anu'),
16 (5,'ashish');
```

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
1	13:27:32	CREATE DATABASE joins_set_operations	1 row(s) affected	0.015 sec
2	13:28:25	CREATE DATABASE joins_set_operations	Error Code: 1007. Can't create database 'joins_set_operations': database exists	0.047 sec
3	13:28:37	USE joins_set_operations	0 row(s) affected	0.000 sec
4	13:29:40	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.078 sec
5	13:29:54	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.047 sec
6	13:30:09	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (3,'alex'), (4,'anu'), (5,'ashish')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.047 sec

CROSS JOIN:

The screenshot shows the MySQL Workbench interface with the following SQL query in the editor:

```
17 INSERT INTO class_info VALUES
18 (1,'DELHI'),
19 (2,'MUMBAI'),
20 (3,'CHENNAI'),
21 (7,'NOIDA'),
22 (8,'PANIPAT');
23 SELECT *
24 FROM class
25 CROSS JOIN class_info
```

The Result Grid shows the output of the CROSS JOIN query:

	id	name	id	address
5	ashish	1	DELHI	
4	anu	1	DELHI	
3	alex	1	DELHI	
2	adam	1	DELHI	
1	abhi	1	DELHI	
5	ashish	2	MUMBAI	
4	anu	2	MUMBAI	
3	alex	2	MUMBAI	
2	adam	2	MUMBAI	
1	abhi	2	MUMBAI	
5	ashish	3	CHENNAI	
4	anu	3	CHENNAI	
3	alex	3	CHENNAI	
2	adam	3	CHENNAI	
1	abhi	3	CHENNAI	
5	ashish	7	NOIDA	
4	anu	7	NOIDA	
3	alex	7	NOIDA	
2	adam	7	NOIDA	
1	abhi	7	NOIDA	
5	ashish	8	PANIPAT	
4	anu	8	PANIPAT	
3	alex	8	PANIPAT	
2	adam	8	PANIPAT	
1	abhi	8	PANIPAT	

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
3	13:28:37	USE joins_set_operations	0 row(s) affected	0.000 sec
4	13:29:40	CREATE TABLE class (id INT, name VARCHAR(30))	0 row(s) affected	0.078 sec
5	13:29:54	CREATE TABLE class_info (id INT, address VARCHAR(30))	0 row(s) affected	0.047 sec
6	13:30:09	INSERT INTO class VALUES (1,'abhi'), (2,'adam'), (3,'alex'), (4,'anu'), (5,'ashish')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.047 sec
7	13:31:07	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
8	13:31:51	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	25 row(s) returned	0.015 sec / 0.000 sec

INNER JOIN:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

21 (7, 'NOIDA');

22 (8, 'PANIPAT'));

23 SELECT *

24 FROM class

25 CROSS JOIN class_info;

26 SELECT *

27 FROM class

28 INNER JOIN class_info

29 ON class.id = class_info.id;

Result Grid

id	name	id	address
1	abhi	1	DELHI
2	aden	2	MUMBAI
3	alex	3	CHENNAI

Output

No object selected

Information

Read Only

Object Info Session

Type here to search

13:33 28-08-2026

INNER JOIN (Name & Address):

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

26 SELECT *

27 FROM class

28 INNER JOIN class_info

29 ON class.id = class_info.id;

30 SELECT class.name,

31 class_info.address

32 FROM class

33 INNER JOIN class_info

34 ON class.id = class_info.id;

Result Grid

name	address
abhi	DELHI
aden	MUMBAI
alex	CHENNAI

Output

No object selected

Information

Read Only

Object Info Session

Type here to search

13:33 28-08-2026

NATURAL JOIN:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

29 ON class.id = class_info.id;

30 SELECT class.name,

31 class_info.address

32 FROM class

33 INNER JOIN class_info

34 ON class.id = class_info.id;

35 SELECT *

36 FROM class

37 NATURAL JOIN class_info;

Result Grid

id	name	address
1	abhi	DELHI
2	adani	MUMBAI
3	alex	CHENNAI

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
6	13:30:09	INSERT INTO class_info VALUES (1,'abhi'), (2,'adani'), (3,'alex'), (4,'anu'), (5,'ashish')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.047 sec
7	13:31:07	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
8	13:31:51	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	25 row(s) returned	0.015 sec / 0.000 sec
9	13:33:08	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
10	13:33:46	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L	3 row(s) returned	0.000 sec / 0.000 sec
11	13:34:18	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

13:34 28-08-2026

LEFT OUTER JOIN:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

33 INNER JOIN class_info

34 ON class.id = class_info.id;

35 SELECT *

36 FROM class

37 NATURAL JOIN class_info

38 SELECT *

39 FROM class

40 LEFT OUTER JOIN class_info

41 ON class.id = class_info.id;

Result Grid

id	name	id	address
1	abhi	1	DELHI
2	adani	2	MUMBAI
3	alex	3	CHENNAI
4	anu		
5	ashish		

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	13:31:07	INSERT INTO class_info VALUES (1,'DELHI'), (2,'MUMBAI'), (3,'CHENNAI'), (7,'NOIDA'), (8,'PANIPAT')	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0	0.016 sec
8	13:31:51	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	25 row(s) returned	0.015 sec / 0.000 sec
9	13:33:08	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
10	13:33:46	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id L	3 row(s) returned	0.000 sec / 0.000 sec
11	13:34:18	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
12	13:34:40	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

13:34 28-08-2026

Students Without Address:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```

38 SELECT *
39 FROM class
40 LEFT OUTER JOIN class_info
41 ON class.id = class_info.id;
42 SELECT *
43 FROM class
44 LEFT JOIN class_info
45 ON class.id = class_info.id
46 WHERE class_info.id IS NULL;

```

Result Grid

id	name	id	address
4	anu		
5	adish		

Output

No object selected

Information

Read Only

Output

#	Time	Action	Message	Duration / Fetch
8	13:31:51	SELECT * FROM class CROSS JOIN class_info LIMIT 0, 1000	25 row(s) returned	0.015 sec / 0.000 sec
9	13:33:08	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
10	13:33:46	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id	3 row(s) returned	0.000 sec / 0.000 sec
11	13:34:18	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
12	13:34:40	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
13	13:35:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

Type here to search

13:35 28-08-2026

RIGHT OUTER JOIN:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```

42 SELECT *
43 FROM class
44 LEFT JOIN class_info
45 ON class.id = class_info.id
46 WHERE class_info.id IS NULL;
47 SELECT *
48 FROM class
49 RIGHT OUTER JOIN class_info
50 ON class.id = class_info.id;

```

Result Grid

id	name	id	address
1	abhi	1	DELHI
2	adani	2	MUMBAI
3	alex	3	CHENNAI
7		7	NOIDA
8		8	PANIPAT

Output

No object selected

Information

Read Only

Output

#	Time	Action	Message	Duration / Fetch
9	13:33:08	SELECT * FROM class INNER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
10	13:33:46	SELECT class.name, class_info.address FROM class INNER JOIN class_info ON class.id = class_info.id	3 row(s) returned	0.000 sec / 0.000 sec
11	13:34:18	SELECT * FROM class NATURAL JOIN class_info LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
12	13:34:40	SELECT * FROM class LEFT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec
13	13:35:20	SELECT * FROM class LEFT JOIN class_info ON class.id = class_info.id WHERE class_info.id IS NULL LIMIT 0, 1000	2 row(s) returned	0.015 sec / 0.000 sec
14	13:35:47	SELECT * FROM class RIGHT OUTER JOIN class_info ON class.id = class_info.id LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

13:35 28-08-2026

Address Without Student:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

47 SELECT *

48 FROM class

49 RIGHT OUTER JOIN class_info

50 ON class.id = class_info.id;

51 SELECT *

52 FROM class

53 RIGHT JOIN class_info

54 ON class.id = class_info.id

55 WHERE class.id IS NULL;

Result Grid

id	name	id	address
7	NOIDA		
8	PANPAT		

Output

No object selected

Information

Read Only

Object Info Session

13:36 28-08-2026

FULL OUTER JOIN (MySQL Version):

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

58 LEFT JOIN class_info

59 ON class.id = class_info.id

60

61 UNION

62

63 SELECT *

64 FROM class

65 RIGHT JOIN class_info

66 ON class.id = class_info.id;

Result Grid

id	name	id	address
1	abhi	1	DELHI
2	adani	2	MUMBAI
3	alex	3	CHENNAI
7	NOIDA		
8	PANPAT		

Output

No object selected

Information

Read Only

Object Info Session

13:37 28-08-2026

Unmatched Records From Both Tables:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam* SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

Result Grid

id	name	id	address
7	NORDA		
8	PANPAT		

Output

No object selected

Information

Read Only

Object Info Session

Type here to search

13:37 28-08-2026

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam* SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

Result Grid

```

70 ON class.id = class_info.id
71 WHERE class_info.id IS NULL
72
73 UNION
74
75 SELECT *
76 FROM class
77 RIGHT JOIN class_info
78 ON class.id = class_info.id
79 WHERE class.id IS NULL;
80
81 CREATE TABLE first_table (
82   id INT,
83   name VARCHAR(30)
84 );
85
86 CREATE TABLE second_table (
87   id INT,
88   name VARCHAR(30)
89 );
90
91 INSERT INTO first_table VALUES
92 (1,'abhi'),
93 (2,'adam');

```

Output

No object selected

Information

Read Only

Object Info Session

Type here to search

13:39 28-08-2026

UNION:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```

85      id INT,
86      name VARCHAR(30)
87    );
88    INSERT INTO first_table VALUES
89    (1,'abhi'),
90    (2,'adam');
91    SELECT * FROM first_table
92    UNION
93    SELECT * FROM second_table;

```

Result Grid

id	name
1	abhi
2	adam

Output

No object selected

Information

Object Info Session

13:39 28-08-2026

UNION Names:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```

88    INSERT INTO first_table VALUES
89    (1,'abhi'),
90    (2,'adam');
91    SELECT * FROM first_table
92    UNION
93    SELECT * FROM second_table;
94    SELECT name FROM first_table
95    UNION
96    SELECT name FROM second_table;

```

Result Grid

name
abhi
adam

Output


No object selected

Information


Object Info Session

13:40 28-08-2026


UNION ALL:




Count Using UNION ALL:



INTERSECT :



Common Names:



MINUS:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam* SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```
113 FROM first_table f
114 INNER JOIN second_table s
115 ON f.name = s.name;
116 SELECT f.id, f.name
117 FROM first_table f
118 LEFT JOIN second_table s
119 ON f.id = s.id
120 AND f.name = s.name
121 WHERE s.id IS NULL;
```

Result Grid

id	name
1	abhi
2	adan

Output

No object selected

Information

Object Info Session

28-08-2026 13:42

Names Only in:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam* SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

```
118 LEFT JOIN second_table s
119 ON f.id = s.id
120 AND f.name = s.name
121 WHERE s.id IS NULL;
122 SELECT f.name
123 FROM first_table f
124 LEFT JOIN second_table s
125 ON f.name = s.name
126 WHERE s.name IS NULL;
```

Result Grid

name
abhi
adan

Output

No object selected

Information

Object Info Session

28-08-2026 13:42

Matching Addresses:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

124 LEFT JOIN second_table s

125 ON f.name = s.name

126 WHERE s.name IS NULL;

127 SELECT c.id,

128 c.name,

129 ci.address

130 FROM class c

131 INNER JOIN class_info ci

132 ON c.id = ci.id;

Result Grid

id	name	address
1	abhi	DELHI
2	adnan	MUMBAI
3	alex	CHENNAI

Result 19

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	13:40:59	SELECT COUNT(*) FROM (SELECT * FROM first_table UNION ALL SELECT * FROM second_table) ...	1 row(s) returned	0.000 sec / 0.000 sec
27	13:41:28	SELECT DISTINCT f.id, f.name FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s...	0 row(s) returned	0.000 sec / 0.000 sec
28	13:41:53	SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
29	13:42:19	SELECT f.id, f.name FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHE...	2 row(s) returned	0.031 sec / 0.000 sec
30	13:42:46	SELECT f.name FROM first_table f LEFT JOIN second_table s ON f.name = s.name WHERE s.name IS NULL...	2 row(s) returned	0.000 sec / 0.000 sec
31	13:43:12	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0, 10...	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

13:43 28-08-2026

Address Status:

MySQL Workbench

Nishanth_2520090141

File Edit View Query Database Server Tools Scripting Help

Navigator

experiment 3 by mam* experiment 4 by mam text 7 text 2 by mam SQL File 6* text 6 by mam SQL File 8* SQL File 9*

SCHMAS

Filter objects

- bankdb
- bookflow_db
- bookflow_db
- kludb
- sales_db
- student
- student_db
- sys

134 c.name,

135 CASE

136 WHEN ci.address IS NULL

137 THEN 'Address Missing'

138 ELSE 'Address Available'

139 END AS Status

140 FROM class c

141 LEFT JOIN class_info ci

142 ON c.id = ci.id;

Result Grid

id	name	Status
1	abhi	Address Available
2	adnan	Address Available
3	alex	Address Available
4	anu	Address Missing
5	ashish	Address Missing

Result 20

Output

Action Output

#	Time	Action	Message	Duration / Fetch
27	13:41:28	SELECT DISTINCT f.id, f.name FROM first_table f INNER JOIN second_table s ON f.id = s.id AND f.name = s...	0 row(s) returned	0.000 sec / 0.000 sec
28	13:41:53	SELECT DISTINCT f.name FROM first_table f INNER JOIN second_table s ON f.name = s.name LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
29	13:42:19	SELECT f.id, f.name FROM first_table f LEFT JOIN second_table s ON f.id = s.id AND f.name = s.name WHE...	2 row(s) returned	0.031 sec / 0.000 sec
30	13:42:46	SELECT f.name FROM first_table f LEFT JOIN second_table s ON f.name = s.name WHERE s.name IS NULL...	2 row(s) returned	0.000 sec / 0.000 sec
31	13:43:12	SELECT c.id, c.name, ci.address FROM class c INNER JOIN class_info ci ON c.id = ci.id LIMIT 0, 10...	3 row(s) returned	0.000 sec / 0.000 sec
32	13:44:11	SELECT c.id, c.name, CASE WHEN ci.address IS NULL THEN 'Address Missing' ...	5 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Type here to search

13:44 28-08-2026