# Webhooks

\_\_\_\_\_\_

**Application Integration** 

### Webhooks

**API Provider** 



```
"0rder": {
"OrderReference": "ABC",
"OrderDate": "2020-08-12",
"ShipToParty": {
   "Name": "Company ABC",
   "Address": "8391 State Street",
   "City": "New York",
   "State": "NY",
   "Zip": "102981"
                       },
"Item": [
      "LineNo": "001",
      "ProductNo": "12919928-1",
      "Description": "Headphones",
      "OrderQuantity": 1200,
      "UnitPrice": 35.50,
      "CurrencyCode": "USD"
```




Subscriber's HTTP Endpoint

### Webhooks

## **Shopify Webhooks Examples**

- Orders cancelled
- Orders create
- Order fulfilled
- Orders paid
- Orders partially fulfilled
- Orders updated



https://help.shopify.com/en/api/reference/events/webhook#events

## Configuring a Webhook

- Set up your HTTP endpoint in the application for the relevant event.
- Consider using a "secret" in the URL.

## **Building Webhook Endpoints**

- You need a reliable endpoint that's always online
- Consider using serverless functions like Amazon Lambdas or Azure Functions
- Workflow automation services like Azure Logic Apps offer a low code approach

### Webhooks

