ChatGPT

Get Plus ×

Share

I want to build a simple C++ console program for my assignment that generates funny excuses for missing homework.

The program should ask the user to enter their name and then display a random excuse using that name. I want to store around 10 different excuse templates in a vector, and each template should include a placeholder like {name} which gets replaced with the actual input.

Make sure the excuse changes every time the program runs, so use proper randomization. Also handle cases where the user enters nothing (it should show an error message).

Please keep the code beginner-friendly and add comments so I can understand it easily.

Here's a clean, beginner-friendly C++ program that does exactly what you need — with proper randomization, name replacement, and input validation.

Ask anything

Student_Excuse_Generator.cpp

Student_Excuse_Generator.cpp > main()

```cpp
#include <iostream>
#include <vector>
#include <string>
#include <cstdlib>
#include <ctime>

using namespace std;

int main() {
    string name;
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Code

```
Asus@DESKTOP-AHJE1JQ MINGW64 /d/Nishchay's folder/FOCP-II - Assignments
$ g++ "Student_Excuse_Generator.cpp" -o "Student_Excuse_Generator" && ./Student_Excuse_Generator
Enter your name: Nishchay
```

Ln 37, Col 2 Spaces: 4 UTF-8 CRLF { } C++ Signed out Win32

ChatGPT

Get Plus ×

Share

There's a problem that after I enter my name, the program just stops and doesn't show any output. It feels like it's stuck or frozen.
I think there might be some issue with my loop or logic after taking input, but I'm not sure what exactly is causing it.

That "freezing" feeling usually isn't random — it almost always comes from input handling or a loop that never exits. Let's narrow it down.

🔍 Most common reasons this happens

1. Mixing `cin >>` and `getline()`

If you used something like:

C++

```
cin >> name;
getline(cin, name);
```

Ask anything

Student_Excuse_Generator.cpp

Student_Excuse_Generator.cpp > main()

```
#include <iostream>
#include <vector>
#include <string>
#include <random>   // modern random library

using namespace std;

int main() {
    string name;

    // Ask user for input
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Code

```
Asus@DESKTOP-AHJE1JQ MINGW64 /d/Nishchay's folder/FOCP-II - Assignments
$ g++ "Student_Excuse_Generator.cpp" -o "Student_Excuse_Generator" && ./Student_Excuse_Generator
Enter your name: Nishchay

≡ƒôî Excuse Generator:
Nishchay's dog accidentally submitted the wrong file.

Asus@DESKTOP-AHJE1JQ MINGW64 /d/Nishchay's folder/FOCP-II - Assignments
$ g++ "Student_Excuse_Generator.cpp" -o "Student_Excuse_Generator" && ./Student_Excuse_Generator
Enter your name: Nishchay

≡ƒôî Excuse Generator:
Nishchay had a power cut during the final submission.

Asus@DESKTOP-AHJE1JQ MINGW64 /d/Nishchay's folder/FOCP-II - Assignments
$
```

Ln 55, Col 2 Spaces: 4 UTF-8 CRLF { } C++ Signed out Win32