

Implement Client Script & UI Policy (Incident)

Problem Statement

Incident records often require consistent and accurate data entry to ensure effective triage, routing, and resolution. However, relying solely on user awareness and manual checks can lead to incomplete, inconsistent, or incorrect data being submitted. This can impact reporting accuracy, SLA compliance, and overall service quality. To address this challenge, there is a need to enforce conditional field behavior and validation directly at the user interface level. Implementing standardized UI Policies and Client Scripts helps control field visibility, mandatory status, and save-time validation, ensuring that Incident records meet defined business rules before they are submitted.

Objective

The objective of the Implement Client Script & UI Policy (Incident) project is to demonstrate how ServiceNow client-side controls can be used to enforce data integrity on Incident records. This implementation showcases how UI Policies and Client Scripts can dynamically make fields mandatory, auto-populate values, control field behavior, and prevent record submission when required conditions are not met. The solution ensures that Incidents are created with complete and valid information, improving data quality and consistency across the platform.

Skills

Incident Management

UI Policy

UI Policy Actions

Client Scripts

Form Validation

Task 1: Create UI Policy on Incident

Activity 1: Create UI Policy

1. Log in to the **ServiceNow instance** with administrative or configuration access.
2. Navigate to:
System UI → UI Policies
3. Click **New** to create a new UI Policy record.
4. Fill in the following details:

- **Name:** High Impact Control
This name clearly represents the purpose of the policy, which is to apply additional controls when an Incident has a high impact.
- **Table:** Incident
Specifies that the UI Policy applies to Incident records.
- **Active:** true
Enables the UI Policy so it is enforced on the Incident form.

5. Configure the **Conditions** section as follows:

- **Field:** Impact
- **Operator:** is
- **Value:** 1 – High

6. This condition ensures the UI Policy is triggered only when the Incident impact is set to High.

7. And Ui policy action Assignment group

8. Check mandatory

9. Set **Reverse if false** to **true**.

This ensures that when the condition is not met, any field changes applied by the policy are automatically reverted.

10. Review the configuration to ensure accuracy.

11. Click **Submit** to save the UI Policy.

servicenow

AllFavoritesHistoryWorkspacesAdmin

UI Policies

Search

UI Policies

Short description

Search

Actions on selected rows...

New

Short description	Table	Conditions	Reverse if false	On load	Updated	Order
UI Policy to hide related feature flags when hidePagination set to true	UX List [sys_ux_list]	hide_pagination=true^EQ	true	true	2021-08-16 21:02:50	0
Mark fields as mandatory without DB override	Security tasks [sn_vsc_security_task]		false	true	2025-01-28 22:28:42	0
Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_id!=NOTEMPTY^EQ	false	true	2015-08-22 00:28:31	1
Hide meta fields	label [sc_ic_question]		true	true	2014-01-21 20:43:35	1
Set Table column ReadOnly	To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]		true	true	2018-08-02 22:16:10	1
Clear save signature before action execution value - when precondition is not Signature	Function [sys_sg_button]	preconditions!=signature^EQ	true	true	2019-04-18 14:01:21	1
Content vs parameters	HTTP Method [sys_rest_message_fn]	http_method=get^ORhttp_method=delete^OR...	true	true	2016-12-15 00:50:13	1
Instance Clone onChange Profile - Hide lock profile	System Clone [clone_instance]	profile!=EMPTY^EQ	true	true	2019-08-15 22:10:40	1
Handle lock	HTTP Method [sys_rest_message_fn]	lock=true^EQ	true	true	2016-05-26 17:07:52	2

1 to 20 of 3,077

servicenow

AllFavoritesHistoryWorkspacesAdmin

UI Policy - New Record ☆

Search

⌵

🌐🔗📧🕒🔔👤

<☰

UI Policy
New record View: Advanced*

🔗⚙️⋮

Submit

Active ☒

* Short description High Impact Control

Order100

When to ApplyScript

ConditionsAdd Filter ConditionAdd OR Clause

Impactis1 - HighANDORX

If selected, the UI Policy applies to all form views; otherwise the UI Policy is view-specific

Apply the UI policy actions when the form is loaded and when the user changes values on the form

Global ☒

On load ☒

Reverse the effects of the UI policy actions when the Conditions evaluate to false

Tables that extend the specified Table inherit this UI Policy

Reverse if false ☒

Inherit ☐

Submit

Related Links
Add to Update Set

servicenow All Favorites History Workspaces UI Policy Action - New Record Search

UI Policy Action New record

UI policy actions specify exactly what actions to take on a specified field. The conditions specified in the UI policy determine when these actions are triggered. [More Info](#)

UI policy High Impact Control

Table Incident [incident]

* Field name Assignment group

Application Global

Mandatory True

Visible Leave alone

Read only False

Clear the field value ☐

Submit

Related Links

[Add to Update Set](#)

Task 2: Create UI Policy Action – Urgency

Activity 1: Configure the Urgency Field

1. Open the UI Policy Actions

Go to the **High Impact Control** UI Policy you created earlier. Scroll down to the **UI Policy Actions** related list. This is where you define the specific behavior of fields when the policy conditions are met.

2. Create a New Action

Click **New** to create a UI Policy Action. This lets you configure how individual fields behave when the UI Policy is triggered.

3. Fill in the Action Details

- **Field name:** Urgency
Select the **Urgency** field on the Incident form. This is the field you want to control.
- **Read-only:** true
Check this option to make the Urgency field read-only whenever the UI Policy condition is met (Impact = High). Users will be able to see the field but cannot change its value.
- **Visible:** Leave this field as is (do not change).
By leaving it unchanged, the field will remain visible on the form, but its behavior will be controlled by the Read-only setting.

4. Submit the Action

Click **Submit** to save the UI Policy Action. The action is now linked to the High Impact Control UI Policy and will automatically apply to the Urgency field when an Incident has High Impact.

5. Optional Verification

To test the action:

- Open an Incident record.
- Set the **Impact** field to **High**.
- Check that the **Urgency** field becomes read-only.
- Change Impact to a different value to confirm that the field reverts back if needed.

The screenshot shows the 'UI Policy Action - New Record' form in ServiceNow. The form is divided into two main sections. The left section contains a table with the following data:

UI policy	High Impact Control
Table	Incident [Incident]
* Field name	Urgency

The right section contains several dropdown menus and checkboxes:

- Application: Global
- Mandatory: Leave alone
- Visible: Leave alone
- Read only: True
- Clear the field value: ☐

At the bottom left, there is a 'Submit' button and a 'Related Links' section with a link to 'Add to Update Set'.

Task 3: Create onChange Client Script

Activity 1: Create Client Script

1. **Navigate to Client Scripts:**
Go to System UI → Client Scripts.
2. **Click New** to create a new Client Script.
3. **Fill in the details:**

- **Name:** Auto set urgency for high impact – clearly shows the purpose.
- **Table:** Incident – the script runs only on Incident records.
- **Type:** onChange – executes when a field value changes.
- **Field name:** Impact – triggers the script when Impact is updated.
- **Active:** true – ensures the script runs immediately.

4. **Paste the script** in the script editor section.

5. **Click Submit** to save the Client Script.

6. **Verify:** Open an Incident record and change the Impact field to **High**. The Urgency field should update automatically

Script:

```
function onChange(control, oldValue, newValue, isLoading) {
    if (isLoading || newValue == "") {
        return;
    }

    if (newValue == '1') {
        g_form.setValue('urgency', '1');
        g_form.addInfoMessage('Urgency set to High for High impact incident.');
```

5. **Click Submit.**

servicenow All Favorites History Workspaces Admin UI Policies							
UI Policies		Order	Search	Actions on selected rows... New			
All	Short description	Table	Conditions	Reverse if false	On load	Updated	Order
☐	UI Policy to hide related feature flags when hidePagination set to true	UX List [sys_ux_list]	hide_pagination=true^EQ	true	true	2021-08-16 21:02:50	0
☐	Mark fields as mandatory without DB override	Security tasks [sn_vsc_security_task]		false	true	2025-01-28 22:28:42	0
☐	Always Hide Read-only Related List Field	Relationship [sys_relationship]	sys_idISNOTEMPTY^EQ	false	true	2015-08-22 00:28:31	1
☐	Hide meta fields	label [sc_ic_question]		true	true	2014-01-21 20:43:35	1
☐	Set Table column ReadOnly	To-dos Widget Mapping [sn_hr_sp_todos_widget_mapping]		true	true	2018-08-02 22:16:10	1
☐	Clear save signature before action execution value - when precondition is not Signature	Function [sys_sg_button]	preconditions!=signature^EQ	true	true	2019-04-18 14:01:21	1
☐	Content vs parameters	HTTP Method [sys_rest_message_fn]	http_method=get^ORhttp_method=delete^ORh...	true	true	2016-12-15 00:50:13	1
☐	Instance Clone onChange Profile - Hide lock profile	System Clone [clone_instance]	profileISEMPTY^EQ	true	true	2019-08-15 22:10:40	1
☐	Handle lock	HTTP Method [sys_rest_message_fn]	lock=true^EQ	true	true	2016-05-26 17:07:52	2

servicenow
All Favorites History Workspaces
Client Script - Autoset urgency for high impact
Search

Client Script
Autoset urgency for high impact
Update Delete

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "hide-script.block.client.globals" to false.

Name: Autoset urgency for high impact
Table: Incident [incident]
UI Type: Desktop
Type: onChange
Field name: Impact

Application: Global
Active: ☒
Inherited: ☐
Global: ☒

Description:
Messages:

Script

```

1
2 function onChange(control, oldValue, newValue, isLoading) {
3     if (isLoading || newValue == '') {
4         return;
5     }
6
7     if (newValue == '1') {

```

Task 4: Create onSubmit Client Script (Save Validation)

Activity 1: Create Client Script

1. Navigate to Client Scripts:

Go to System UI → Client Scripts in your ServiceNow instance.

2. Click New to create a new Client Script.

3. Fill in the details:

- **Name:** Prevent save if Assigned To missing – clearly indicates that the script prevents saving if the field is empty.
- **Table:** Incident – applies the script only to Incident records.

- **Type:** onSubmit – executes when the user tries to save the record.
 - **Active:** true – ensures the script is enforced immediately.
4. **Paste the script** into the script editor section. This script should check if the **Assigned To** field is empty and prevent the record from saving if it is.
 5. **Click Submit** to save the Client Script.
 6. **Verify:** Try saving an Incident without filling the **Assigned To** field. The script should prevent the save and display a warning.

7. Paste the script:

```
function onSubmit() {  
  
    if (g_form.getValue('impact') == '1' &&  
        g_form.getValue('assigned_to') == "") {  
  
        g_form.showErrorBox(  
            'assigned_to',  
            'Assigned To is mandatory for High impact incidents.'  
        );  
  
        return false;  
    }  
  
    return true;  
}
```

8. Click **Submit**.

servicenow All Favorites History Admin Client Script - Prevent save if Assigned To missing Search

Client Script Prevent save if Assigned To missing Update Delete

New client-scripts are run in strict mode, with direct DOM access disabled. Access to jQuery, prototype and the window object are likewise disabled. To disable this on a per-script basis, configure this form and add the "Isolate script" field. To disable this feature for all new globally-scoped client-side scripts set the system property "hide.script.block.client.globals" to false.

Name: Prevent save if Assigned To missing Application: Global

Table: Incident [Incident] Active: ☒

UI Type: Desktop Inherited: ☐

Type: onSubmit Global: ☒

Description:

Messages:

Script:

```

1 function onSubmit() {
2   if (g_form.getValue('impact') == '1' &&
3       g_form.getValue('assigned_to') == '') {
4     g_form.showErrorMessage(
5       'assigned_to',
6       'Assigned To is mandatory for High impact incidents.'
7     )
  }
}

```

Task 5: Create onCellEdit Client Script

Activity 1: Create Client Script

1. Navigate to Client Scripts:

Go to System UI → Client Scripts in your ServiceNow instance.

2. Click New to create a new Client Script.

3. Fill in the details:

- **Name:** Prevent state change via list edit – clearly indicates that the script prevents users from changing the State field directly in a list.
- **Table:** Incident – applies the script only to Incident records.
- **Type:** onCellEdit – runs whenever a field is edited directly in a list view.
- **Field name:** State – the script will monitor changes to the State field.
- **Active:** true – ensures the script is enforced immediately.

4. Paste the script into the script editor section. The script should prevent unauthorized changes to the State field when editing from the list view.

5. Click Submit to save the Client Script.

6. Verify: Open an Incident list and try to change the State field directly in the list. The script should block the change as intended.

7. In the Script field, paste the following code:

```
function onCellEdit(sysIDs, table, oldValues, newValue, callback) {  
  
    alert('State cannot be updated using list editing. Please open the Incident.');
```

callback(false);

```
}
```

8. Click **Submit**.

Task 6: Testing the Configuration

Activity 1: Test Mandatory Enforcement

1. **Navigate to Incident:**

Go to Incident → Create New to open a new Incident form.

2. **Set the Impact Field:**

Select **High** for the **Impact** field. This will trigger the UI Policy and Client Script behaviors you configured earlier.

3. **Leave Assigned To Empty:**

Do not fill in the **Assigned To** field. This will test the onSubmit Client Script that


prevents saving if Assigned To is missing.

4. Click Submit:

Attempt to save the Incident record.

5. Verify the Result:

- The Incident should **not be saved** because Assigned To is required when Impact is High.
- An **error message** should appear, indicating that the Assigned To field cannot be empty.
- Confirm that all UI Policy actions, such as read-only fields or automated urgency updates, are working as expected.

A screenshot of the ServiceNow 'Incident - Create INC0010010' form. The form is divided into two main sections. The left section contains fields for 'Number' (INC0010010), 'Caller' (Abel Tuter), 'Category' (Inquiry / Help), 'Subcategory' (-- None --), 'Service', 'Service offering', and 'Configuration item'. The right section contains fields for 'Channel' (-- None --), 'State' (New), 'Impact' (1 - High), 'Urgency' (1 - High), and 'Priority' (1 - Critical). The 'Impact' field is highlighted with a red box. Below these fields, there is a section for 'Assignment group' with a dropdown set to 'CAB Approval'. The 'Assigned to' field is empty and highlighted with a red box. A red error message box is displayed below the 'Assigned to' field, stating: 'Assigned To is mandatory for High impact incidents.' At the bottom of the form, there are fields for 'Short description' (hii) and 'Description'.

Activity 2: Test Successful Save

1. Fill the Assigned To Field:

Open the Incident form and select a user in the **Assigned To** field. This ensures the onSubmit Client Script condition is satisfied.

2. Click Submit:

Attempt to save the Incident record.

3. Verify the Result:

- The Incident should be **saved successfully** without any errors.
- Confirm that all other configured behaviors, such as:
 - **Urgency auto-setting** (from the onChange Client Script)
 - **Read-only fields** (from the UI Policy Action)
 - **State restrictions** (from the onCellEdit Client Script) are functioning as expected

The screenshot displays the ServiceNow Incident form for record INC0010007. The form is titled "Incident - Create INC0010007" and includes a search bar and navigation tabs. The form fields are organized into two columns. The left column contains fields for Number (INC0010007), Caller (Abel Tuter), Category (Inquiry / Help), Subcategory (-- None --), Service, Service offering, Configuration item, Short description (hii), and Description. The right column contains fields for Channel (-- None --), State (New), Impact (1 - High, highlighted with a red box), Urgency (1 - High), Priority (1 - Critical), Assignment group (CAB Approval), Assigned to (Bernard Laboy), Escalate to manufacturer (checkbox), and Manufacturer contact. The form also includes a "Related Search Results" section at the bottom with a search bar and a "Knowledge & Catalog (All)" dropdown.

Activity 3: Reverse Condition Test

1. Open an Existing Incident:

Go to Incident → Open and select an Incident where **Impact** is currently set to **High**.

2. Change Impact:

Update the **Impact** field from **High** to **Medium**. This will test the **Reverse if false**

functionality of your UI Policy and the behavior of your Client Scripts.

3. Verify the Field Behavior:

- **Assigned To** should no longer be mandatory.
- **Urgency** should now be editable, meaning the read-only UI Policy action is reversed.

Save the Record:

Click **Submit** to save the changes. The record should save successfully without errors, confirming that the reverse condition works as intended.

The screenshot shows the ServiceNow 'Incident - Create INC0010012' form. The form is divided into two main sections: 'Incident' (left) and 'Assignment' (right). The 'Incident' section includes fields for Number (INC0010012), Caller (Abel Tuter), Category (Inquiry / Help), Subcategory (None), Service, Service offering, Configuration item, Short description (hil), and Description. The 'Assignment' section includes fields for Channel (None), State (New), Impact (2 - Medium), Urgency (1 - High), Priority (2 - High), Assignment group, and Assigned to. The 'Urgency' field is highlighted with a red box. The 'Assigned to' field is also highlighted with a red box. The 'Urgency' field is currently set to '1 - High' and is highlighted with a green border. The 'Assigned to' field is currently empty and is highlighted with a red border. The 'Urgency' field is also highlighted with a red box. The 'Assigned to' field is also highlighted with a red box. The 'Urgency' field is also highlighted with a red box. The 'Assigned to' field is also highlighted with a red box.

Activity 4: Test List Edit Blocking

1. Navigate to the Incident List:

Go to Incident → All to view all Incident records in a list view.

2. Attempt a List Edit:

- Locate any Incident in the list.
- **Double-click the State field** to try editing it directly from the list.

3. Verify the Behavior:

- An **alert message** should appear, indicating that direct changes to the State field are not allowed.
- The **State value should remain unchanged**, confirming that the onCellEdit Client Script is working correctly.

servicenow											
All Favorites History Workspaces Admin Incidents											
Number Search Actions on selected rows... New											
All	Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
	INC0010002	2026-10-02 18:14:38	practise	Abel Tuter	4 - Low	New	Inquiry / Help	(empty)	(empty)	2026-10-02 18:15:59	admin
	INC0009009	2018-08-30 08:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:30:24	admin
	INC0009005	2018-09-01 04:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-13 07:18:55	admin
	INC0009004	2018-09-01 13:13:30	Defect tracking tool is down.	David Miller	3 - Moderate	Closed	Software	(empty)	(empty)	2026-06-25 08:08:19	system
	INC0009003	2018-08-30 09:17:32	Cannot sign into the company portal app	David Miller	3 - Moderate	Closed	Inquiry / Help	(empty)	(empty)	2018-12-13 07:39:53	admin
	INC0009002	2018-09-16 12:49:23	My computer is not detecting the headphone device	David Miller	3 - Moderate	Closed	Hardware	(empty)	(empty)	2026-06-25 08:08:18	system
	INC0009001	2018-09-12 03:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:32:42	admin
	INC0008112	2019-07-29 18:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 18:49:28	admin
	INC0008111	2019-07-22 21:04:57	ATF : Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 21:05:48	admin
	INC0008001	2021-01-15	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21	admin

servicenow											
All Favorites History Workspaces Incidents											
Number Search Actions on selected rows... New											
All > Active = true	Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
	INC0010002	2026-10-02 18:14:38	practise	Abel Tuter	4 - Low	New	Inquiry / Help	(empty)	(empty)	2026-10-02 18:15:59	admin
	INC0009009	2018-08-30 08:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:30:24	admin
	INC0009005	2018-09-01 04:35:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-13 07:18:55	admin
	INC0009001	2018-09-12 03:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:32:42	admin
	INC0008112	2019-07-29 18:48:43	Assessment : ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 18:49:28	admin
	INC0008111	2019-07-22 21:04:57	ATF : Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 21:05:48	admin
	INC0008001	2021-01-15 21:04:14	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 23:31:42	admin
	INC0007002	2018-10-17 05:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:28:49	admin
	INC0007001	2018-10-17 05:47:10	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Opspace	(empty)	2026-06-25 08:02:30	system
	INC0006920	2026-07-24 17:35:00	Unable to Access Salesforce Community Connect	SOAP Guest	5 - Planning	In Progress	Software	Technical Services Support	Bess Marso	2026-07-26 09:47:35	maint

Activity 5: Test Form-Based Update

1. Open the Incident Record:

Navigate to the same Incident record you used in previous tests.

2. Change the State:

On the **Incident form**, update the **State** field to a new value. This tests that changes via the form (not the list) are allowed.

3. Click Update:

Save the record by clicking **Update**.

4. Verify the Result:

- The **State** change should be saved successfully.

- Confirm that other fields, such as **Assigned To** and **Urgency**, still follow the configured UI Policy and Client Script rules.

The screenshot shows the ServiceNow Incident form for INC0008111. The form includes fields for Number, Caller, Category, Subcategory, Service, Configuration Item, Short description, Description, Country, and States. A dropdown menu is open over the 'Save' button, showing options like 'Add to Visual Task Board', 'Copy Incident', 'Create Incident Task', 'Create Outage', 'Create Problem', 'Create Request', 'Create Child Incident', 'Create Normal Change', 'Create Standard Change', 'Create Emergency Change', 'Refresh Impacted Services', 'Metrics Timeline', 'Follow on Live Feed', 'Analyze Access', 'Configure', 'Export', 'View', 'Create Favorite', 'Copy URL', 'Copy sys_id', 'Show HTML', 'History', and 'Reload form'. The 'State' field is set to 'In Progress' and is highlighted with a red box.

The screenshot shows the ServiceNow Incidents list view. The table has columns: Number, Opened, Short description, Caller, Priority, State, Category, Assignment group, Assigned to, Updated, and Updated by. The incident INC0008111 is highlighted with a red box.

Number	Opened	Short description	Caller	Priority	State	Category	Assignment group	Assigned to	Updated	Updated by
INC0010002	2026-10-02 18:14:38	practise	Abel Tuter	4 - Low	New	Inquiry / Help	(empty)	(empty)	2026-10-02 18:15:59	admin
INC0009009	2018-08-30 08:06:16	Unable to access the shared folder.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:30:24	admin
INC0009005	2018-09-01 04:25:21	Email server is down.	David Miller	1 - Critical	New	Software	(empty)	(empty)	2018-12-13 07:18:55	admin
INC0009001	2018-09-12 03:56:26	Unable to post content on a Wiki page	David Miller	3 - Moderate	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:32:42	admin
INC0008112	2019-07-29 18:49:28	Assessment: ATF Assessor	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-29 18:49:28	admin
INC0008111	2019-07-22 21:04:57	ATF: Test1	System Administrator	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2019-07-22 21:05:48	admin
INC0008001	2021-01-19 23:31:42	ATF:TEST2	survey user	5 - Planning	New	Inquiry / Help	(empty)	(empty)	2021-01-21 23:31:42	admin
INC0007002	2018-10-17 05:47:51	Need access to the common drive.	David Miller	4 - Low	New	Inquiry / Help	(empty)	(empty)	2018-12-13 07:28:49	admin
INC0007001	2018-10-17 05:47:51	Employee payroll application server is down.	David Miller	1 - Critical	New	Hardware	Opspace	(empty)	2026-06-25 08:02:30	system
INC0006920	2026-07-24 09:47:35	Unable to Access Salesforce Community Connect	SOAP Guest	5 - Planning	In Progress	Software	Technical Services Support	Bess Marso	2026-07-26 09:47:35	maint
INC0006920	2026-07-24 09:47:35	Unable to Access SuccessFactors	Howard	4 - Low	In Progress	Software	S&P Support	Amelia Farnsworth	2026-07-26 09:47:35	maint

Conclusion

The Implement Client Script & UI Policy (Incident) micro project effectively demonstrates how **UI Policies** and **Client Scripts** can work together to enforce dynamic field behavior, automate updates, and prevent incorrect data submission on Incident forms. By using onChange, onSubmit, and onCellEdit scripts alongside UI Policy actions, the project ensures fields like **Assigned To** and **Urgency** respond appropriately to changes in **Impact**, maintaining clean and consistent data. This solution not only enforces mandatory fields and controls user interactions but also remains lightweight, efficient, and easy to implement, making it ideal for short-duration micro projects while showcasing practical best practices for improving form usability and data integrity in ServiceNow.

