


Task 1 Navigate to Downloads using pwd, ls and cd

Open the Terminal and run:

- pwd




The screenshot shows a terminal window titled 'redhat - VMware Workstation'. The terminal prompt is '[root@localhost ~]#'. The user has entered the command 'pwd', which outputs '/root'. Then, the user has entered the command 'ls', which outputs 'anaconda-ks.cfg my_linux_journey.txt'. The terminal window has a dark background and a light-colored text. The VMware Workstation interface is visible around the terminal window, including the menu bar and toolbar.

```
[root@localhost ~]# pwd
/root
[root@localhost ~]# ls
anaconda-ks.cfg  my_linux_journey.txt
[root@localhost ~]#
```

List files and folders:

- ls



The screenshot shows a terminal window titled 'redhat - VMware Workstation'. The terminal prompt is '[root@localhost ~]#'. The user has entered the command 'pwd', which outputs '/root'. Then, the user has entered the command 'ls', which outputs 'anaconda-ks.cfg my_linux_journey.txt'. The terminal window has a dark background and a light-colored text. The VMware Workstation interface is visible around the terminal window, including the menu bar and toolbar.

```
[root@localhost ~]# pwd
/root
[root@localhost ~]# ls
anaconda-ks.cfg  my_linux_journey.txt
[root@localhost ~]#
```

Go to the Downloads folder:

- `cd Downloads`

Check your current location:

- `pwd`

List the files inside Downloads:

- `ls`

Task 2 Create music_playlist and three MP3 files

Go back to your home directory:

- `cd ~`

Create the directory:


- `mkdir music_playlist`

Move into it:

- `cd music_playlist`

Create three empty files:

- `touch song1.mp3 song2.mp3 song3.mp3`



```
redhat - VMware Workstation
File Edit View VM Tabs Help
Activities Terminal
root@localhost:~/music_playlist
[root@localhost ~]# cd ~
[root@localhost ~]# mkdir music_playlist
bash: mkdir: command not found...
[root@localhost ~]# mkdir music_playlist
[root@localhost ~]# ls
anaconda-ks.cfg  music_playlist  my_linux_journey.txt
[root@localhost ~]# cd music_playlist
[root@localhost music_playlist]# touch song1.mp3 song2.mp3 song3.mp3
[root@localhost music_playlist]# ls
song1.mp3  song2.mp3  song3.mp3
[root@localhost music_playlist]#
```

Task 3 Copy files to backup_playlist

Go back to your home directory:


- `cd ~`

Create the backup directory:

- `mkdir backup_playlist`

Copy all files:

- `cp music_playlist/* backup_playlist/`



```
redhat - VMware Workstation
File Edit View VM Tabs Help
Activities Terminal
Jul 3 11:06
root@localhost:~

[root@localhost music_playlist]# cd ~
[root@localhost ~]# mkdir backup_playlist
[root@localhost ~]# cp music_playlist/* backup_playlist/
[root@localhost ~]# ls backup
ls: cannot access 'backup': No such file or directory
[root@localhost ~]# ls backup_playlist
song1.mp3  song2.mp3  song3.mp3
[root@localhost ~]#
```

Task 4 Rename and delete files

Go to the music_playlist directory:

- `cd ~/music_playlist`

Rename song1.mp3:

- `mv song1.mp3 favorite_song.mp3`

Delete song3.mp3:

- `rm song3.mp3`

```
redhat - VMware Workstation
File Edit View VM Tabs Help
Activities Terminal
Jul 3 11:09
root@localhost:~/music_playlist

[root@localhost music_playlist]# cd ~
[root@localhost ~]# mkdir backup_playlist
[root@localhost ~]# cp music_playlist/* backup_playlist/
[root@localhost ~]# ls backup
ls: cannot access 'backup': No such file or directory
[root@localhost ~]# ls backup_playlist
song1.mp3  song2.mp3  song3.mp3
[root@localhost ~]# cd ~/music_playlist
[root@localhost music_playlist]# mv song1.mp3 favorite_song.mp3
[root@localhost music_playlist]# rm song3.mp3
rm: remove regular empty file 'song3.mp3'?
[root@localhost music_playlist]# rm song3.mp3
rm: remove regular empty file 'song3.mp3'? y
[root@localhost music_playlist]# ls
favorite_song.mp3  song2.mp3
[root@localhost music_playlist]#
```

To direct input to this VM, move the mouse pointer inside or press Ctrl+G.