

Task 1: Install Apache and Verify

Install Apache (httpd):

- `Sudo yum -y install httpd`

Start the service:

- `sudo systemctl start httpd`

Enable it to start automatically after reboot:

- `sudo systemctl enable httpd`

Check status:

- `sudo systemctl status httpd`

Check firewall:

- `sudo firewall-cmd --state`

Allow HTTP:

- `sudo firewall-cmd --permanent --add-service=http`

Reload firewall:

- `sudo firewall-cmd --reload`

Verify:

- `sudo firewall-cmd --list-services`

Task 2: Create "myflipkart" Website

Go to Apache document root:

- `cd /var/www/html`

Create a new folder:

- `sudo mkdir myflipkart`

Create the HTML file:

- `sudo vi /var/www/html/myflipkart/index.html`
 `<!DOCTYPE html>`
 `<html>`
 `<head>`
 `<title>MyFlipkart</title>`
 `</head>`
 `<body>`
 `<h1>Welcome to MyFlipkart Deals!</h1>`

```
</body>
</html>
```

Save:

- Esc
- :wq

Give permission:

- `sudo chmod -R 755 /var/www/html/myflipkart`

Task 3: Configure Apache

Open Apache configuration:

```
sudo vi /etc/httpd/conf/httpd.conf
```

Go to the end of the file and add:

```
Alias /myflipkart "/var/www/html/myflipkart"
```

```
<Directory "/var/www/html/myflipkart">
    Options Indexes FollowSymLinks
    AllowOverride None
    Require all granted
</Directory>
```

Save:

- Esc
- :wq

Restart Apache:

- `sudo systemctl restart httpd`

Now open:

- `http://Your-IP/myflipkart`

Task 4: Add a Favicon

Go inside the website folder:

- `cd /var/www/html/myflipkart`

Copy a small image and rename it:

- `sudo cp image.png favicon.ico`

Edit the HTML page:

- `sudo vi index.html`

```
<!DOCTYPE html>
<html>
<head>
  <title>MyFlipkart</title>
  <link rel="icon" type="image/x-icon" href="favicon.ico">
</head>
<body>

<h1>Welcome to MyFlipkart Deals!</h1>

</body>
</html>
```

Save:

- Esc
- :wq