Assignment 1[html]

1. Are the HTML tags and elements the same things?

> No HTML tags and elements are different things. Tags are keywords on webpage that define how browser displays webpage.Element is combination of start tag, content and close tag.

2. What are tags and attributes in HTML?

> Tags are given a structure on webpage and Attributes are used for change behavior of tags.

3. What are void elements in HTML? With example.

>Void elements are not have closing tag. Void elements are start tag only.

*ex: <img>, <meta>, <line>

4.What are HTML entities? With example.

>HTML entities are used to reserved characters.

*ex: (<),(>),(')

5.What are different types of list in HTML? With example.

> Unordered list <ul> , ordered list <ol> , List item <li> , Description list <dl>

6.What is the "class" attributes in HTML? With example.

>Class attributes are used to make changes in HTML tags by style sheet.

*ex: <html>

           <style>

            .x {height:100px}

            </style>

          <body>

                 <div class="x"> </div>

           </body>

           </html>

7.What is different between "ID" attribute and "class" attribute in HTML? With example.

> "id" is unique attribute. Only one "id" can be use in HTML tag. But "class" attribute is use for multiple time in HTML tag.

    *ex: :   <html>

            <style>

            .x {height:100px}

            .y {color:red}

            #z {height:100px}

            </style>

        <body>

                <div class="x y"> </div>

                <div id="z"></div>

        </body>

        </html>

8.What are the various formatting tags in HTML?

> <b> bold tag

   <strong> strong tag

   <i> italic tag

   <del> deleted tag

9.How is cell padding different from cell spacing? With example.

>Cell padding use for spacing between cell border and cell content and cell spacing use for spacing between two cells.

    *ex:

10.How can we club two row or more rows on row or columns into a single roe or columns? With example.

>We can club the two or more row or columns into row or columns by using rowspan and colspan attributes.

```
*ex: :      <html>

            <body>

                    <table >

                    <tr >

                    <td rowspan="3"></td>

                    <td colspan="3"></td>

                    </table>

            </body>

            </html>
```

11.What is difference between block level elements and inline elements?

>Block level elements are cover 100% width. { <p> ,<h1> ,<h2>}

   Inline elements are cover only content width. {<a> ,<i>}

12.How create hyper link in HTML? With example.

>create hyper link by using anchor tag.

   *ex: <a href="link">

13.what is use of iframe tag? With example.

>iframe tag use for put content like image,video to webpage.

    *ex: <iframe href="link">

14.What is use of span tag? With example.

>span tag use to give style for particular part of content.

    *ex: <p> how areyou</p>

15.How to insert a picture into background-image of a webpage? With example.

>To insert a picture into background image use background-img properties in style attribute.

  *ex: <div style="background-img:url(imge);</div>

16.How are the active links different from normal links?

>Unvisited links are underlined and blue. Visited links are underlined and purple and active links are underlined and red.

17.What are different tags to separate sections of text?

> <div> ,
 ,<p>

18.What is SVG?

>Scalable vector graphics. SVG is resolution free. We can scale them any size without losing quality.

19.What is different between HTML and XHTML?

>XHTML is standardized version of HTML to make more flexible.

20.What is logical and physical tag in HTML?

>Logical tag use to add some logical and meaningful value to content. Physical tag use to provide visual appearance to content.