

1. **Deep Learning is a subfield of ____.**

- Deep Learning
- Artificial Intelligence
- Shallow Learning
- Artificial Neural Network

2. **_____ is not from the Type-1 AI?**

- Narrow AI
- Reactive Machine
- General AI
- Strong AI

3. **Which of the following statements describes a discrete variable?**

- It can take on any value with a range of values.
- It can only take on whole number values.
- It is continuous and can take on any value.
- It is a category with no numerical value.

4. **_____ makes sense of unlabeled data without having any predefined dataset for its training.**

- Supervised Learning
- Unsupervised Learning
- Reinforcement Learning
- Semi-Supervised Learning

5. **Charles Babbage and Boole demonstrated the power of ____.**

- Logic
- Operating system
- Pure reasoning
- Comparative logic

6. **_____ is defined as symbols that represent properties of objects, events and their environment.**

- Data
- Information
- Knowledge
- Intelligence

7. **_____ is the first step in creating a data visualization.**

- Gathering and preparing data

- Creating visualization
- Writing a script
- Researching the background

8. ____ is one of the best examples of Limited Memory machine.

- Self-driving car
- IBM's Deep Blue system
- Google's AlphaGo
- Apple's Siri

9. ____ build knowledge from specific data and past experience with the principles of statistics, probability theory, logic, combinatorial optimization, search, reinforcement learning, and control theory.

- Dynamic Algorithm
- Machine Learning Algorithms
- Greedy Algorithms
- Divide and Conquer Algorithms

10. ____ is the best practice for visual data storytelling.

- Using too many colors and design elements
- Using jargon and technical terms
- Using a clear and concise narrative
- Using small font size for labels and captions

11. ____ the goal is for the software to use what it has learned in one area to solve problems in other areas.

- Machine Learning
- Deep Learning
- Neural Networks
- Data Visualization

12. ____ system uses sensors to detect moisture level in soil.

- Smart House Control
- Smart Agriculture
- User Activity monitoring
- Smart Plant Watering

13. Which of the following is an example of a 5G application for the entertainment industry?

- Virtual reality gaming
- Smart homes

- Remote surgery
- Social media

14. ____ **uses a network of sensors to monitor the vibration levels in the structures such as bridges and buildings.**

- Smart roads
- Smart Parking
- Structural Health Monitoring
- Fire tracking

15. **Number of layers in NGN (Next Generation Network) architecture is ____.**

- 7
- 6
- 4
- 5

16. **Media Gateways are located in ____ of NGN.**

- Access Layer
- Transport Layer
- Control Layer
- Service Layer

17. **IoT stands for ____.**

- Internet of Technology
- Internet of Things
- Internet of Thoughts
- Information of Things

18. **The ____ provide the connectivity for communication and generally support functions within the NGN.**

- Access network
- Control functions
- Transport functions
- Management and maintenance

19. ____ **wireless technology is used to deliver higher multi-Gbps peak data speeds.**

- 2G
- 3G
- 4G

- 5G

20. **The IEEE stands for _____.**

- Institute of Electrical and Electronics Engineering
- Institute of Electronic and Electrical Engineers
- Institute of Electrical and Electronics Engineers
- Institute of Engineering and Electronics Engineering

21. **Which of the following is not a characteristic of IoT?**

- Self-Configuring
- Unique identity
- Self-Adapting
- Artificial intelligence

22. **IEEE 802.11 is a collection of _____ communication standards.**

- Wireless local area network
- Mobile
- Ethernet
- Wireless broadband

23. **This _____ provides the alignment interface between the soft-network and the PSTN signaling network.**

- Access Gateway
- Trunk Media Gateway
- Signaling Gateway
- Media Server

24. **_____ protocols determine how the data is physically sent over the network's physical layer or medium.**

- Link layer
- Physical layer
- Network layer
- Transport layer

25. **Wi Max, Wi-Fi, LTE technology is used in _____ mobile network.**

- 2G
- 3G
- 4G
- 5G

26. **Architecture of blockchain is bpm in the year _____.**

- 2000
- 2014
- 2008
- 2018

27. **The block which has no previous block or reference is called _____.**

- Block 0
- Genesis block
- Root block
- Block 1

28. **The first block of blockchain is called as _____.**

- Genesis Block
- Header block
- Main block
- Initial block

29. **How many layers are there in Blockchain architecture?**

- 6
- 4
- 5
- 3

30. **Nodes is defined as a _____.**

- Platform
- Topic
- An exchange
- A computer in a Blockchain network

31. **Bitcoin and Ethereum are examples of _____.**

- Currency
- Cryptocurrency
- Central Bank
- Algorithm

32. **Where is Blockchain's central server?**

- Where the blockchain is hosted
- In Belgium
- Distributed across all nodes

- Located with each user server

33. In _____ layer of blockchain, simple instructions or set of multiple instructions in the form of smart contract are executed?

- Execution layer
- Application layer
- Semantic layer
- Proposition layer

34. Write the correct sequence steps of procedure to Establish the Chain of Custody?

1. Label the original materials.
2. Perform a hash test analysis to further authenticate the working copies.
3. Take screenshot of digital evidence content.
4. Install bit by bit form of digital evidence content into our forensic computers.

- Sequence of Steps 1, 3, 2, 4
- Sequence of Steps 1, 3, 4, 2
- Sequence of Steps 2, 3, 4, 1
- Sequence of Steps 1, 2, 3, 4

35. Which of the following are the considerations involved with digital evidence?

- Use clear terminology
- Document any extra steps
- Consider safety of personnel at the scene
- All of the above

36. EMCI means _____.

- Examiner Model for Cyberspace Investigation
- Extended Model for Cybercrime Investigation
- Extended Model for Cyberspace Investigation
- Emergency Model for Cyberspace Investigation

37. In IDIP Model which phase requires an investigator to walk through the physical crime scene and identify pieces of physical evidence?

- Deployment phase
- Survey phase
- Presentation phase
- Scoping and Strategy

38. ADFM stands for _____?

- Analog Digital Forensic Model
- Abstract Digital Forensic Model
- Abstract Discrete Forensic Model
- Analog Discrete Forensic Model

39. **Contacts with inmates are examples of ____?**

- Testimonial Evidence
- Documented Evidence
- Explainable Evidence
- Situational Evidence

40. **The general ethical norms for investigator is ____.**

- To contribute to society and human being
- Uphold any relevant evidence
- Maintain any confidential matter
- All of the above

41. **The _____ says that an original writing must be offered as evidence unless it is unavailable, in which case other evidence of its contents may be used.**

- Best Evidence Rule
- Chain of Custody
- Legal Framework or Principle
- Testimonial Evidence

42. **Documented evidence is same as _____ where the proof is presented in writing?**

- Demonstrative
- Definitive
- Testimonial
- Illustrative

43. **Identify the missing step in the following from Executing the Ethical Hacking process:**

1. Start by getting adequate background information about your organization...
 2. Narrow down your scope. Pinpoint the specific systems you are targeting.
- Proceed to the implementation of appropriate countermeasures as recommendations from the findings.
 - Narrow your focus more, coordinate with IT staff, and conduct research to obtain detailed facts.

- Pull down specialized software that identifies exploitable vulnerabilities or assessment tools could incorporate these results.

44. **The intent of ethical hacking is _____.**

- to discover the hackability of the organization
- to promote the malicious attacker's hack tool to better secure systems.
- to discover vulnerabilities from a malicious attacker's viewpoint to better secure systems.
- to introduce vulnerabilities into the global internet.

45. **Using password cracking algorithm to gain access to a system is an example of _____.**

- Security hacking
- Ethical hacking
- System hacking
- Social engineering

46. **The intent of _____ is to validate that security controls exist using a risk-based approach.**

- Security hacking
- Ethical hacking
- System hacking
- Social engineering

47. **Nmap is a(n) _____.**

- widely used port scanning tool.
- widely used commercial freeware, and open source network security scanner.
- commercial security auditing tool.
- automated tool used for hacking, auditing, and discovering hosts on a network.

48. **Respecting privacy is a _____.**

- social hacking
- security assessment protocol
- security assessment obligation
- ethical hacking protocol

49. **Ethical Hacking is _____.**

- Identifying weaknesses in computer systems and/or computer networks and coming up with countermeasures that protect the weaknesses.
- Identifying weaknesses in programmer and coming up with countermeasures that protect the weaknesses.

- Identifying weaknesses in only software and attacking the same.
- Enhancing the weakness in computer system.

50. **This symbol (Grey Hat) signifies ____.**

- White hat hacker, a hacker who gains access to system with a view to fix identified weaknesses.
- Gray hat hacker, a hacker who is in between ethical and black hat hackers.
- Black hat hacker, a hacker who gains unauthorized access to computer systems for personal gain.
- Hacktivist, a hacker who uses hacking to send social, religious, and political etc. messages.

51. **Searching through trash cans and dumpsters for intellectual property, passwords, network diagrams, and other information means ____.**

- ethical hacking
- phreaking
- dumpster diving
- google hacking

52. **Vulnerability scanning in ethical hacking finds ____.**

- Strengths
- Weaknesses
- Opportunities
- Threats

53. **Built in authentication system of a College exam portal is broken down and passwords are cracked to gain access- this attack comes under ____.**

- Operating system attack
- Network infrastructure attack
- Non-technical attack
- Application attack

54. **Windows attack leads to ____.**

- Transmitting malware
- Crashing servers
- Obtaining remote control of workstations
- Capturing and modifying confidential information as it travels across the network

55. **How are the Cross Site Scripting (XSS) vulnerabilities exploited?**

- The attackers alter backend SQL statements by manipulating the user-supplied data.

- They try to target scripts embedded in a page that are executed on the client-side browser rather than at the server side.
- By hacking an email server or performing a basic banner grabbing...
- They attack two or more users on the same or different e-mail systems that have autoresponder configured.

56. What is traffic analysis or social network analysis?

- Crashing servers and Transmitting malware
- Gathering messaging-related information via log files or network analyzer that can tell the attacker about conversations...
- Capturing information while it travels across the network. For example, password stored on servers and workstations.
- Gathering internal network configuration information, such as hostnames and IP addresses.

57. To prevent attachment-overload attacks what should be done?

- Limit the size of operating system files
- Limit the size of either e-mails or e-mail attachments.
- Limit the number of users in the network
- Limit the number of emails.

58. Which one amongst the following is a network infrastructure vulnerability:

- Any unauthorized employee gaining access to the passwords of system
- A malicious employee using a network analyzer can steal confidential information in e-mails and files sent over the network.
- A malicious employee gaining authentication to enterprise system files causing changes in most files.
- An authorized user entering into network for low level work in exchange for money.

59. _____ is a technique used by hackers to find the information exposed accidentally to the internet.

- Buffer overflow
- Google Dorking
- Google Snooper
- GDPR

60. Attackers can use _____ running on your network to make their systems appear as your system.

- Sniffer
- Promiscuous
- ARP (Address Resolution Protocol)

- FTP (File Transfer Protocol)

61. **DoS refers to _____ attack.**

- Denial of System
- Denial of Software
- Denial of Service
- Denial of Serve

62. **Attachment overloading attack, connection attack, autoresponder attack are understood as ____.**

- email bomb attack
- heap based buffer overflow attack
- stack based buffer overflow attack
- message overload attack

63. **Which port is used for Telnet?**

- Port 23
- Port 7
- Port 21
- Port 80

64. **Banner Security tip for SMTP server is ____.**

- Make sure that you're always running the latest software updates.
- Make sure that you're always changing the network IP.
- Make sure that you're always changing password.
- Make sure that you're removing the person and title info.

65. **Storage overload and bandwidth blocking can cause ____.**

- Buffer Overloading Attack
- Message Overloading Attack
- Attachment Overloading Attack
- Network Overloading Attack

66. **_____ is a form of internet abuse which is perpetrated through the sending of massive volumes of email to a specific email address...**

- Google dorking
- Port sweeping
- Email bomb attack
- ARP address poisoning

67. As an attacker, you should scan all _____ UDP and _____ TCP ports on each network host that's targeted by your scanner.

- 65,535 | 65,535
- 65,535 | 55,535
- 55,535 | 65,535
- 65,535 | 65,435

68. Attack to find two or more users on the same or different e-mail systems that have autoresponder configured can be understood as _____.

- Connection Attack
- Overload Attack
- Autoresponder Attack
- Bandwidth Attack

69. When the hacker corrupts data within the heap, and that code change forces your system to overwrite important data, it is called as _____.

- scan based buffer overflow
- sweep based buffer overflow
- heap based buffer overflow
- stack based buffer overflow