

Task 1 — Post-Launch Health, Incident Command & Sprint Planning

Data Analyst | Sprint A — Scale & Reliability

Objective

Establish post-launch truth across funnel, revenue, retention and quality; rank the largest problems with evidence; and convert those findings into a Phase-3 analytics backlog tied to decisions.

Data provenance note

The CSV used here is the assignment dataset prepared for this task. The brief asks for real production data, so these figures should be presented as assignment-analysis results unless the instructor has supplied or approved a production export.

1. Launch Performance Summary

Metric	Result
Visitors	43,516
Signups	8,992 (20.66%)
Application starts	5,938 (66.04% of signups)
Document upload success	4,338 (73.05% of starts)
Submissions	2,262 (52.14% of uploads)
Revenue	\$103,735.72
7-day retention	52.02%
Quality defects	203
Support tickets	527
API failures	1,099

2. Ranked, Evidence-Backed Problems

Rank	Problem	Evidence	Decision
1	End-to-end funnel leakage	5.20% of visitors become submissions	Prioritize the largest funnel drop before increasing acquisition
2	API reliability	1,099 API failures	Correlate failures with funnel steps and incident windows.
3	Support / quality load	527 support tickets and 203 defects	Prioritize recurring defects with the highest user impact.
4	Retention opportunity	52.02% 7-day retention among returning users	Segment retained vs non-retained cohorts and identify friction

3. Metric → Source → Decision

Every KPI is traceable to a named CSV field and an explicit denominator. Funnel rates use the immediately preceding stage. Retention is $\text{retained_7d_users} \div \text{returning_users}$. Quality is monitored using the `quality_defects` field and its supplied rate metric. This makes the analysis reproducible and defensible.

4. Phase-3 Analytics Backlog

Priority	Analysis	Decision enabled
P0	Break funnel loss by date/channel and inspect API failures	Fix the highest-impact conversion blocker.

Priority	Analysis	Decision enabled
P0	Classify quality defects by type and recurrence	Select engineering fixes with the highest expected impact.
P1	Build retention cohorts by acquisition source	Decide which cohorts deserve lifecycle investment.
P1	Add freshness and sanity monitoring	Prevent stale or broken data from reaching decision-makers.

5. Validation & Definition of Done

Validation covers duplicate review, explicit denominators, non-negative counts, and reconciliation of aggregate metrics to the source CSV. The solution is complete when the report, ranked problem list and decision-linked backlog can be traced back to raw data and demonstrated live.

Submission conclusion: The analysis identifies funnel conversion, reliability, quality/support load and retention as the key post-launch decision areas. The next sprint should focus first on the highest-impact conversion and reliability blockers, with every decision supported by traceable metrics.